

Limited Enterprise, Inc. Products Catalog

Gowns

Masks

Shoe & Boot
Covers

Caps

Coveralls

Others

Manufacturer of Products.

TARO TECHNOLOGY INCORPORATED (DBA Taruo)

18261 E Gale Ste D

City of Industry -CA 91748

FDA Registration: 3016669607

Authorized Distributor:

Limited Enterprise, Inc.

Post Office Box 1635

Stockbridge, GA 30281

(678) 834-5098

Mr. Iyobosa Jesuorobo, CEO

iyobosa@limitedenterprise.com

<http://www.limitedenterprise.com>

2020 Edition


Gowns

Gowns are designed as personal protective equipment, and thus focus on protecting the wearer.


Our factories daily production capacity is currently at 500,000 Gowns.

PRODUCT NUMBER	DESCRIPTION	Protection Level	Material	Material Weight
T0020	Cover Gown	Minimal Fluid Barrier Protection	PP+ABS	25 gsm
T0030	Isolation Gown AAMI Level 1	Low Fluid Barrier Protection	PP+PE	40 gsm
T0017	Isolation Gown AAMI Level 2	Moderate Fluid Barrier Protection	PP+PE	40 gsm
T0041	Overhead Gown AAMI Level 2	Low Fluid Barrier Protection	SMS	25 gsm
T0035	Reusable Gown AAMI Level 2	Moderate Fluid Barrier Protection	Polyester	160 gsm
T0027	Isolation Gown AAMI Level 3	Highest Fluid and Microbial Barrier	PP+PE	45 gsm
T0026	Isolation Gown AAMI Level 3	Highest Fluid and Microbial Barrier	SMS	40 gsm
T0040	Sterile Surgical AAMI Level 3	Highest Fluid and Microbial Barrier	SMS	60 gsm
T0042	Chemo Gowns Level 3	Highest Fluid and Microbial Barrier	Anti-Corrosion PE	55 gsm
T0036	Coverall	Highest Fluid and Microbial Barrier	Tyvek	60 gsm



Sizes	Gown Circumference	Gown Height	Shoulder Width	Arm Length	Cuff Width-Relaxed	Tie Length	
(inches)	A	B	C	D	E	F	
	A	52.65	44.85	26.325	35.49	3.12	37.05
M	V	±1.17	±0.975	±0.78	±0.78	±0.78	min
	T	53.43	45.63	26.715	35.685	3.12	37.05
L	V	±1.17	±0.975	±0.78	±0.78	±0.78	min
	T	54.6	46.8	27.3	35.88	3.12	37.05
XL	V	±1.17	±0.975	±0.78	±0.78	±0.78	min
	T	56.55	48.75	28.275	36.465	3.12	37.05
2XL	V	±1.17	±0.975	±0.78	±0.78	±0.78	min
	T	58.5	48.75	29.25	37.635	3.12	37.05
3XL	V	±1.17	±0.975	±0.78	±0.78	±0.78	min
	T	52.65	44.85	26.325	35.49	3.12	37.05



DONNING



REMOVAL





TARUO



T0020 - Disposable Cover Gown = \$1.144 each.

Detail Information

Product, Model Name	T0020 - Cover Gown	
Type	Disposable Non Sterile Cover Gown	
AAMI Level	Non-Level	
Manufacturer	TARUO	
Certification	FDA - OEA - #3016669607	
Daily Production Capacity	500,000 pcs	
Monthly Max. Production Capacity	15 million pcs	
Country of Origin	China	
Fabric	PP+ABS 25 gsm	
Breathability	Good	
Fluid Resistance	Minimal Fluid Barrier Protection	
Seams	Sewn	
Closure Style	Neck, Back ties	
Packaging	10 pieces per pack, 10 packs per case. Total of 100 pcs per case. Gross weight 7.62kg/case. 12 cases per pallet. Case size: 56*31*33.5cm	
Quantity	< 3000 pcs	> 3000 pcs
MOQ (Minimum Order Quantity)	100 pcs (1 case)	3000 pcs (30 cases)
Cuff Style	Elasticated Wrists	Elasticated Wrists or Knitted
Back	Full Back	Full Back or Open Back
Size	XL	M, L, XL, 2XL, 3XL
Color	Green	Yellow, Blue, Green, White
Inventory	Inventory available	Make to Order (MTO)
Ship From	USA	China
Lead Time	5-10 days	10-20 days



T0030 - Isolation Gown Level 1 = \$1.529 each.

Detail Information

Product, Model Name	T0030 - Isolation Gown AAMI Level 1	
Type	Disposable Non Sterile Isolation Gown	
Manufacturer	TARUO	
Certification	FDA - OEA - #3016669607	
Daily Production Capacity	500,000 pcs	
Monthly Max. Production Capacity	15 million pcs	
Country of Origin	China	
Fabric	PP (Polypropylene) + PE (Polyethylene) 40 gsm	
Breathability	Medium	
Fluid Resistance	Low Fluid Barrier Protection	
Seams	Sewn	
Specification	Barrier Performance G Penetration Test (AATCC 42) (AATCC 127), Tensile Strength Test (ASTM D5034), Tear Strength Test (ASTM D5587), Seam Strength (ASTM D1683), Flammability Test (CPSC standard 16 CFR Part 1610)	
Packaging	10 pieces per pack, 10 packs per case. Total of 100 pcs per case. Gross weight 10.5kg/case. 12 cases per pallet. Case size: 54*33*40cm	
Quantity	< 3000 pcs	> 3000 pcs
MOQ (Minimum Order Quantity)	100 pcs (1 case)	3000 pcs (30 cases)
Cuff Style	Knitted	Elasticated Wrists or Knitted
Closure Style	Neck, Back ties	Velcro or Neck, Back ties
Back	Full Back	Full Back or Open Back
Size	XL	M, L, XL, 2XL, 3XL
Color	Blue	Yellow, Blue, Green, White
Inventory	Inventory available	Make to Order (MTO)
Ship From	USA	China
Lead Time	5-10 days	10-20 days



T0017 - Isolation Gown Level 2 = \$1.606 each.

Detail Information

Product, Model Name	T0017 - Isolation Gown AAMI Level 2	
Type	Disposable Non Sterile Isolation Gown	
Manufacturer	TARUO	
Certification	FDA - OEA - #3016669607	
Daily Production Capacity	500,000 pcs	
Monthly Max. Production Capacity	15 million pcs	
Country of Origin	China	
Fabric	PP (Polypropylene) + PE (Polyethylene) 40 gsm	
Breathability	Medium	
Fluid Resistance	Moderate Fluid Barrier Protection	
Seams	Hot Welded	
Specification	Barrier Performance G Penetration Test (AATCC 42) (AATCC 127), Tensile Strength Test (ASTM D5034), Tear Strength Test (ASTM D5587), Seam Strength (ASTM D1683), Flammability Test (CPSC standard 16 CFR Part 1610)	
Packaging	10 pieces per pack, 10 packs per case. Total of 100 pcs per case. Gross weight 10.8kg/case. 12 cases per pallet. Case size: 54*33*40cm	
Quantity	< 3000 pcs	> 3000 pcs
MOQ (Minimum Order Quantity)	100 pcs (1 case)	3000 pcs (30 cases)
Cuff Style	Knitted	Elasticated Wrists or Knitted
Closure Style	Neck, Back ties	Velcro or Neck, Back ties
Back	Full Back	Full Back or Open Back
Size	XL	M, L, XL, 2XL, 3XL
Color	Yellow	Yellow, Blue, Green, White
Inventory	Inventory available	Make to Order (MTO)
Ship From	USA	China
Lead Time	5-10 days	10-20 days



T0041 - Overhead Gown Level 2 = \$2.880 each.

Detail Information

Product, Model Name	T0041 - Overhead Gown AAMI Level 2	
Type	Disposable Non Sterile Overhead Gown	
Manufacturer	TARUO	
Certification	FDA - OEA - #3016669607	
Daily Production Capacity	500,000 pcs	
Monthly Max. Production Capacity	15 million pcs	
Country of Origin	China	
Fabric	SMS (Spunbond Meltblown Spunbond) 25 gsm	
Breathability	Medium	
Fluid Resistance	Low Fluid Barrier Protection	
Cuff Style	Thumbloop	
Back	Open Back	
Seams	Sewn	
Specification	Barrier Performance G Penetration Test (AATCC 42) (AATCC 127), Tensile Strength Test (ASTM D5034), Tear Strength Test (ASTM D5587), Seam Strength (ASTM D1683), Flammability Test (CPSC standard 16 CFR Part 1610)	
Packaging	10 pieces per pack, 10 packs per case. Total of 100 pcs per case. Gross weight 7.62kg/case. 12 cases per pallet. Case size: 56*31*33.5cm	
Quantity	< 3000 pcs	> 3000 pcs
MOQ (Minimum Order Quantity)	100 pcs (1 case)	3000 pcs (30 cases)
Size	XL	M, L, XL, 2XL, 3XL
Color	Yellow	Yellow, Blue, Green, White
Inventory	Inventory available	Make to Order (MTO)
Ship From	USA	China
Lead Time	5-10 days	10-20 days



T0035 - Reusable Gown Level 2 = \$6.610 each.

Detail Information

Product, Model Name	T0035 - Reusable Gown Level 2	
Type	Reusable Non Sterile Isolation Gown >75 washes	
Manufacturer	TARUO	
Certification	FDA - OEA - #3016669607	
Daily Production Capacity	200,000 pcs	
Monthly Max. Production Capacity	6 million pcs	
Country of Origin	China	
Fabric	Polyester with electrostatic prevention carbon slice	
Breathability	Medium	
Fluid Resistance	Moderate Fluid Barrier Protection	
Seams	Sewn	
Back Style	Full Back	
Closure Style	Neck, Back ties	
Specification	Barrier Performance G Penetration Test (AATCC 42) (AATCC 127), Tensile Strength Test (ASTM D5034), Tear Strength Test (ASTM D5587), Seam Strength (ASTM D1683), Flammability Test (CPSC standard 16 CFR Part 1610)	
Packaging	10 pieces per pack, 10 packs per case. Total of 100 pcs per case. Gross weight 10.8kg/case. 8 cases per pallet. Case size: 54*34*55cm	
Quantity	< 3000 pcs	> 3000 pcs
MOQ (Minimum Order Quantity)	100 pcs (1 case)	3000 pcs (30 cases)
Cuff Style	Knitted	Elasticated Wrists or Knitted
Size	XL	M, L, XL
Color	Yellow	Yellow, Blue, Purple
Inventory	Inventory available	Make to Order (MTO)
Ship From	USA	China
Lead Time	5-10 days	10-20 days



T0027 - Isolation Gown Level 3 = \$1.749 each.

Detail Information

Product, Model Name	T0027 - Isolation Gown AAMI Level 3	
Type	Disposable Non Sterile Isolation Gown	
Manufacturer	TARUO	
Certification	FDA - OEA - #3016669607	
Daily Production Capacity	500,000 pcs	
Monthly Max. Production Capacity	15 million pcs	
Country of Origin	China	
Fabric	PP (Polypropylene) + PE (Polyethylene) 45 gsm	
Breathability	Medium	
Fluid Resistance	High Fluid and Microbial Barrier	
Seams	Hot Welded	
Specification	Barrier Performance G Penetration Test (AATCC 42) (AATCC 127), Tensile Strength Test (ASTM D5034), Tear Strength Test (ASTM D5587), Seam Strength (ASTM D1683), Flammability Test (CPSC standard 16 CFR Part 1610)	
Packaging	10 pieces per pack, 10 packs per case. Total of 100 pcs per case. Gross weight 10.8kg/case. 12 cases per pallet. Case size: 54*33*40cm	
Quantity	< 3000 pcs	> 3000 pcs
MOQ (Minimum Order Quantity)	100 pcs (1 case)	3000 pcs (30 cases)
Cuff Style	Knitted	Elasticated Wrists or Knitted
Closure Style	Neck Velcro, Back Ties	Velcro, Neck Ties Back Ties
Back	Full Back	Full Back or Open Back
Size	XL	M, L, XL, 2XL, 3XL
Color	Blue	Yellow, Blue, Green, White
Inventory	Inventory available	Make to Order (MTO)
Ship From	USA	China
Lead Time	5-10 days	10-20 days



T0026 - Isolation Gown Level 3 = \$2.585 each.

Detail Information

Product, Model Name	T0026 - Isolation Gown AAMI Level 3	
Type	Disposable Non Sterile Isolation Gown	
Manufacturer	TARUO	
Certification	FDA - OEA - #3016669607	
Daily Production Capacity	500,000 pcs	
Monthly Max. Production Capacity	15 million pcs	
Country of Origin	China	
Fabric	SMS (Spunbond Meltblown Spunbond) 40 gsm	
Breathability	Good	
Fluid Resistance	High Fluid and Microbial Barrier	
Seams	Hot Welded	
Closure Style	Neck, Back ties	
Specification	Barrier Performance & Penetration Test (AATCC 42) (AATCC 127), Tensile Strength Test (ASTM D5034), Tear Strength Test (ASTM D5587), Seam Strength (ASTM D1683), Flammability Test (CPSC standard 16 CFR Part 1610)	
Packaging	10 pieces per pack, 10 packs per case. Total of 100 pcs per case. Gross weight 10.8kg/case. 8 cases per pallet. Case size: 54*34*47cm	
Quantity	< 3000 pcs	> 3000 pcs
MOQ (Minimum Order Quantity)	100 pcs (1 case)	3000 pcs (30 cases)
Cuff Style	Knitted	Elasticated Wrists or Knitted
Back	Full Back	Full Back or Open Back
Size	XL	M, L, XL, 2XL, 3XL
Color	Blue	Yellow, Blue, Green, White
Inventory	Inventory available	Make to Order (MTO)
Ship From	USA	China
Lead Time	5-10 days	10-20 days



T0040 - Sterile Gown AAMI Level 3 = \$5.22 each

Detail Information

Product, Model Name	T0040 - Sterile Surgical Isolation Gown AAMI Level 3	
Type	Disposable Sterile Surgical Isolation Gown	
Manufacturer	TARUO	
Certification	FDA - OEA - #3016669607 (EUA)	
Daily Production Capacity	500,000 pcs	
Monthly Max. Production Capacity	15 million pcs	
Country of Origin	China	
Fabric	SMS (Spunbond Meltblown Spunbond) 65 gsm	
Breathability	Good	
Fluid Resistance	High Fluid and Microbial Barrier	
Seams	Taped	
Closure Style	Neck, Back ties	
Specification	Barrier Performance & Penetration Test (AATCC 42) (AATCC 127), Tensile Strength Test (ASTM D5034), Tear Strength Test (ASTM D5587), Seam Strength (ASTM D1683), Flammability Test (CPSC standard 16 CFR Part 1610)	
Packaging	10 pieces per pack, 10 packs per case. Total of 100 pcs per case. Gross weight 10.8kg/case. 8 cases per pallet. Case size: 54*34*47cm	
Quantity	< 3000 pcs	> 3000 pcs
MOQ (Minimum Order Quantity)	100 pcs (1 case)	3000 pcs (30 cases)
Cuff Style	Knitted	Elasticated Wrists or Knitted
Back	Full Back	Full Back or Open Back
Size	XL	M, L, XL, 2XL, 3XL
Color	Blue	Yellow, Blue, Green, White
Inventory	Inventory available	Make to Order (MTO)
Ship From	USA	China
Lead Time	5-10 days	10-20 days



T0042 - Chemo Isolation Gown = \$7.090 each.

Detail Information

Product, Model Name	T0042 - Chemo Gown	
Type	Disposable Chemotherapy Isolation Gown	
Manufacturer	TARUO	
Certification	FDA - OEA - #3016669607	
Daily Production Capacity	100,000 pcs	
Monthly Max. Production Capacity	3 million pcs	
Country of Origin	China	
Fabric	Anti-Corrosion PE Coated PP	
Breathability	Medium	
Fluid Resistance	High Fluid and Microbial Barrier	
Back	Full Back	
Seams	Taped	
Cuff Style	Elasticated	
Closure Style	Velcro	
Specification	Barrier Performance & Penetration Test (AATCC 42) (AATCC 127), Tensile Strength Test (ASTM D5034), Tear Strength Test (ASTM D5587), Seam Strength (ASTM D1683), Flammability Test (CPSC standard 16 CFR Part 1610)	
Packaging	10 pieces per pack, 10 packs per case. Total of 100 pcs per case. Gross weight 10.8kg/case. 8 cases per pallet. Case size: 54*34*47cm	
Quantity	< 3000 pcs	> 3000 pcs
MOQ (Minimum Order Quantity)	100 pcs (1 case)	3000 pcs (30 cases)
Size	XL	M, L, XL, 2XL, 3XL
Color	White	Yellow, Blue, Green, White
Inventory	Inventory available	Make to Order (MTO)
Ship From	USA	China
Lead Time	5-10 days	10-20 days



T0036 - Coverall(Tyvek) = \$8.437 each.

Detail Information

Product, Model Name	T0036 - Coverall	
Type	Coverall	
Manufacturer	TARUO	
Certification	FDA - FYE - #3016669607	
Daily Production Capacity	400,000 pcs	
Monthly Max. Production Capacity	10 million pcs	
Country of Origin	China	
Fabric	Tyvek 60 gsm	
Breathability	Good	
Fluid Resistance	High Fluid and Microbial Barrier	
Seams	Taped	
Cuff style	Elasticated Wrists	
Back	Full Back	
Color	White	
Closure Style	Velcro	
Specification	Barrier Performance G Penetration Test (AATCC 42) (AATCC 127), Tensile Strength Test (ASTM D5034), Tear Strength Test (ASTM D5587), Seam Strength (ASTM D1683), Flammability Test (CPSC standard 16 CFR Part 1610)	
Packaging	10 pieces per pack, 10 packs per case. Total of 100 pcs per case. Gross weight 10.8kg/case. 8 cases per pallet. Case size: 54*34*47cm	
Quantity	< 3000 pcs	> 3000 pcs
MOQ (Minimum Order Quantity)	100 pcs (1 case)	3000 pcs (30 cases)
Size	XL	M, L, XL, 2XL, 3XL
Inventory	Inventory available	Make to Order (MTO)
Ship From	USA	China
Lead Time	5-10 days	10-20 days



Masks

Disposable Masks are mainly designed to protect the patient. Respirators Masks are designed as personal protective equipment, and designed to protect the patient and the wearer.

PRODUCT NUMBER	DESCRIPTION	BFE (Bacterial Filtration Efficiency 3.0 micron)	PFE (Particle Filtration Efficiency 0.1 micron)	Fluid Resistance (mmHg)
T0002	3-ply Disposable Medical Mask Non Sterile	>=98%	>=80%	>=120
T0014	3-ply Disposable Protective Facial Mask. Non Sterile	>=95%	-	-
T0004	KN95 Respirator Mask Non Sterile	-	>=95%	-
T0007	3-ply Disposable Facial Mask for Kids	>=98%	>=80%	-

INTERNATIONAL STANDARD SURGICAL MASK		BFE	PFE	mmHg	H ₂ O / cm ²	cfu/g
		Bacterial Filtration Efficiency 3.0 micron	Particle Filtration Efficiency 0.1 micron	Fluid Resistance	Differential Pressure	Microbial Cleanliness
US Standard	ASTM LEVEL 1	>=95%	>=95%	80	<4.0	-
	ASTM LEVEL 2	>=98%	>=98%	120	<5.0	-
	ASTM LEVEL 3	>=98%	>=98%	160	<5.0	-
	N95		>=95%			
CN Standard	YY 0469 - 2011	>=95%	>=30%	120	<5.0	-
	YY/T 0969 - 2013	>=95%	-	-	<3.0	-
	KN95		>=95%			
EU Standard	EN14683 TYPE I	>=95%	-	-	<3.0	<30
	EN14683 TYPE II	>=98%	-	-	<3.0	<30
	EN14683 TYPE IIR	>=98%	-	120	<5.0	<30



www.taruo-mask.com

TARUO-MASK

Medical Surgical Mask

CE

50

PCS/Box

T0002 - 3-Ply Medical Mask = \$0.132 each.

Detail Information

Product, Model Name	T0002 3-ply Medical Surgical Mask	
Type	Disposable 3-ply	
Manufacturer	TARUO	
Certification	FDA - QKR - #3016669607	
Daily Production Capacity	3,000,000 pcs	
Monthly Max. Production Capacity	36,000,000 pcs	
Country of Origin	China	
Fabric	Melt Blown BFE 99 Level + Non-woven Fabric	
Color	Blue	
BFE Bacterial Filtration Efficiency	>=98%	
PFE Particulate Filtration Efficiency	>=80%	
Fluid Resistance	>=120	
Packaging	50 pieces per pack, 40 packs per case. Total of 2000 pcs per case. Gross weight 9.95kg/case. 12 cases per pallet. Case size: 54*43*40cm	
Quantity	< 2000 pcs	> 2000 pcs
MOQ (Minimum Order Quantity)	50 pcs (1 pack)	200 packs
Inventory	Inventory available	Make to Order (MTO)
Ship From	USA	China
Lead Time	5-10 days	10-20 days



T0014 - 3-Ply Facial Mask = \$0.132 each

Detail Information

Product, Model Name	T0014 3-ply Protective Facial Mask	
Type	3-ply Disposable Protective Facial Mask Non Sterile	
Manufacturer	TARUO	
Certification	FDA - QKR - #3016669607	
Daily Production Capacity	3,000,000 pcs	
Monthly Max. Production Capacity	36,000,000 pcs	
Country of Origin	China	
Fabric	Melt Blown BFE 95 Level	
BFE Bacterial Filtration Efficiency	≥95%	
PFE Particulate Filtration Efficiency	-	
Fluid Resistance	-	
Packaging	50 pieces per pack, 40 packs per case. Total of 2000 pcs per case. Gross weight 9.95kg/case. 12 cases per pallet. Case size: 54*43*40cm	
Quantity	< 2000 pcs	> 2000 pcs
MOQ (Minimum Order Quantity)	50 pcs (1 pack)	200 packs
Color	Blue	Blue, Black
Inventory	Inventory available	Make to Order (MTO)
Ship From	USA	China
Lead Time	5-10 days	10-20 days



T0004 - KN95 Respirator Mask = \$0.590

Detail Information

Product, Model Name	T0004 KN95 Respirator Mask
Type	Respirator Mask
Manufacturer	TARUO
Certification	FDA - ORW - #3016669607
Daily Production Capacity	500,000 pcs
Monthly Max. Production Capacity	15,000,000 pcs
Country of Origin	China
Fabric	Melt Blown BFE 95 Level
BFE Bacterial Filtration Efficiency	>=98%
PFE Particulate Filtration Efficiency	>=95%
Fluid Resistance	-

Packaging

10 pieces per pack, 100 packs per case. Total of 1000 pcs per case. Gross weight 10.1kg/case. 8 cases per pallet.
Case size: 63*33*55cm

Quantity	< 1000 pcs	> 10000 pcs
MOQ (Minimum Order Quantity)	10 pcs (1 pack)	1000 packs
Color	White	White, Blue, Black
Inventory	Inventory available	Make to Order (MTO)
Ship From	USA	China
Lead Time	5-10 days	10-20 days



TARUO



taruo-mask.com

TARUO-MASK



Automatic deactivating filter type anti-fog

Enhanced protective mask

**SELF-PRIMING FILTER
RESPIRATOR
KN95 Respirator**

10

PCS/Box

- Filter efficiency > 95%
- 3 Layer Non-Woven Fabric
- High Breathability & Comfort

GB2626-2006 Standard

T0029 - Shoe Covers = \$0.121

Detail Information

Product, Model Name	T0029 Shoe Covers	
Type	Shoe Covers	
Manufacturer	TARUO	
Certification	FDA - FXP - #3016669607	
Daily Production Capacity	1,00,000 pcs	
Monthly Max. Production Capacity	30,000,000 pcs	
Country of Origin	China	
Fabric	PP (Polypropylene) >30 gsm	
Color	Blue	
Non-Skid	Yes	
Fluid Resistance	Minimal Fluid Barrier Protection	
Packaging	100 pieces per pack, 20 packs per case. Total of 2000 pcs per case. Gross weight 10.3kg/case. 12 cases per pallet. Case size: 54*31*43cm	
Quantity	< 2000 pcs	>2000 pcs
MOQ (Minimum Order Quantity)	100 pcs (1 pack)	20 packs
Inventory	Inventory available	Make to Order (MTO)
Ship From	USA	China
Lead Time	5-10 days	10-20 days



T0021 - Boot Covers = \$1.010 each

Detail Information

Product, Model Name	T0021 Knee High Boot Cover	
Type	Knee High Boot Cover Impervious non-skid	
Manufacturer	TARUO	
Certification	FDA - FXP - #3016669607	
Daily Production Capacity	500,000 pcs	
Monthly Max. Production Capacity	15,000,000 pcs	
Country of Origin	China	
Fabric	PP (Polypropylene) + PE (Polyethylene) 40 gsm	
Non-skid	Yes	
Fluid Resistance	Minimal Fluid Barrier Protection	
Packaging	100 pieces per pack, 4 packs per case. Total of 400 pcs per case. Gross weight 12kg/case. 12 cases per pallet. Case size: 45*31*43cm	
Quantity	< 2000 pcs	>2000 pcs
MOQ (Minimum Order Quantity)	100 pcs (1 pack)	5 cases
Color	Blue	Blue, White
Inventory	Inventory available	Make to Order (MTO)
Ship From	USA	China
Lead Time	5-10 days	10-20 days



T0032 - Multi-Ply Bouffant Cap = \$0.176 each.

Detail Information

Product, Model Name	T0032 - Bouffant Cap	
Type	Multi-Ply Bouffant Cap	
Manufacturer	TARUO	
Certification	FDA - FYF - #3016669607	
Daily Production Capacity	1,000,000 pcs	
Monthly Max. Production Capacity	30,000,000 pcs	
Country of Origin	China	
Fabric	PP (Polypropylene) 35 gsm	
Color	Blue	
Packaging	100 pieces per pack, 20 packs per case. Total of 2000 pcs per case. Gross weight 16.5kg/case. 8 cases per pallet. Case size: 62*62*37 cm	
Quantity	< 2000 pcs	>10000 pcs
MOQ (Minimum Order Quantity)	100 pcs (1 pack)	5 cases
Inventory	Inventory available	Make to Order (MTO)
Ship From	USA	China
Lead Time	5-10 days	10-20 days



TARUO-MASK
Multi-Ply Bouffant Cap - T0032
FF Non-Surgical Non-Sterile
Intended to be used in LDR risk situation.

WARNING:
This product is not intended to be used in high-risk situations, or where respiratory, eye, or mucous membrane protection is required. Do not use in high-risk situations. This product is not intended to be used in high-risk situations, or where respiratory, eye, or mucous membrane protection is required. Do not use in high-risk situations. This product is not intended to be used in high-risk situations, or where respiratory, eye, or mucous membrane protection is required. Do not use in high-risk situations.

ANTI-COUNTERFEIT VERIFICATION CODE
Visit our website for more information on our anti-counterfeit technology.

10 pcs