



**JOHN DEERE**

Current Date 11Jul2017

## 317G COMPACT TRACK LOADER

### 317G COMPACT TRACK LOADER

Vertical Lift Boom Path  
Equipment for Base Machine

Engine:

Yanmar 4TNV86CHT

Electronic Injection

4 Cylinder

48.5 kW (65hp)

2.1L (128 cu. In)

Displacement

Auto Idle

Glow Plugs (Automatically  
Activated)

Engine/Hydraulic Systems

Shutdown Protection

71.2 L (19 gal) fuel tank

750 CCA Battery

70 amp Alternator

Operator Station:

Roll Over Protective

Structure (ROPS)

Falling Object Protective

Structure (FOPS)

Top and rear windows

Seat, retractable seatbelt,  
adjustable lapbar

In-cab boom lockout system

Headliner with Interior Dome  
lighting

12V power port

Back-up Alarm

Horn

Rear View Mirror

Operator selectable LCD

Deluxe Instrumentation:

Fuel Gauge

Engine Coolant Temperature

Hourmeter

Engine RPM

Battery Voltage

Engine Coolant Temp.

Hydraulic Oil Temp.

Job Clock

Diagnostic Codes

Indicator Lights:

Battery Not Charging

Hydraulics Locked Out

Park Brake Engaged

Hydraulic Oil Over Temp

Air Filter Restriction

Engine Preheat

Safety Interlocks

Low Oil Pressure

Quick Specs:

Operating Weight - 8195 kg  
(3721 lb)

Rated Operating Capacity -  
965 kg (2125 lb)

Tipping load - 2756 kg (6070  
lb)

Hydraulic pump flow - 59  
L/m (16 gpm)

Travel speed - 11.3 km/h  
(7.0 mph)

Bucket Breakout force -  
2922 kg (6437 lb)

Boom Breakout force - 2954  
kg (5714 lb)

Width without attachment -  
1.82 m (71.5 in)

Length without attachment -  
2.63 m (103 in)

Height to top of ROPS - 1.99  
m (78.5 in)

Height to hinge pin - 3.07 m  
(121 in)

Warranty (US and Canada):

John Deere Standard  
Warranty 1 Year Unlimited  
Hours

**Required** - You must select one from each category

▼ BASE MACHINE

F.O.B. Dubuque, Iowa

**Description**

317G COMPACT TRACK LOADER

**Code**

06L0T

**Price**

\$52,000.00

▼ COMPACT TRACK VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed

on the same line as that option.)

<b>Description</b>	<b>Code</b>	<b>Price</b>
Standard Compact Track Loader	0800	In Base Price
Note: Includes standard equipment		
<b>Rental Package EH with ISO</b>	0875	(\$215.00)
Package Includes: E-H (ISO Pattern) Joystick Controls (0950) Single-Speed (1025) Engine - Turbocharged (1301) English Operator's Manual & Decals (1501) 12.6 in Tracks (2510) Standard Hydraulics (3000) 2-Inch Seat Belt (4000) Manual Quik-Tatch (5000) Canopy - ROPS / FOPS (5200) Seat (Vinyl) (6000)		
<b>Utility Package with E-H (ISO or H Pattern) Switchable with Performance Package</b>	0880	(\$841.00)
Package Includes: E-H (ISO or H Pattern Switchable) with Performance Package (0985) Single Speed (1025) Engine - Turbocharged (1301) English Operator's Manual & Decals (1501) 15.7 in Tracks (2600) Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004) 2-Inch Seat Belt (4000) Power Quik-Tatch (5001) Canopy - ROPS / FOPS (5200) Vinyl, Air-Ride Seat (6003) Keyless Start (Sealed Switch Module) (8395) Deluxe Lighting Package (8515)		
<b>Cab with Air Conditioning, Heat / Defrost &amp; E-H (ISO or H Pattern Switchable) with Performance Package &amp; Narrow Tracks</b>	0882	(\$1,156.00)
Package Includes: E-H (ISO or H-Pattern Switchable) with Performance Package (0985) Single Speed (1025) Engine - Turbocharged (1301) English Operator's Manual & Decals (1501) 12.6 in Tracks (2500) Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004) 3-Inch Seat Belt with Shoulder Harness (4003) Power Quik-Tatch (5001) Cab Enclosure with Air Conditioning, Heat and Defrost (5204) Air Suspension Seat (Cloth with Heat) (6006) Chrome Exhaust (8225) Radio, AM/FM with Aux Input (8340) Foot Rest with Floor Mat (8380) Keyless Start (Sealed Switch Module) (8395)		
<b>Cab with Air Conditioning, Heat / Defrost &amp; E-H (ISO or H Pattern Switchable) with Performance Package</b>	0885	(\$1,419.00)
Package Includes: E-H (ISO or H-Pattern Switchable) with Performance Package (0985) Single Speed (1025) Engine - Turbocharged (1301) English Operator's Manual & Decals (1501) 15.7 in Tracks (2600) Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control (3004) 3-Inch Seat Belt with Shoulder Harness (4003) Power Quik-Tatch (5001) Cab Enclosure with Air Conditioning, Heat and Defrost (5204) Air Suspension Seat (Cloth with Heat) (6006)		

Chrome Exhaust (8225)  
 Radio, AM/FM with Aux Input (8340)  
 Foot Rest with Floor mat (8380)  
 Keyless Start (Sealed Switch Module) (8395)  
 Deluxe Lighting Package (8515)

#### ENGINE

Description	Code	Price
Engine - Turbocharged	1301	\$1,304.00
Option for the United States, Canada, or regions that use ultra low sulfur fuels. This engine is certified to FT4 EPA emission standards.		
Yanmar 4TNV86CT 2.0L 4 Cylinder Turbo-Charged 65 Gross hp (48.5 kW) 61 Net hp (45.6 kW)		

#### OPERATOR STATION

Description	Code	Price
Canopy - ROPS / FOPS	5200	In Base Price
Cab Enclosure with Heat and Defrost	5202	\$2,916.00
Cab Enclosure with Air-Conditioning, Heat and Defrost	5204	\$4,473.00
Glass Front Door w/ Wiper and Glass Slide Windows. Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003).		

#### SEAT

Description	Code	Price
Seat (Vinyl)	6000	(\$417.00)
Mechanical Suspension Seat (Vinyl)	6001	In Base Price
Vinyl, Air-Ride Seat	6003	\$452.00
Air Suspension Seat (Cloth with Heat)	6006	\$625.00
For use with Cab 5204.		

#### SEAT BELTS

Description	Code	Price
2-Inch Seat Belt	4000	In Base Price
For use with Canopy - ROPS / FOPS (5200).		
2-Inch Seat Belt with Shoulder Harness	4001	\$212.00
3-Inch Seat Belt with Shoulder Harness	4003	\$379.00

#### CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	\$2,565.00
E-H (ISO or H Pattern Switchable) with Performance Package	0985	\$3,067.00

Includes:  
 Selectable Propel Aggressiveness Settings (Production, Utility, Precision modes)  
 Creeper Mode  
 Boom and Bucket Speed Settings (Production, Utility, Precision modes)

Code 8395 Keyless Start (Sealed Switch Module) is required.

Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.

#### TRANSMISSION

Description	Code	Price
Single-Speed	1025	In Base Price

#### HYDRAULIC OPTIONS

Description	Code	Price
Standard Hydraulics	3000	In Base Price

Auxiliary Pump Flow = 16 gpm

Standard Hydraulics and Hydraulic Self-Leveling Up	3001	\$575.00
--	------	----------

Auxiliary Pump Flow = 16 gpm

Standard Hydraulics, Hydraulic Self-Leveling Up and Ride Control	3004	\$1,250.00
--	------	------------

Auxiliary Pump Flow = 16 gpm

#### QUIK-TATCH

Description	Code	Price
Manual Quik-Tatch	5000	In Base Price

Power Quik-Tatch	5001	\$724.00
------------------	------	----------

#### TRACKS

Description	Code	Price
Offset Block Lug Rubber Tracks - 12.6 in	2500	No Charge

Narrow stance, gives 65.1" CTL width.

Offset Block Lug Rubber Tracks - 12.6 in	2510	In Base Price
--	------	---------------

Wide stance, gives 68.3" CTL width.

Zig-Zag Bar Track - 12.6 in.	2550	\$200.00
------------------------------	------	----------

Narrow stance, gives 65.1" CTL width.

Zig-Zag Bar Track - 12.6 in.	2570	\$200.00
------------------------------	------	----------

Wide stance, gives 68.3" CTL width.

Offset Block Lug Rubber Tracks - 15.8"	2600	\$1,430.00
--	------	------------

Wide stance, gives 71.5" CTL width.

Wide Zig-Zag Bar Track - 15.8 in.	2645	\$1,630.00
-----------------------------------	------	------------

Wide stance, gives 71.5" CTL width.

▼ OPERATOR MANUAL & DECALS

Description	Code	Price
English Operator's Manual & Decals For use with FT4 Engine	1501	No Charge
Spanish Operator's Manual & Decals For use with FT4 Engine	1515	No Charge

**Optional - Select as desired**

▼ KITS AND ACCESSORIES - FACTORY INSTALLED

Description	Code	Price
Battery, Heavy Duty, 925cca NOTE: Not for use with Cold Start Package (8050).	8045	\$55.00
Cold Start Package Includes Heavy Duty 925cca Battery, Hydraulic Bypass, and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics	8050	\$303.00
Rear Counterweight, 2 100LBS	8131	\$375.00
Chrome Exhaust	8225	\$75.00
Radio, AM/FM with Aux Input For use with enclosed cab only: codes 5204 & 5205	8340	\$540.00
Foot Rest with Floormat For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975).	8380	\$144.00
Keyless Start (Sealed Switch Module) Includes: programmable machine security code system	8395	\$399.00
E-H Attachment Performance Package Replaces standard auxiliary couplers with connect under pressure couplers. Includes 3 pin and 14 pin attachment control electrical harness. Fully populated Joysticks with 4th function auxiliary control.	8400	\$296.00
Deluxe Lighting Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	8515	\$900.00

▼ BUCKETS:

See Attachments for Multi-Purpose Buckets

Description	Code	Price
66 in. Construction Bucket (16.2 cu. ft.)	9031	\$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	\$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	9033	\$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	\$1,082.00

66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	\$1,048.00
66 in. Tooth Bucket (16.2 cu. ft.)	9200	\$1,099.00
66 in. Utility Bucket (20.6 cu. ft.)	9310	\$963.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	\$1,128.00
72 in. Construction Bucket (17.8 cu. ft.)	9040	\$1,030.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	9041	\$1,231.00
72 in. Tooth Bucket (17.8 cu. ft.)	9210	\$1,231.00
72 in. Utility Bucket (22.6 cu. ft.)	9320	\$1,065.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	9321	\$1,252.00
76 in. HD Construction Bucket (18.5 cu. ft.)	9045	\$1,096.00
76 in. HD Construction Bucket (18.5 cu. ft.) with Edge	9046	\$1,319.00
76 in. HD Tooth Bucket (18.5 cu. ft.)	9215	\$1,322.00
66 in. Grading Heel Bucket (14.3 cu. Ft)	9028	\$970.00
66 in. Grading Heel Bucket (14.3 cu. Ft) with Teeth	9030	\$1,170.00

▼ EXPORT CODES

Description	Code	Price
-------------	------	-------

▼ SPECIAL EQUIPMENT - ORDER AS DESIRED

Description	Code	Price
Rust Preventative	9909	\$160.00

Coating protects exposed unpainted surfaces from road salt during shipment.  
Applied at PSL.  
Not for use with export shipments as export pricing includes rust prevention.

▼ DEALER-INSTALLED KITS

Description	Code	Price
-------------	------	-------

**Buckets**

66 in. Construction Bucket (16.2 cu. ft.)	KV11630	\$997.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	\$1,139.00
66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	\$870.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	\$1,082.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	\$1,048.00
66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	\$889.00

66 in. Grading Heel Bucket (15.4 cu. ft.)	AT440989	\$970.00
66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth	AT441048	\$1,170.00
66 in. Tooth Bucket (16.2 cu. ft.)	KV12311	\$1,099.00
66 in. Utility Bucket (20.6 cu. ft.)	KV22801	\$963.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	KV24755	\$1,128.00
72 in. Construction Bucket (17.8 cu. ft.)	AT319177	\$1,030.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	AT322309	\$1,231.00
72 in. Foundry Bucket (16.0 cu. ft.)	KV11637	\$956.00
72 in. Tooth Bucket (17.8 cu. ft.)	AT321177	\$1,231.00
72 in. Utility Bucket (22.6 cu. ft.)	KV21474	\$1,065.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	KV24756	\$1,252.00
76 in. HD Construction Bucket (18.5 cu. ft.)	AT329506	\$1,096.00
76 in. HD Construction Bucket (18.5 cu. ft.) with Edge	AT329644	\$1,319.00
76 in. HD Tooth Bucket (18.5 cu. ft.)	AT329580	\$1,322.00
<b>Cutting Edges</b>		
76 in. Bolt-On Cutting Edge	T223081	View Price
Requires additional hardware; see Parts.		
<b>Kits and Accessories</b>		
12 Volt Demonstration Kit	KV21995	\$314.00
3-pin connector		
2-inch Seat Belt with Shoulder Harness for Standard Seat	AT417007	\$314.00
3-inch Seat Belt with Shoulder Harness for Standard Seat	AT417008	\$476.00
Attachment Control	BYT10072	\$735.00
Includes 3 pin and 14 pin connector. For use with EH controls 0950 or 0985 and without EH Attachment Performance Package code 8400.		
Block Heater Kit, 110V	AT464134	\$112.00
Bobcat Attachment Harness Adapter Kit	AT417736	\$344.00
Must have the 14 pin attachment connector already installed.		
Connect Under Pressure Auxiliary Field Kit	AT463917	\$343.00
Replaces existing Standard Auxiliary Coupler with Connect Under Pressure block.		

Deluxe Light Package	AT459829	\$1,200.00
Includes 2 additional side lights and LED light bulbs for all exterior machine lights.		
EH Joystick Performance Package	BYT10454	\$593.00
Factory Code 8395 or kit AT459848 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package.		
Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings		
Engine Air Pre-Cleaner Kit	AT440512	\$457.00
Fire Extinguisher Mounting Bracket Field Kit	AT465500	\$36.00
Fluid Sampling Field Kit	AT464541	\$20.00
Foot Throttle Removal Kit	AT463994	\$52.00
Hazard Warning Lights	AT446202	\$127.00
Radio Field Kit	BYT10069	\$510.00
Rear Counterweight	AT421580	\$274.00
Includes 2-100 lb. weights and mounting hardware.		
SMV Sign	KV26958	\$77.00
SSM with Anti-Theft	AT459848	\$710.00
Severe Duty Door	AT446612	\$3,076.00
Includes windshield wiper. 2- or 3-inch Seat Belt with Shoulder Harness required.		
Single Point Lift System	AT440657	\$710.00
Vinyl Cab Enclosure	AT459416	\$357.00
Warning Beacon	AT446201	\$216.00
<b>Miscellaneous</b>		
66 in. Bolt-On Cutting Edge	U16748	View Price
Requires Seven Grade 8 Plow Bolts and Nuts (PB750225)		
72 in. Bolt-On Cutting Edge	T32742	View Price
Requires additional hardware; see Parts.		
<b>Tooth Bars</b>		
66 in. Tooth Bar - 7 Teeth	KV12294	\$475.00
66 in. Tooth Bar for BOCE - 6 Teeth	AT347126	\$714.00
72 in. Tooth Bar - 7 Teeth	KV11598	\$510.00



72 in. Tooth Bar for BOCE - 8 Teeth	AT347128	\$733.00
76 in. Tooth Bar - 8 Teeth	AT331906	\$525.00
76 in. Tooth Bar for BOCE - 8 Teeth	AT347130	\$772.00

Copyright © Deere & Company. All Rights Reserved.

[About Our Site](#) | [Privacy and Data](#) | [Legal](#) | |