



**JOHN DEERE**

Current Date 05Sep2017

## 332G SKID STEER

### 332G Base Equipment

#### Engine:

4 Cylinder Turbo-Charged  
Electronic Injection System  
Auto Idle  
Glow Plugs  
Automatic Engine Shutdown  
with Alarm  
Tri-Cool Engine and  
Hydraulic cooling package  
Hydraulic Cool-on-Demand  
Variable Speed Fan  
Dual Element Air Cleaner  
Auto Fan Belt Tensioner  
John Deere "Cool Gard II"  
Extended Life Anti-Freeze  
John Deere Plus 50 10w30  
engine oil  
5 Micron fuel filter with  
Water Separator  
100 Micron secondary fuel  
filter  
26 Gallon (97 L) Fuel Tank  
Final Drive System and  
Undercarriage:  
2-Speed Transmission  
Servo Axial Piston  
Hydrostatic Pumps  
Radial Piston Hydrostatic  
Motors  
Four Wheel Drive  
Four 100 HD continuous loop  
chain drive  
Spring applied, hydraulically  
released wet-disk park brake

#### Gauges and Instruments:

Keyless Start Sealed Switch  
Module  
Fuel Gauge  
Engine Coolant Temperature  
Operator Selectable LCD  
Digital Readout:  
Hourmeter  
Engine RPM  
Battery Voltage

#### Indicator Warning Lights:

Battery Not Charging  
Hydraulics Locked Out  
Park Brake Illumination  
Hydraulic Oil Over Temp  
2-Speed Engaged  
Air Filter Restriction  
Hydraulic Oil Filter  
Restriction  
Lap Bar Switch  
Seat Switch  
Door Open Switch  
Engine Preheat  
Low Engine Oil Pressure  
Automatic Engine Preheat  
Electrical:  
12-Volt Electrical Battery  
925 cca w/150 minute  
reserve capacity  
Alternator 70 Amp  
Halogen Work Lights, 2 Front  
and 1 Rear  
Programmable courtesy  
lighting shutoff system  
Hydraulics:  
3-Spool Open Center Valve  
System Pressure 3450 psi  
5 Micron Hydraulic Filter  
John Deere Boom & Bucket  
Cylinders w/Cushioned Boom

Connect-under-pressure  
auxiliary hydraulic couplers  
Loader Arm, Bucket, &  
Auxiliary Hydraulic Lockout  
system  
Auxiliary Hydraulics Lock-out  
Override  
Boom Float

#### Performance Characteristics:

Gross Horsepower 100 Hp  
(75 Kw)  
Rated Operating Capacity  
3,600 lbs. (1,633 kg)

Travel Speed High 12 mph  
(19.3 km/h)

Construction Bucket

Breakout Force 9,250 lbs.  
(4,200 kg)

Boom Breakout Force 7,750  
lbs. (3,519 kg)

Width without Attachment  
78.4 in. (1.99 m)

Length without Attachment  
122 in. (3.10 m)

Height to Top of ROPS 86.3  
in. (2.19 m)

Height to Hinge Pin 132 in.  
(3.35 m)

Machine Operating Weight  
10,000 lbs. (4,540 kg)

Operator

Protection/Comfort:

FOPS / ROPS Roll-Guard with  
Side Screens

In-Cab Boom Lockout  
System

Adjustable Interlocking

Operator Presence Lap Bar  
System

Retractable Seat Belt

Rearview Mirror

Back-up Alarm

Horn

Deluxe Headliner

12V power port

Cell Phone cargo net storage

Interior Dome Lighting

Cup Holder

Itrigal Grab Handles for Easy  
Entry / Exit

Top and Rear Windows

Water Shedding Deluxe  
Seating

Convenient Tie Downs

Attachment Coupler:

John Deere patented Quik-  
Tatch system (no grease)

|                      |                            |                            |
|----------------------|----------------------------|----------------------------|
| Engine Coolant Temp. | Tipping Load 7,200 lbs.    | required)                  |
| Hydraulic Oil Temp.  | (3,266 kg)                 | Warranty:                  |
| Job Clock            | Hydraulic Pump Flow 25 gpm | John Deere 1st Year full   |
| Service Codes        | (95 L/m)                   | machine/Unlimited hours    |
| Diagnostic Codes     | Travel Speed Low 7 mph     | w/2nd year of Powertrain   |
| Configuration Codes  | (11.3 km/h)                | plus Hydraulics up to 2000 |
|                      |                            | hours                      |

Required - *You must select one from each category*

▼ BASE MACHINE

F.O.B. Dubuque, Iowa

| Description     | Code  | Price       |
|-----------------|-------|-------------|
| 332G SKID STEER | OBDOT | \$56,010.00 |

▼ SKID STEER VALUE PACKAGES

PRICE LISTED IS A 10% DISCOUNT FOR OPTIONAL EQUIPMENT-EXCLUDING ENGINES. (Each option's price will be listed on the same line as that option.)

| Description              | Code | Price         |
|--------------------------|------|---------------|
| 332G Standard Skid Steer | 0800 | In Base Price |

Note: Includes standard equipment

|  |      |            |
|--|------|------------|
| Utility Package With ISO Pattern Joystick Controls | 0816 | (\$534.00) |
|--|------|------------|

Package includes:

- \* EH (ISO Pattern) Joystick Controls (0950)
- \* Less JDLINK (1741)
- \* English Operator's Manual & Decals (1501)
- \* 14x17.5 14 PR Titan HD2000-II (2320)
- \* Standard Base Hydraulics (3000)
- \* Ride Control (3100)
- \* 2 in. Seat Belt (4000)
- \* Power Quik-Tatch (5001)
- \* Canopy - ROPS / FOPS (5200)
- \* Standard Lighting Package (5500)
- \* Mechanical Suspension Seat (Vinyl) (6001)
- \* Standard Fan Drive (6500)

|   |      |              |
|---|------|--------------|
| Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package | 0821 | (\$1,475.00) |
|---|------|--------------|

Package includes:

- \* ISO-H Switchable Controls and EH Joystick Performance Package (0953)
- \* English Operator's Manual & Decals (1501)
- \* Less JDLINK (1741)
- \* 14x17.5 14 PR Galaxy Hulk (2450)
- \* Standard Base Hydraulics (3000)
- \* Ride Control and Hydraulic Self-Level Up (3100)
- \* 3 in. Seat Belt with Shoulder Harness (4003)
- \* Power Quik-Tatch (5001)
- \* Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
- \* Deluxe Lighting Package (5550)
- \* Air Suspension Seat (Cloth with Heat) (6006)
- \* Standard Fan Drive (6500)
- \* Rear View Camera (8042)
- \* Radio, AM/FM with Bluetooth (8342)
- \* Foot Rest with Floormat (8380)

Deluxe Cab Package With ISO-H Switchable Controls and EH Joystick Performance Package & Hi-Flow 0826 (\$1,835.00)

Package includes:

- \* ISO-H Switchable Controls and EH Joystick Performance Package (0953)
- \* English Operator's Manual & Decals (1501)
- \* Less JDLINK (1741)
- \* 14x17.5 14 PR Galaxy Hulk (2450)
- \* High Flow Hydraulics (3002)
- \* Ride Control and Hydraulic Self-Level Up (3100)
- \* 3 in. Seat Belt with Shoulder Harness (4003)
- \* Power Quik-Tatch (5001)
- \* Cab Enclosure with Heat, Defrost, & Air Conditioning (5204)
- \* Deluxe Lighting Package (5550)
- \* Air Suspension Seat (Cloth with Heat) (6006)
- \* Reversing Fan Drive (6501)
- \* Rear View Camera (8042)
- \* Engine Air Precleaner (8060)
- \* Radio, AM/FM with Bluetooth (8342)
- \* HD Rear Grille (8370)
- \* Foot Rest with Floormat (8380)

▼ JDLINK

| Description   | Code | Price      |
|---|------|------------|
| JDLINK Ultimate Cellular for the Americas, excluding Costa Rica | 1700 | \$1,200.00 |

Includes JDLINK hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and JDLINK Ultimate activation

JDLINK utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLINK hardware to restore functionality.

Includes 3 year subscription. Annual subscription renewal required after 3 years for continued functionality. JDLINK customer account must be created to access JDLINK Ultimate data. Go to [www.StellarSupport.com](http://www.StellarSupport.com) to renew or update JDLINK subscriptions.

Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at [www.JohnDeere.com/Agreements](http://www.JohnDeere.com/Agreements). If these terms and conditions are not agreeable do not proceed and do not use the service.

|             |      |           |
|-------------|------|-----------|
| Less JDLINK | 1741 | No Charge |
|-------------|------|-----------|

▼ ENGINE

| Description           | Code | Price      |
|-----------------------|------|------------|
| Engine - Turbocharged | 1301 | \$3,045.00 |

Required for the United States and available for Canada. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yanmar 4TNV94FHT 3.1L  
4 Cylinder Turbo-Charged  
100 Gross hp (75.0 kW)  
97 Net hp (72.3 kW)

▼ OPERATOR STATION

| Description          | Code | Price         |
|----------------------|------|---------------|
| Canopy - ROPS / FOPS | 5200 | In Base Price |

|   |      |            |
|---|------|------------|
| Cab Enclosure with Air-Conditioning, Heat and Defrost | 5204 | \$4,473.00 |
|---|------|------------|

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)

|  |      |            |
|--|------|------------|
| Cab Enclosure with Air-Conditioning, Heat, Defrost, and Severe Duty Door | 5205 | \$6,672.00 |
|--|------|------------|

Requires 2-inch Seat Belt with Shoulder Harness (4001) or 3-inch Seat Belt with Shoulder Harness (4003)

#### ▼ LIGHTING

| Description               | Code | Price         |
|---------------------------|------|---------------|
| Standard Lighting Package | 5500 | In Base Price |

Includes 2 front halogen work headlights and rear work light.

|                         |      |          |
|-------------------------|------|----------|
| Deluxe Lighting Package | 5550 | \$900.00 |
|-------------------------|------|----------|

Includes 2 additional CAB mounted side lights and LED light bulbs for all exterior machine lights.

#### ▼ SEAT

| Description                        | Code | Price         |
|------------------------------------|------|---------------|
| Mechanical Suspension Seat (Vinyl) | 6001 | In Base Price |

|                      |      |          |
|----------------------|------|----------|
| Vinyl, Air-Ride Seat | 6003 | \$452.00 |
|----------------------|------|----------|

|                                       |      |          |
|---------------------------------------|------|----------|
| Air Suspension Seat (Cloth with Heat) | 6006 | \$625.00 |
|---------------------------------------|------|----------|

For use with Cab 5204.

#### ▼ SEAT BELTS

| Description      | Code | Price         |
|------------------|------|---------------|
| 2-Inch Seat Belt | 4000 | In Base Price |

For use with Canopy - ROPS / FOPS (5200)

|  |      |          |
|--|------|----------|
| 2-Inch Seat Belt with Shoulder Harness | 4001 | \$212.00 |
|--|------|----------|

|  |      |          |
|--|------|----------|
| 3-Inch Seat Belt with Shoulder Harness | 4003 | \$279.00 |
|--|------|----------|

#### ▼ CONTROLS

| Description                         | Code | Price         |
|-------------------------------------|------|---------------|
| E-H (ISO Pattern) Joystick Controls | 0950 | In Base Price |

|   |      |            |
|---|------|------------|
| ISO-H Switchable Controls and EH Joystick Performance Package | 0953 | \$1,035.00 |
|---|------|------------|

Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes.

Joystick handles fully populated with all buttons.

Switchable Accelerator/Decelerator foot throttle.

EH Joystick Performance Package Features:

Selectable propel speeds

Creeper Mode

Boom and Bucket speed settings  
12V 3 Pin and 14 Pin Attachment Control Harness & Dash mounted 4th function  
Rocker Switch

|   |      |            |
|---|------|------------|
| 3-Way Switchable Controls and EH Joystick Performance Package | 0993 | \$2,185.00 |
|---|------|------------|

Includes Three way Switchable Controls between EH Foot Control, ISO Joystick Control, or H-Pattern Joystick control modes.

Includes Switchable Accelerator/Decelerator with right side foot pedal throttle when operating in ISO or H-Pattern Joystick Control mode.

EH Joystick Performance Package Features:

Selectable propel speeds

Creeper Mode

Boom and Bucket speed settings

12V 3 Pin and 14 Pin Attachment Control Harness & Dash mounted 4th function

Rocker Switch

#### ▼ HYDRAULIC OPTIONS

| Description         | Code | Price         |
|---------------------|------|---------------|
| Standard Hydraulics | 3000 | In Base Price |

Pump Flow = 25 gpm

|                      |      |            |
|----------------------|------|------------|
| High Flow Hydraulics | 3002 | \$1,830.00 |
|----------------------|------|------------|

Pump Flow = 41gpm

Includes 1/2 in Auxiliary coupler sizes.

#### ▼ RIDE CONTROL

| Description                              | Code | Price      |
|--|------|------------|
| Ride Control and Hydraulic Self-Level Up | 3100 | \$1,250.00 |

|                                     |      |               |
|-------------------------------------|------|---------------|
| Less Ride Control and Self-Level Up | 3101 | In Base Price |
|-------------------------------------|------|---------------|

#### ▼ QUIK-TATCH

| Description       | Code | Price         |
|-------------------|------|---------------|
| Manual Quik-Tatch | 5000 | In Base Price |

|                  |      |          |
|------------------|------|----------|
| Power Quik-Tatch | 5001 | \$724.00 |
|------------------|------|----------|

#### ▼ COOLING FAN

| Description        | Code | Price         |
|--------------------|------|---------------|
| Standard Fan Drive | 6500 | In Base Price |

|                     |      |          |
|---------------------|------|----------|
| Reversing Fan Drive | 6501 | \$830.00 |
|---------------------|------|----------|

#### ▼ WHEELS AND TIRES

| Description                   | Code | Price      |
|-------------------------------|------|------------|
| 14x17.5 14 PR Titan HD2000-II | 2320 | \$3,362.00 |

Gives 78.5 in. Skid Steer width at wide setting  
Not compatible with Steel Tracks.

|                              |      |            |
|------------------------------|------|------------|
| 14x17.5 12 PR SKS Extra-Wall | 2330 | \$2,887.00 |
|------------------------------|------|------------|

For use primarily in dirt applications.  
No narrow setting possible.

|                                   |      |            |
|-----------------------------------|------|------------|
| 14x17.5 Treaded Brawler SolidFlex | 2420 | \$5,700.00 |
|-----------------------------------|------|------------|

Gives 73.5 in. Skid Steer width at wide setting  
Not Compatible with Steel Tracks.

|                           |      |            |
|---------------------------|------|------------|
| 14x17.5 14 PR Galaxy Hulk | 2450 | \$3,865.00 |
|---------------------------|------|------------|

Not compatible with Steel Tracks.

▼ OPERATOR MANUAL & DECALS

| Description                        | Code | Price     |
|------------------------------------|------|-----------|
| English Operator's Manual & Decals | 1501 | No Charge |

For use with FT4 Engine

|  |      |           |
|--|------|-----------|
| English Operator's Manual & No Text Decals | 1503 | No Charge |
|--|------|-----------|

Not for Canada  
For use with IT4/Stage IIIB Engine

|                                   |      |           |
|-----------------------------------|------|-----------|
| French Operator's Manual & Decals | 1510 | No Charge |
|-----------------------------------|------|-----------|

For use with FT4 Engine

|   |      |           |
|---|------|-----------|
| French Operator's Manual & No Text Decals | 1512 | No Charge |
|---|------|-----------|

Not for Canada  
For use with IT4/Stage IIIB Engine

|                                    |      |           |
|------------------------------------|------|-----------|
| Spanish Operator's Manual & Decals | 1515 | No Charge |
|------------------------------------|------|-----------|

For use with FT4 Engine

Optional - *Select as desired*

▼ KITS AND ACCESSORIES - FACTORY INSTALLED

| Description      | Code | Price    |
|------------------|------|----------|
| Rear View Camera | 8042 | \$850.00 |

Includes 5" LCD monitor.

|                    |      |          |
|--------------------|------|----------|
| Cold Start Package | 8050 | \$303.00 |
|--------------------|------|----------|

Includes Block Heater and XR Hydraulic Oil.

|                       |      |          |
|-----------------------|------|----------|
| Engine Air Precleaner | 8060 | \$455.00 |
|-----------------------|------|----------|

|                       |      |          |
|-----------------------|------|----------|
| Hazard Warning Lights | 8075 | \$159.00 |
|-----------------------|------|----------|

|                |      |          |
|----------------|------|----------|
| Chrome Exhaust | 8225 | \$328.00 |
|----------------|------|----------|

|                                       |      |          |
|---------------------------------------|------|----------|
| Counterweight, Stackable (Single Set) | 8300 | \$349.00 |
|---------------------------------------|------|----------|

Includes 2 - 86 lb weights (39 Kg)

|                                       |      |          |
|---------------------------------------|------|----------|
| Counterweight, Stackable (Second Set) | 8305 | \$349.00 |
|---------------------------------------|------|----------|

Includes 2 - 86 lb weights (39 Kg)

|   |      |          |
|---|------|----------|
| Counterweight, Stackable (Third Set)  | 8310 | \$349.00 |
| Includes 2 - 86 lb weights (39 Kg)<br>Requires Counterweight, Stackable (Second Set) (8305)           |      |          |
| Radio, AM/FM with Bluetooth   | 8342 | \$600.00 |
| HD Rear Grille  | 8370 | \$486.00 |
| Provides protection to cooling package.   |      |          |
| Foot Rest with Floormat   | 8380 | \$144.00 |
| For use with E-H (ISO Pattern) Joystick Controls (0950), or E-H (H Pattern) Joystick Controls (0975). |      |          |

▼ BUCKETS:

See Attachments for Multi-Purpose Buckets

| Description   | Code | Price      |
|---|------|------------|
| 78 in. HD Construction Bucket (19.4 cu. ft.)                    | 9051 | \$1,149.00 |
| 78 in. HD Construction Bucket (19.4 cu. ft.) with Edge          | 9052 | \$1,339.00 |
| 78 in. HD Tooth Bucket (19.4 cu. ft.)                           | 9221 | \$1,353.00 |
| 78 in. HD Utility Bucket (24.5 cu. ft.)                         | 9330 | \$1,138.00 |
| 78 in. HD Utility Bucket (24.5 cu. ft.) with Edge               | 9331 | \$1,339.00 |
| 84 in. HD Construction Bucket (21.0 cu. ft.)                    | 9061 | \$1,286.00 |
| 84 in. HD Construction Bucket (21.0 cu. ft.) with Edge          | 9062 | \$1,422.00 |
| 84 in. HD Tooth Bucket (21.0 cu. ft.)                           | 9231 | \$1,447.00 |
| 84 in. HD Utility Bucket (27.0 cu. ft.)                         | 9340 | \$1,205.00 |
| 84 in. HD Utility Bucket (27.0 cu. ft.) with Edge               | 9341 | \$1,500.00 |
| 90 in. Light Material Bucket with Edge (53.9 cu. ft.)           | 9425 | \$2,500.00 |
| 90 in. SD Construction Bucket with Serrated Edge (22.4 cu. ft.) | 9410 | \$2,500.00 |
| 90 in. SD Tooth Bucket (22.4 cu. ft.)                           | 9415 | \$2,434.00 |

▼ EXPORT CODES

| Description | Code | Price |
|-------------|------|-------|
|-------------|------|-------|

▼ SPECIAL EQUIPMENT - ORDER AS DESIRED

| Description       | Code | Price    |
|-------------------|------|----------|
| Rust Preventative | 9909 | \$160.00 |

Coating protects exposed unpainted surfaces from road salt during shipment.  
Applied at PSL.  
Not for use with export shipments as export pricing includes rust prevention.

▼ DEALER-INSTALLED KITS



| Description   | Code     | Price      |
|---|----------|------------|
| <u>BUCKETS</u>  |          |            |
| 78 in. HD Construction Bucket (19.4 cu. ft.) with Edge  | AT322310 | \$1,339.00 |
| 78 in. HD Tooth Bucket (19.4 cu. ft.)   | AT321180 | \$1,353.00 |
| 78 in. HD Utility Bucket (24.5 cu. ft.)   | KV22802  | \$1,138.00 |
| 78 in. HD Utility Bucket (24.5 cu. ft.) with Edge   | KV24757  | \$1,339.00 |
| 84 in. HD Construction Bucket (21.0 cu. ft.)  | AT319181 | \$1,286.00 |
| 84 in. HD Construction Bucket (21.0 cu. ft.) with Edge  | AT322311 | \$1,422.00 |
| 84 in. HD Tooth Bucket (21.0 cu. ft.)   | AT321181 | \$1,447.00 |
| 84 in. HD Utility Bucket (27.0 cu. ft.)   | KV21470  | \$1,205.00 |
| 84 in. HD Utility Bucket (27.0 cu. ft.) with Edge   | KV24758  | \$1,500.00 |
| 90 in. Light Material Bucket with Edge (53.9 cu. ft.)   | BYT10314 | \$2,500.00 |
| 90 in. SD Construction Bucket with Serrated Edge (22.4 cu.ft.)  | AT455408 | \$2,500.00 |
| 90 in. SD Tooth Bucket (22.4 cu. ft.)   | AT450326 | \$2,434.00 |
| <u>Buckets</u>  |          |            |
| 78 in. HD Construction Bucket (19.4 cu. ft.)  | AT319180 | \$1,149.00 |
| 78 in. HD Foundry Bucket (17.8 cu. ft.)   | KV22758  | \$1,040.00 |
| <u>Cutting Edges</u>  |          |            |
| 76 in. Bolt-On Cutting Edge   | T223081  | View Price |
| Requires additional hardware; see Parts.  |          |            |
| 78 in. Bolt-On Cutting Edge   | KV12758  | View Price |
| Requires additional hardware; see Parts.  |          |            |
| 84 in. Bolt-On Cutting Edge   | KV12471  | View Price |
| Requires additional hardware; see Parts.  |          |            |
| <u>Kits and Accessories</u>   |          |            |
| Attachment Control  | BYT10040 | \$415.00   |
| Joystick handles fully populated with all buttons.<br>3 and 14 Pin electrical attachment control harness.<br>Dash mounted 4th function Rocker Switch. |          |            |
| Backhoe Attachment Mounting Kit   | AT466358 | \$119.00   |
| Beacon Warning Light  | BYT10048 | \$320.00   |



|  |          |            |
|--|----------|------------|
| Block Heater Kit   | AT439115 | \$112.00   |
| Bobcat Attachment Harness Adapter Kit  | AT417736 | \$344.00   |
| Must have the 14 pin attachment connector already installed.   |          |            |
| Boom Mounted Hose Guide Kit  | AT436025 | \$102.00   |
| Counterweight, Stackable (Single Set)  | AT348835 | \$356.00   |
| Includes 2 - 86 lb weights (39 Kg)   |          |            |
| Deluxe Light Package   | BYT10041 | \$1,200.00 |
| Includes 2 additional side lights and LED light bulbs for all exterior machine lights.   |          |            |
| EH Joystick Performance Package  | BYT10454 | \$593.00   |
| Enables the following features:<br>Switchable control patterns between ISO and H<br>Selectable propel aggressiveness<br>Creeper Mode<br>Boom and Bucket speed settings |          |            |
| Engine Air Pre-Cleaner Kit   | AT439117 | \$457.00   |
| Field Kit, Reversing Fan   | BYT10356 | \$834.00   |
| Kit is compatible with G series models (331G, 333G, 330G & 332G).  |          |            |
| Foot Throttle Removal Kit  | AT410246 | \$52.00    |
| HD Rear Grille   | BYT10058 | \$593.00   |
| Provides protection to cooling package.  |          |            |
| Hazard Warning Lights  | BYT10050 | \$127.00   |
| High Spring Effort Joysticks   | AT433683 | \$766.00   |
| JDLink Hardware Kit  | BYT10060 | \$100.00   |
| Joystick Pod Mounted Throttle  | AT419446 | \$152.00   |
| Radio, AM/FM with Aux Input and Bluetooth  | BYT10042 | \$575.00   |
| Streaming Bluetooth, no Hands-Free.  |          |            |
| Rear View Camera   | BYT10051 | \$850.00   |
| Includes 5" LCD monitor.   |          |            |
| SMV Sign   | BYT10059 | \$77.00    |
| Severe Duty Door   | AT438266 | \$3,076.00 |
| Includes windshield wiper.<br>Required to meet ISO 8084 Forestry Applications.<br>Severe Duty Door Hardware kit is also needed.  |          |            |
| Severe Duty Door Hardware Kit  | BYT10085 | \$170.00   |
| Single Point Lift System   | AT469520 | \$1,540.00 |

|   |          |            |
|---|----------|------------|
| Standard Door, Field Kit                          | AT438268 | \$1,030.00 |
| <u>Tooth Bars</u>                                 |          |            |
| 78 in. Tooth Bar - 8 Teeth                        | KV12296  | \$559.00   |
| 78 in. Tooth Bar for BOCE - 7 Teeth               | AT347132 | \$803.00   |
| 84 in. Tooth Bar - 8 Teeth                        | KV12298  | \$680.00   |
| 84 in. Tooth Bar for BOCE - 9 Teeth               | AT347135 | \$827.00   |
| <u>Wheels and Tires, Four</u>                     |          |            |
| 12x16.5 10 PR SKS Extra-Wall                      | KV21876  | \$1,577.00 |
| 12x16.5 10 PR Titan HD2000-III                    | KV14674  | \$1,817.00 |
| 14x17.5 12 PR SKS Extra-Wall                      | KV21887  | \$2,418.00 |
| 14x17.5 14 PR Titan HD2000-III                    | KV21892  | \$2,959.00 |
| <u>Wheels and Tires, Single (Left Hand Only)</u>  |          |            |
| 14x17.5 14PR Galaxy Hulk, Left                    | AT446729 | \$923.00   |
| <u>Wheels and Tires, Single (Right Hand Only)</u> |          |            |
| 12x16.5 10 PR SKS Extra-Wall                      | KV23687  | \$396.00   |
| 12x16.5 10 PR Titan HD2000-III                    | KV23689  | \$468.00   |
| 14x17.5 12 PR SKS Extra-Wall                      | KV23690  | \$615.00   |
| 14x17.5 14 PR Titan HD2000-III                    | KV23691  | \$753.00   |
| 14x17.5 14PR Galaxy Hulk, Right                   | AT446730 | \$923.00   |

▼ REFERRAL ATTACHMENTS

| Description   | Code     | Price    |
|---|----------|----------|
| <u>G.R. Mfg.</u>  |          |          |
| G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001  Fax: (205)655-8005  |          |          |
| Bucket Cylinder Rod Guard   | AT397454 | \$320.00 |
| Guard, Auxiliary Hydraulic Quick Coupler  | BYT10260 | \$280.00 |
| Guard, Cab Roof Debris  | BYT10263 | \$121.00 |
| Guard, Chassis Bottom Cover Plates  | BYT10262 | \$320.00 |

|   |          |            |
|---|----------|------------|
| Guard, Front Single and Dual Rear Worklights  | BYT10259 | \$218.00   |
| Guard, Rear Bumper  | BYT10261 | \$1,402.00 |
| Level II FOPS Plate   | AT445276 | \$602.00   |
| Required to meet ISO 8083 Level 2 Forestry Applications<br>For use on D, E and G Series.  |          |            |
| Rear Window/Side Window Cab Guards  | BYT10258 | \$680.00   |
| Severe Duty Forestry Package  | BYT10264 | \$4,420.00 |
| Requires factory code 5205 - Cab Enclosure with Heat, Defrost, A/C and Severe<br>Duty Door.<br>Requires factory code 8370 - HD Rear Grille. |          |            |
| Toe Guard and Door Upgrade Kit  | AT372950 | \$492.00   |
| Required to meet ISO 8084 Forestry Applications   |          |            |