

325G COMPACT TRACK LOADER

27-Jun-2022



Code	Description	QTY	List Price (USD)
00D2T	<p data-bbox="235 289 625 325">325G COMPACT TRACK LOADER</p> <p data-bbox="235 363 527 394">Equipment for Base Machine</p> <p data-bbox="235 426 763 903">Engine: 4 Cylinder Turbo-Charged Electronic Injection System Auto Idle Glow Plugs Automatic Engine Shutdown with Alarm V-Plenum Engine and Hydraulic cooling package Hydraulic Cool-on-Demand Variable Speed Fan Dual Element Air Cleaner Auto Fan Belt Tensioner John Deere "Cool Gard II" Extended Life Anti-Freeze John Deere Plus 50 10w30 engine oil 5 Micron fuel filter with Water Separator 100 Micron secondary fuel filter 20 Gallon (76 L) Fuel Tank</p> <p data-bbox="235 934 820 1249">Final Drive System and Undercarriage: 2-speed transmission Servo Axial Piston Hydrostatic Pumps Radial Piston Hydrostatic Motors High Drive Planetary Reduction Gear Box Grease Cylinder Track Tensioner Patented Smooth Ride Undercarriage 2 duel flanged idlers & 5 triple flanged rollers Heavy Duty 12.6 in (320 mm) Rubber Tracks Spring applied, hydraulically released wet-disk park brake</p> <p data-bbox="235 1281 592 1407">Gauges and Instruments: Keyless Start Sealed Switch Module Fuel Gauge Engine Coolant Temperature</p> <p data-bbox="235 1438 657 1753">Operator Selectable LCD Digital Readout: Hourmeter Engine RPM Battery Voltage Engine Coolant Temp. Hydraulic Oil Temp. Job Clock Service Codes Diagnostic Codes Configuration Codes</p> <p data-bbox="235 1785 495 1982">Indicator Warning Lights: Battery Not Charging Hydraulics Locked Out Park Brake Illumination Hydraulic Oil Over Temp 2-Speed Engaged</p>	1	\$75,750.00

Air Filter Restriction
 Hydraulic Oil Filter
 Restriction
 Lap Bar Switch
 Seat Switch
 Door Open Switch
 Engine Preheat
 Low Engine Oil Pressure
 Automatic Engine Preheat

Electrical:
 12-Volt Electrical Battery
 750 cca w/150 minute reserve capacity
 Alternator 70 Amp
 Halogen Work Lights, 2 Front and 1 Rear
 Programmable courtesy lighting shutoff system

Hydraulics:
 3-Spool Open Center Valve
 System Pressure 3450 psi
 5 Micron Hydraulic Filter
 John Deere Boom & Bucket Cylinders w/Cushioned Boom
 Connect-under-pressure auxiliary hydraulic couplers
 Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
 Auxiliary Hydraulics Lock-out Override
 Boom Float

Performance Characteristics:
 Gross Horsepower 74 Hp (54.8 Kw)
 Rated Operating Capacity 2,590 lbs. (1,176 kg)
 Tipping Load 7,400 lbs. (3,357 kg)
 Hydraulic Pump Flow 18 gpm (68 L/m)
 Travel Speed-Low 6.2 mph (10 km/h)
 Construction Bucket Breakout Force 6,000 lbs. (2,724 kg)
 Boom Breakout Force 5,250 lbs. (2,384 kg)
 Tractive Effort - 8,500 lbf (3,859 kgf)
 Width without Attachment 71.8 in. (1.82 m)
 Length without Attachment 112 in. (2.85 m)
 Height to Top of ROPS 80.6 in. (2.05 m)
 Height to Hinge Pin 125.5 in. (3.19 m)
 Machine Operating Weight 9,440 lbs. (4,286 kg)

Operator Protection/Comfort:
 FOPS / ROPS Roll-Guard with Side Screens
 In-Cab Boom Lockout System
 Adjustable Interlocking Operator Presence Lap Bar System
 Retractable Seat Belt
 Rearview mirror
 Back-up Alarm
 Horn
 Deluxe Headliner
 12V power port
 Cell Phone cargo net storage
 Interior Dome Lighting
 Cup Holder
 Itrigal Grab Handles for Easy Entry / Exit
 Top and Rear Windows
 Water Shedding Deluxe Seating

Code	Description	QTY	List Price (USD)
	Convenient Tie Downs		
	Attachment Coupler: John Deere patented Quik-Tatch system (no grease required)		
	Warranty: John Deere 2 years/2000 hours		
00D2T	325G COMPACT TRACK LOADER	1	\$75,750.00
PACKAGES			
	Packages		Basic Factory Options - Required
0722	Open ROPS, Manual QT, SL, 2Spd Includes canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics with self level-up, and two speed transmission.		No Added Cost
0750	Cab/Heat/AC, Power QT, SL, 2Spd Includes cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics with self level-up, and two speed transmission.		\$5,314.00
0755	Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, and reversing fan drive.		\$9,644.00
0770	Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan, Chrome, Heat Seat, Radio Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, reversing fan drive, chrome stack, heated seat, and radio.		\$10,593.00
ENGINE			
	Engine		Basic Factory Options - Required
1301	Engine - Turbocharged - FT4 Required for the United States and Canada. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards. Yanmar 4TNV98CT 3.3L 4 Cylinder Turbo-Charged 74 Gross hp (54.8 kW) 70 Net hp (52.5 kW)		\$2,718.00
Cold Start Packages			
			Field Installed Attachments - Optional
8050	Cold Start Package		\$310.00

Code	Description	QTY	List Price (USD)
	Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		
	Air Pre-Cleaner		Field Installed Attachments - Optional
8060	Engine Air Precleaner		\$465.00
DESTINATION AND LANGUAGE			
	Operator's Manual and Decals		Basic Factory Options - Required
1501	English Operator's Manual and Decals		No Added Cost
1503	English Operator's Manual and No Text Decals		No Added Cost
1510	French Operator's Manual and Decals		No Added Cost
1512	French Operator's Manual and No Text Decals		No Added Cost
1515	Spanish Operator's Manual and Decals		No Added Cost
1516	Spanish Operator's Manual and No Text Decals		No Added Cost
JOHN DEERE WORKSIGHT™			
	JDLink		Basic Factory Options - Required
1741	Less JDLink		No Added Cost

Code	Description	QTY	List Price (USD)
170K	<p>JDLink™</p> <p>Includes integrated cab wiring harness, antenna, and JDLink Modem (MTG).</p> <p>JDLink connectivity is enabled separately through the JDLink website. Connectivity service is subject to country availability.</p>		\$1,777.00
<p>UNDERCARRIAGE</p>			
	Track		Basic Factory Options - Required
2500	<p>Offset Block Lug Tread Pattern - 12.6 in. (320mm) Tracks</p> <p>Provides 71.5 in. machine width.</p>		No Added Cost
2550	<p>Zig-Zag Bar Tread Pattern - 12.6 in. (320 mm) Tracks</p> <p>Provides 71.5 in. machine width.</p>		\$205.00
2600	<p>Offset Block Lug Tread Pattern - 15.8 in. (400mm) Tracks</p> <p>Provides 74.7 in. machine width.</p>		\$1,462.00
2645	<p>Zig-Zag Bar Tread Pattern - 15.8 in. (400mm) Tracks</p> <p>Provides 74.7 in. machine width.</p>		\$1,667.00
<p>OPERATOR'S STATION AND CONTROLS</p>			
	Controls		Basic Factory Options - Required
0950	E-H (ISO Pattern) Joystick Controls		No Added Cost
0953	<p>ISO-H Switchable Controls and EH Joystick Performance Package</p> <p>Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes.</p> <p>Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.</p> <p>EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness</p>		\$1,058.00

Code	Description	QTY	List Price (USD)
Seat		Basic Factory Options - Required	
6001	Mechanical Suspension Seat (Vinyl)		No Added Cost
6003	Vinyl, Air-Ride Seat		\$462.00
6006	Air Suspension Seat (Cloth with Heat) Cloth seat only available with cab machines.		\$639.00
Seat Belt		Basic Factory Options - Required	
4000	2-Inch Seat Belt		No Added Cost
4001	2-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.		\$217.00
4003	3-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.		\$271.00
Rear Camera		Field Installed Attachments - Optional	
8042	Rear View Camera Includes 5" LCD monitor.		\$869.00
Radio		Field Installed Attachments - Optional	
8342	Radio, AM/FM with Bluetooth Bluetooth connection is for streaming only - does not allow for hands-free calling.		\$614.00
Floor Mat		Field Installed Attachments - Optional	

Code	Description	QTY	List Price (USD)
8380	Footrest with Floormat		\$147.00
BUCKETS			
	Buckets		Field Installed Attachments - Optional
9040	72 in. Construction Bucket (17.8 cu. ft.)		\$1,665.00
9041	72 in. Construction Bucket (17.8 cu. ft.) with Edge		\$1,915.00
9125	72 in. Grading Heel Bucket (16.8 cu. ft.)		\$2,132.00
9127	72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth		\$2,238.00
9210	72 in. Tooth Bucket (17.8 cu. ft.)		\$1,857.00
9320	72 in. Utility Bucket (22.6 cu. ft.)		\$1,692.00
9321	72 in. Utility Bucket (22.6 cu. ft.) with Edge		\$1,920.00
9322	72 in. Construction Bucket (17.8 cu. ft.) with Serrated Edge		\$2,102.00
9051	78 in. HD Construction Bucket (19.4 cu. ft.)		\$1,839.00
9052	78 in. HD Construction Bucket (19.4 cu. ft.) with Edge		\$2,069.00

Code	Description	QTY	List Price (USD)
9221	78 in. HD Tooth Bucket (19.4 cu. ft.)		\$2,031.00
9325	78 in. HD Grading Heel Bucket (18.2 cu. ft.)		\$2,019.00
9327	78 in. HD Grading Heel Bucket (18.2 cu. ft.) with Teeth		\$2,381.00
9330	78 in. HD Utility Bucket (24.5 cu. ft.)		\$1,760.00
9331	78 in. HD Utility Bucket (24.5 cu. ft.) with Edge		\$1,993.00
9332	78 in. HD Construction Bucket (19.4 cu. ft.) with Serrated Edge		\$2,266.00
	Buckets		Field Installed Attachments - Optional
BYT10086	72 in. Grading Heel Bucket (16.8 cu. ft.)		\$2,132.00
BYT10151	72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth		\$2,238.00
BYT10854	72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE		\$2,102.00
BYT10191	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)		\$2,019.00
BYT10328	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH		\$2,381.00
BYT10853	78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE		\$2,266.00

Code	Description	QTY	List Price (USD)
AT321177	72 in. Tooth Bucket (17.8 cu. ft.)		\$1,857.00
AT322309	72 in. Construction Bucket (17.8 cu. ft.) with Edge		\$1,915.00
AT322310	78 in. HD Construction Bucket (19.4 cu. ft.) with Edge		\$2,069.00
KV24757	78 in. HD Utility Bucket (24.5 cu. ft.) with Edge		\$1,993.00
AT321180	78 in. HD Tooth Bucket (19.4 cu. ft.)		\$2,031.00
KV22802	78 in. HD Utility Bucket (24.5 cu. ft.)		\$1,760.00
AT319177	72 in. Construction Bucket (17.8 cu. ft.)		\$1,665.00
AT319180	78 in. HD Construction Bucket (19.4 cu. ft.)		\$1,839.00
KV11637	72 in. Foundry Bucket (16.0 cu. ft.)		\$1,502.00
KV24756	72 in. Utility Bucket (22.6 cu. ft.) with Edge		\$1,920.00
KV21474	72 in. Utility Bucket (22.6 cu. ft.)		\$1,692.00
	Tooth Bars		Field Installed Attachments - Optional
KV11598	72 in. Tooth Bar - 7 Teeth		\$562.00

Code	Description	QTY	List Price (USD)
AT347128	72 in. Tooth Bar for BOCE - 8 Teeth		\$808.00
WEIGHTS AND BALLASTING			
	Counterweight		Field Installed Attachments - Optional
8300	Counterweight, (Single Set) Includes 2 stackable 86 lb weights (39 Kg).		\$383.00
8305	Counterweight, (Double Set) Includes 4 stackable 86 lb weights (39 Kg).		\$765.00
8310	Counterweight, (Triple Set) Includes 6 stackable 86 lb weights (39 Kg).		\$1,148.00
MISCELLANEOUS			
	Miscellaneous		Field Installed Attachments - Optional
8530	Power Quik-Tatch for Canopy Units		\$740.00
8370	HD Rear Grille Provides protection to cooling package.		\$497.00
8525	Cab Severe Duty Polycarbonate Door		\$2,248.00
	G.R.Mfg.		Field Installed Attachments - Optional
<p>G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.</p> <p>G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173</p>			

Code	Description	QTY	List Price (USD)
Phone: (800)841-8001 Fax: (205)655-8005			
BYT10946	Light Guard Kit		\$360.00
BYT10947	Bucket Cylinder Rod Guard		\$576.00
BYT10945	Bottom Covers & Reinforcement Plates		\$498.00
BYT10948	Lift Cylinder Hose Guards		\$452.00
BYT10943	Bumper, Rear w/o Deflectors		\$1,702.00
AT372950	Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications		\$820.00
BYT10263	Guard, Cab Roof Debris Requires Level II FOPS Plate AT445276		\$220.00
AT445276	Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.		\$964.00
	Kits & Accessories		Field Installed Attachments - Optional
BYT10679	HD Rear Grille Provides protection to cooling package.		\$611.00
BYT10682	Engine Air Pre-Cleaner Kit Compatible with 320G, 324G, & 325G machines with Turbocharged engine code 1301.		\$471.00
BYT10313	Backhoe Attachment Mounting Kit		\$291.00

Code	Description	QTY	List Price (USD)
BYT10647	Attachment Control 3 & 14 pin attachment connector		\$706.00
BYT10680	SMV Sign		\$80.00
BYT10648	Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.		\$927.00
BYT10661	Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.		\$355.00
BYT10641	Fluid Sampling Field Kit		\$134.00
BYT10226	Severe Duty Door BYT10085 Canopy Severe Duty Hardware Kit is required when installing on a canopy machine.		\$3,169.00
BYT10650	SSM - Use with EH Controls		\$185.00
BYT10227	Standard Door		\$1,062.00
BYT10843	Single Point Support Kit		\$2,623.00
BYT10048	Beacon Warning Light Magnetic Base		\$329.00
BYT10042	Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.		\$593.00
BYT10356	Field Kit, Reversing Fan		\$860.00
BYT10168	Boom Mounted Mirrors		\$78.00

Code	Description	QTY	List Price (USD)
BYT10062	Radio Field Kit		\$525.00
BYT10085	Canopy Severe Duty Door Hardware Kit		\$175.00
BYT10454	EH Joystick Performance Package		\$611.00
AT348835	Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)		\$367.00
AT374642	Foot Throttle Removal Kit		\$54.00
KV21995	12 Volt Demonstration Kit 3-pin connector		\$323.00
AT436025	Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]		\$102.00
AT428072	Hydraulic Quick Coupler Adapter Kit Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.		\$335.00
AT419446	Joystick Pod Mounted Throttle		\$157.00
AT431921	Hazard Warning Lights		\$131.00
AT427686	Block Heater Kit		\$115.00
BYT12524	Ride Control Field Kit Field kit for units with self level less ride control		\$356.00
AT433683	High Spring Effort Joysticks Only compatible on 250K baud rate machines. Serial number ending in 391835 and lower.		\$789.00

Code	Description	QTY	List Price (USD)
RUST PROTECTION			
	Rust Protection		Field Installed Attachments - Optional
9909	Rust Preventative Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.		\$163.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.