

# 331G COMPACT TRACK LOADER

27-Jun-2022



JOHN DEERE

Code	Description	QTY	List Price (USD)
OBE2T	331G COMPACT TRACK LOADER	1	\$90,974.00
	331G Base Equipment		
	Engine:		
	4 Cylinder Turbo-Charged		
	Electronic Injection System		
	Auto Idle		
	Glow Plugs		
	Automatic Engine Shutdown with Alarm		
	Tri-Cool Engine and Hydraulic cooling package		
	Hydraulic Cool-on-Demand Variable Speed Fan		
	Dual Element Air Cleaner		
	Auto Fan Belt Tensioner		
	John Deere "Cool Gard II" Extended Life Anti-Freeze		
	John Deere Plus 50 10w30 engine oil		
	5 Micron fuel filter with Water Separator		
	100 Micron secondary fuel filter		
	30 Gallon (114 L) Fuel Tank		
	Final Drive System and Undercarriage:		
	2-Speed Transmission		
	Servo Axial Piston Hydrostatic Pumps		
	Radial Piston Hydrostatic Motors		
	High Drive Planetary Reduction Gear Box		
	Grease Cylinder Track Tensioner		
	Patented Smooth Ride Undercarriage		
	2 duel flanged idlers & 5 triple flanged rollers		
	Heavy Duty 15.8 in (400 mm) Rubber Tracks		
	Spring applied, hydraulically released wet-disk park brake		
	Gauges and Instruments:		
	Keyless Start Sealed Switch Module		
	Fuel Gauge		
	Engine Coolant Temperature		
	Operator Selectable LCD Digital Readout:		
	Hourmeter		
	Engine RPM		
	Battery Voltage		
	Engine Coolant Temp.		
	Hydraulic Oil Temp.		
	Job Clock		
	Service Codes		
	Diagnostic Codes		
	Configuration Codes		
	Indicator Warning Lights:		
	Battery Not Charging		
	Hydraulics Locked Out		
	Park Brake Illumination		
	Hydraulic Oil Over Temp		
	2-Speed Engaged		

Air Filter Restriction  
 Hydraulic Oil Filter  
 Restriction  
 Lap Bar Switch  
 Seat Switch  
 Door Open Switch  
 Engine Preheat  
 Low Engine Oil Pressure  
 Automatic Engine Preheat

Electrical:  
 12-Volt Electrical Battery  
 925 cca w/150 minute reserve capacity  
 Alternator 70 Amp  
 Halogen Work Lights, 2 Front and 1 Rear  
 Programmable courtesy lighting shutoff system

Hydraulics:  
 3-Spool Open Center Valve  
 System Pressure 3450 psi  
 5 Micron Hydraulic Filter  
 John Deere Boom & Bucket Cylinders w/Cushioned Boom  
 Connect-under-pressure auxiliary hydraulic couplers  
 Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system  
 Auxiliary Hydraulics Lock-out Override  
 Boom Float

Performance Characteristics:  
 Gross Horsepower 90 Hp (67 Kw)  
 Rated Operating Capacity 3,100 lbs. (1,407 kg)  
 Tipping Load 8,857 lbs. (4,022 kg)  
 Hydraulic Pump Flow 24 gpm (91 L/m)  
 Travel Speed Low 6 mph (9.7 km/h)  
 Travel Speed High 8 mph (12.9 km/h)  
 Construction Bucket Breakout Force 7,600 lbs. (3,447 kg)  
 Boom Breakout Force 6,000 lbs. (2,724 kg)  
 Tractive Effort - 11,500 lbf (5227 kgf)  
 Width without Attachment 78.9 in. (2.00 m)  
 Length without Attachment 122 in. (3.10 m)  
 Height to Top of ROPS 86.7 in. (2.20 m)  
 Height to Hinge Pin 132 in. (3.35 m)  
 Machine Operating Weight 11,800 lbs. (5,357 kg)

Operator Protection/Comfort:  
 FOPS / ROPS Roll-Guard with Side Screens  
 In-Cab Boom Lockout System  
 Adjustable Interlocking Operator Presence Lap Bar System  
 Retractable Seat Belt  
 Rearview Mirror  
 Back-up Alarm  
 Horn  
 Deluxe Headliner  
 12V power port  
 Cell Phone cargo net storage  
 Interior Dome Lighting  
 Cup Holder  
 Itrigal Grab Handles for Easy Entry / Exit  
 Top and Rear Windows

Water Shedding Deluxe Seating  
 Convenient Tie Downs

Attachment Coupler:  
 John Deere patented Quik-Tatch system (no grease required)

Warranty:  
 John Deere 2 years/2000 hours

OBE2T	331G COMPACT TRACK LOADER	1	\$90,974.00
-------	---------------------------	---	-------------

PACKAGES

Packages	Basic Factory Options - Required
----------	----------------------------------

0720	Open ROPS, Manual QT, No SL or RC, 2Spd Includes canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics with no self level-up or ride control, and two speed transmission.	No Added Cost
------	---	---------------

0752	Cab/Heat/AC, Power QT, SL & RC, 2Spd Includes cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics with self level-up and ride control, and two speed transmission.	\$6,592.00
------	---	------------

0755	Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, and reversing fan drive.	\$10,232.00
------	--	-------------

ENGINE

Cold Start Packages	Field Installed Attachments - Optional
---------------------	--

8050	Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.	\$310.00
------	--	----------

Air Pre-Cleaner	Field Installed Attachments - Optional
-----------------	--

8060	Engine Air Precleaner	\$465.00
------	-----------------------	----------

DESTINATION AND LANGUAGE

Operator's Manual and Decals	Basic Factory Options - Required
------------------------------	----------------------------------

Code	Description	QTY	List Price (USD)
1501	English Operator's Manual and Decals		No Added Cost
1510	French Operator's Manual and Decals		No Added Cost
1515	Spanish Operator's Manual and Decals		No Added Cost
JOHN DEERE WORKSIGHT™			
	JDLink		Basic Factory Options - Required
1741	Less JDLink		No Added Cost
170K	JDLink™ Includes integrated cab wiring harness, antenna, and JDLink Modem (MTG). JDLink connectivity is enabled separately through the JDLink website. Connectivity service is subject to country availability.		\$1,777.00
UNDERCARRIAGE			
	Track		Basic Factory Options - Required
2505	Offset Block Lug Tread Pattern - 15.8 in. (400 mm) Tracks Provides 78.9 in. machine width.		No Added Cost
2605	Offset Block Lug Tread Pattern - 17.7 in. (450 mm) Tracks Provides 81 in. machine width.		\$283.00
2650	Zig-Zag Bar Tread Pattern - 17.7 in. (450 mm) Tracks Provides 81 in. machine width.		\$488.00
OPERATOR'S STATION AND CONTROLS			

Code	Description	QTY	List Price (USD)
	Controls		Basic Factory Options - Required
0950	E-H (ISO Pattern) Joystick Controls		No Added Cost
0953	ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes.  Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.  EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness		\$1,058.00
0995	ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package Includes ISO Joystick Controls with integrated detents. Switchable control modes not available with this configuration.  Includes Switchable Accelerator/Decelerator with right side foot pedal.  EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness  EH Boom Performance Package Features: EH Self-level up and down Return-to-dig Return-to-carry Boom-height-kickout		\$2,454.00
	Seat		Basic Factory Options - Required
6001	Mechanical Suspension Seat (Vinyl)		No Added Cost
6003	Vinyl, Air-Ride Seat		\$462.00
6006	Air Suspension Seat (Cloth with Heat) Cloth seat only available with cab machines.		\$639.00
	Seat Belt		Basic Factory Options - Required

Code	Description	QTY	List Price (USD)
4000	2-Inch Seat Belt		No Added Cost
4001	2-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.		\$217.00
4003	3-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.		\$271.00
	Rear Camera		Field Installed Attachments - Optional
8042	Rear View Camera Includes 5" LCD monitor.		\$869.00
	ONBOARD GRADE INDICATION		Field Installed Attachments - Optional
8500	On-board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction)		\$1,534.00
	Radio		Field Installed Attachments - Optional
8342	Radio, AM/FM with Bluetooth Bluetooth connection is for streaming only - does not allow for hands-free calling.		\$614.00
	Floor Mat		Field Installed Attachments - Optional
8380	Footrest with Floormat		\$147.00
	BUCKETS		

Code	Description	QTY	List Price (USD)
	Buckets		Field Installed Attachments - Optional
9061	84 in. HD Construction Bucket (21.0 cu. ft.)		\$2,048.00
9062	84 in. HD Construction Bucket (21.0 cu. ft.) with Edge		\$2,188.00
9231	84 in. HD Tooth Bucket (21.0 cu. ft.)		\$2,165.00
9340	84 in. HD Utility Bucket (27.0 cu. ft.)		\$1,847.00
9341	84 in. HD Utility Bucket (27.0 cu. ft.) with Edge		\$2,234.00
9342	84 in. Construction Bucket (21.0 cu. ft.) with Serrated Edge		\$2,394.00
9425	90 in. Light Materials Bucket (53.9 cu. ft.)		\$3,087.00
	Buckets		Field Installed Attachments - Optional
KV21470	84 in. HD Utility Bucket (27.0 cu. ft.)		\$1,847.00
KV24758	84 in. HD Utility Bucket (27.0 cu. ft.) with Edge		\$2,234.00
BYT10314	90 in. Light Material Bucket with Edge (53.9 cu. ft.)		\$3,087.00
BYT10849	84 in. HD Construction Bucket (21.0 cu. ft.) with Serrated Edge		\$2,394.00

Code	Description	QTY	List Price (USD)
AT321181	84 in. HD Tooth Bucket (21.0 cu. ft.)		\$2,165.00
AT319181	84 in. HD Construction Bucket (21.0 cu. ft.)		\$2,048.00
AT322311	84 in. HD Construction Bucket (21.0 cu. ft.) with Edge		\$2,188.00
BYT10191	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)		\$2,019.00
BYT10328	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH		\$2,381.00
BYT10853	78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE		\$2,266.00
KV24757	78 in. HD Utility Bucket (24.5 cu. ft.) with Edge		\$1,993.00
AT321180	78 in. HD Tooth Bucket (19.4 cu. ft.)		\$2,031.00
AT322310	78 in. HD Construction Bucket (19.4 cu. ft.) with Edge		\$2,069.00
KV22802	78 in. HD Utility Bucket (24.5 cu. ft.)		\$1,760.00
AT319180	78 in. HD Construction Bucket (19.4 cu. ft.)		\$1,839.00
	Tooth Bars		Field Installed Attachments - Optional
AT347135	84 in. Tooth Bar for BOCE - 9 Teeth		\$912.00



Code	Description	QTY	List Price (USD)
KV12298	84 in. Tooth Bar - 8 Teeth		\$750.00
KV12296	78 in. Tooth Bar - 8 Teeth		\$616.00
AT347132	78 in. Tooth Bar for BOCE - 7 Teeth		\$885.00
<b>WEIGHTS AND BALLASTING</b>			
	Counterweight		Field Installed Attachments - Optional
8300	Counterweight, (Single Set) Includes 2 stackable 86 lb weights (39 Kg).		\$383.00
8305	Counterweight, (Double Set) Includes 4 stackable 86 lb weights (39 Kg).		\$765.00
8310	Counterweight, (Triple Set) Includes 6 stackable 86 lb weights (39 Kg).		\$1,148.00
<b>MISCELLANEOUS</b>			
	Miscellaneous		Field Installed Attachments - Optional
8530	Power Quik-Tatch for Canopy Units		\$740.00
8370	HD Rear Grille Provides protection to cooling package.		\$497.00
8525	Cab Severe Duty Polycarbonate Door		\$2,248.00
	G.R.Mfg.		Field Installed Attachments - Optional

Code	Description	QTY	List Price (USD)
	<p>G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.</p> <p>G.R. Manufacturing, Inc.  4800 Commerce Drive  Trussville, Alabama 35173  Phone: (800)841-8001 Fax: (205)655-8005</p>		
BYT10946	Light Guard Kit		\$360.00
BYT10945	Bottom Covers & Reinforcement Plates		\$498.00
BYT10947	Bucket Cylinder Rod Guard		\$576.00
BYT10913	Bucket Cylinder Rod Guard		\$520.00
BYT10943	Bumper, Rear w/o Deflectors		\$1,702.00
AT372950	Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications		\$820.00
BYT10261	Guard, Rear Bumper		\$1,804.00
BYT10260	Guard, Auxiliary Hydraulic Quick Coupler		\$342.00
BYT10263	Guard, Cab Roof Debris Requires Level II FOPS Plate AT445276		\$220.00
BYT10262	Guard, Chassis Bottom Cover Plates Not compatible with S/N above 408779		\$472.00
AT445276	Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.		\$964.00

Code	Description	QTY	List Price (USD)
BYT10259	Guard, Front Single and Dual Rear Worklights		\$242.00
BYT10258	Rear Window/Side Window Cab Guards		\$1,004.00
BYT12304	Wiper Blade and Arm Guard		\$184.00
BYT12664	Severe Duty Forestry Package Requires machine to be equipped with cab, severe duty door (8525), and HD rear grille (8370). Includes: <ul style="list-style-type: none"> <li>• Side and Rear Window Screens (BYT10258)</li> <li>• Bumper (BYT10261)</li> <li>• Bottom Cover Plates (BYT12663)</li> <li>• Wiper Guard (BYT12304)</li> <li>• Aux Hydraulic Coupler Guard (BYT10260)</li> <li>• Level II FOPS Guard (AT445276)</li> <li>• Boom Arm Hose Guards (no Deere Part #-GR Part #705942)-order this kit directly from GR</li> <li>• Door Upgrade Kit (AT372950)</li> <li>• Cab Roof Debris Guard (BYT10263)</li> <li>• Work Light Guards (BYT10259)</li> </ul> Not compatible with S/N below 408780. To obtain the Forestry Package for machines with serial numbers below 408779, please order BYT10262 and all kits listed in note above, except BYT12663.		\$6,611.00
BYT12663	Guard, Chasis Bottom Cover Plates Not compatible with S/N below 408780		\$721.00
Kits & Accessories		Field Installed Attachments - Optional	
BYT11301	High Debris Application Package Includes rear side panel and hood guarding, battery and def fluid-fill cover design and sealing enhancements, boom hydraulic line hose grommets, and engine manifold heat shields. Highly recommended kit. To help mitigate debris from entering the machine. Functional examples include mulching, shredding, recycling, and agricultural applications. Even with this kit installed, operators must follow information found in the operators manual concerning operating in high debris applications and cleaning the machine more frequently.		\$547.00
BYT10917	Attachment Control Installation instruction call out (S.N. - 391835)		\$459.00
BYT10039	Fluid Sampling Field Kit		\$175.00
BYT10767	On-Board Grade Indication		\$1,545.00

Code	Description	QTY	List Price (USD)
	Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction). Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		
BYT10226	Severe Duty Door BYT10085 Canopy Severe Duty Hardware Kit is required when installing on a canopy machine.		\$3,169.00
BYT10227	Standard Door		\$1,062.00
BYT10050	Hazard Warning Lights Hardware Mounted		\$131.00
BYT10048	Beacon Warning Light Magnetic Base		\$329.00
BYT10059	SMV Sign		\$80.00
BYT10058	HD Rear Grille Provides protection to cooling package.		\$611.00
AT466358	Backhoe Attachment Mounting Kit		\$122.00
AT469520	Single Point Lift System		\$2,571.00
AT439115	Block Heater Kit		\$115.00
AT439117	Engine Air Pre-Cleaner Kit		\$471.00
BYT10042	Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.		\$593.00
BYT10041	Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.		\$927.00

Code	Description	QTY	List Price (USD)
BYT10356	Field Kit, Reversing Fan Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		\$860.00
BYT10085	Canopy Severe Duty Door Hardware Kit		\$175.00
BYT10454	EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Factory Code 8395 or kit AT459848 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package. Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Not compatible with code 0900 Foot Controls. Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		\$611.00
AT348835	Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)		\$367.00
AT436025	Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]		\$102.00
AT410246	Foot Throttle Removal Kit Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		\$54.00
AT417736	Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.		\$355.00
AT419446	Joystick Pod Mounted Throttle		\$157.00
AT433683	High Spring Effort Joysticks Only compatible on 250K baud rate machines. Serial number ending in 391835 and lower.		\$789.00
BYT11984	LFG RETURN FILTER FIELD KIT Provides additional filtration to protect the hydraulic system from debris. This kit is designed for Large G Series machines that did not originally include the return filter as Factory installed (SN: - 387880). Reference DTAC solution 118092 from more information.		\$974.00
BYT12015	LFG RETURN FILTER FIELD KIT HEMA Requires BYT11984 Additional parts for early production machines ( - 340404). This kit provides additional parts required to add return filter kit (BYT11984) onto early production machines.		\$281.00
BYT11997	4-Way Switchable Control Field Kit		\$1,049.00

Code	Description	QTY	List Price (USD)
	<p>Compatible on G Series Large Frame SSL/CTL 250K baud machines. Serial Numbers ending in 391835 &amp; lower. Machine must be equipped with ISO-H Switchable Controls and EH Joystick Performance Package For machine built without Joystick Performance Package, install BYT10454 EH Joystick Performance Package field kit Not compatible with EH Boom Performance Package (0995)</p> <p>Provides two additional control patterns:</p> <ul style="list-style-type: none"> <li>• Electrohydraulic (EH) hand and foot controls (H pattern)</li> <li>• Electrohydraulic (EH) hand and foot controls (ISO pattern)</li> </ul>		
BYT11971	<p>LF G Foot Throttle Removal</p> <p>Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.</p>		\$54.00
BYT11958	<p>On-Board Grade Indication</p> <p>Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction). Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.</p>		\$1,545.00
BYT12110	<p>4-Way Switchable Control Field Kit</p> <p>Compatible on G Series Large Frame SSL/CTL 500K baud machines. Serial Numbers ending in 391836 &amp; higher. Machine must be equipped with ISO-H Switchable Controls and EH Joystick Performance Package For machine built without Joystick Performance Package, install BYT11959 EH Joystick Performance Package field kit Not compatible with EH Boom Performance Package (0995)</p> <p>Provides two additional control patterns:</p> <ul style="list-style-type: none"> <li>• Electrohydraulic (EH) hand and foot controls (H pattern)</li> <li>• Electrohydraulic (EH) hand and foot controls (ISO pattern)</li> </ul>		\$1,049.00
BYT11607	<p>Attachment Control Field Kit</p> <p>Installation instructions call out (S.N. 391836 - )</p>		\$459.00
BYT11959	<p>EH Joystick Performance Package</p> <p>Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness, Creeper Mode Boom and Bucket speed settings. This kit is not compatible with Option Code 0995 - ISO Joystick Controls with Integrated Detents &amp; EH Joystick Performance Package &amp; EH Boom Performance Package. For G Series Large Frame SSL/CTL serial number 391836 &amp; above.</p>		\$611.00
BYT11955	<p>JDLink Hardware Kit - SSL/CTL</p> <p>Use with 330G-333G with Serial number ending in 391836 and higher. Only compatible on 500K baud rate machines. Hardware for mounting JDLink MTG terminal (does not include MTG).</p>		\$202.00
BYT11957	<p>LF G Reversing Fan Field Kit</p> <p>Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.</p>		\$860.00
BYT10798	<p>JDLink Hardware Kit - SSL/CTL</p> <p>Use with 330G-333G with Serial Numbers ending in 391835 and lower. Only compatible on 250K baud rate machines.</p>		\$202.00

Code	Description	QTY	List Price (USD)
	Hardware for mounting JDLink MTG terminal (does not include MTG).		
BYT11772	BOOM PERFORMANCE FIELD KIT EH Boom Performance Package Features: EH Self-level up and down Return-to-dig Return-to-carry Boom-height-kickout		\$1,396.00
RUST PROTECTION			
	Rust Protection		Field Installed Attachments - Optional
9909	Rust Preventative Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.		\$163.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.