

333G COMPACT TRACK LOADER

27-Jun-2022



Code	Description	QTY	List Price (USD)
OBF2T	<p data-bbox="235 289 625 325">333G COMPACT TRACK LOADER</p> <p data-bbox="235 363 462 394">333G Base Equipment</p> <p data-bbox="235 426 763 903">Engine: 4 Cylinder Turbo-Charged Electronic Injection System Auto Idle Glow Plugs Automatic Engine Shutdown with Alarm Tri-Cool Engine and Hydraulic cooling package Hydraulic Cool-on-Demand Variable Speed Fan Dual Element Air Cleaner Auto Fan Belt Tensioner John Deere "Cool Gard II" Extended Life Anti-Freeze John Deere Plus 50 10w30 engine oil 5 Micron fuel filter with Water Separator 100 Micron secondary fuel filter 30 Gallon (114 L) Fuel Tank</p> <p data-bbox="235 934 820 1249">Final Drive System and Undercarriage: 2-Speed Transmission Servo Axial Piston Hydrostatic Pumps Radial Piston Hydrostatic Motors High Drive Planetary Reduction Gear Box Grease Cylinder Track Tensioner Patented Smooth Ride Undercarriage 2 duel flanged idlers & 5 triple flanged rollers Heavy Duty 15.8 in (400 mm) Rubber Tracks Spring applied, hydraulically released wet-disk park brake</p> <p data-bbox="235 1281 600 1407">Gauges and Instruments: Keyless Start Sealed Switch Module Fuel Gauge Engine Coolant Temperature</p> <p data-bbox="235 1438 657 1753">Operator Selectable LCD Digital Readout: Hourmeter Engine RPM Battery Voltage Engine Coolant Temp. Hydraulic Oil Temp. Job Clock Service Codes Diagnostic Codes Configuration Codes</p> <p data-bbox="235 1785 495 1982">Indicator Warning Lights: Battery Not Charging Hydraulics Locked Out Park Brake Illumination Hydraulic Oil Over Temp 2-Speed Engaged</p>	1	\$108,725.00

Air Filter Restriction
 Hydraulic Oil Filter
 Restriction
 Lap Bar Switch
 Seat Switch
 Door Open Switch
 Engine Preheat
 Low Engine Oil Pressure
 Automatic Engine Preheat

Electrical:
 12-Volt Electrical Battery
 925 cca w/150 minute reserve capacity
 Alternator 70 Amp
 Halogen Work Lights, 2 Front and 1 Rear
 Programmable courtesy lighting shutoff system

Hydraulics:
 3-Spool Open Center Valve
 System Pressure 3450 psi
 5 Micron Hydraulic Filter
 John Deere Boom & Bucket Cylinders w/Cushioned Boom
 Connect-under-pressure auxiliary hydraulic couplers
 Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
 Auxiliary Hydraulics Lock-out Override
 Boom Float

Performance Characteristics:
 Gross Horsepower 100 Hp (75 Kw)
 Rated Operating Capacity 3,700 lbs. (1,678 kg)
 Tipping Load 10,566 lbs. (4,793 kg)
 Hydraulic Pump Flow 25 gpm (95 L/m)
 Travel Speed 6 mph (9.7 km/h)
 Travel Speed 8 mph (12.9 km/h)
 Construction Bucket Breakout Force 9,250 lbs. (4,196 kg)
 Boom Breakout Force 7,750 lbs. (3,515 kg)
 Tractive Effort - 11,500 lbf (5227 kgf)
 Width without Attachment 80.7 in. (2.05 m)
 Length without Attachment 122 in. (3.10 m)
 Height to Top of ROPS 86.7 in. (2.20 m)
 Height to Hinge Pin 132 in. (3.35 m)
 Height to Hinge Pin 132 in. (3.35 m)
 Machine Operating Weight 12,100 lbs. (5493 kg)

Operator Protection/Comfort:
 FOPS / ROPS Roll-Guard with Side Screens
 In-Cab Boom Lockout System
 Adjustable Interlocking Operator Presence Lap Bar System
 Retractable Seat Belt
 Rearview Mirror
 Back-up Alarm
 Horn
 Deluxe Headliner
 12V power port
 Cell Phone cargo net storage
 Interior Dome Lighting
 Cup Holder
 Itrigal Grab Handles for Easy Entry / Exit

Top and Rear Windows
 Water Shedding Deluxe Seating
 Convenient Tie Downs

Attachment Coupler:
 John Deere patented Quik-Tatch system (no grease required)

Warranty:
 John Deere 2 years/2000 hours

OBF2T	333G COMPACT TRACK LOADER	1	\$108,725.00
-------	---------------------------	---	--------------

PACKAGES

Packages	Basic Factory Options - Required
----------	----------------------------------

0752	Cab/Heat/AC, Power QT, SL & RC, 2Spd Includes cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics with self level-up and ride control, and two speed transmission.	No Added Cost
------	---	---------------

0770	Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan, Chrome, Heat Seat, Radio Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, reversing fan drive, chrome stack, heated seat, and radio.	\$4,589.00
------	--	------------

ENGINE

Cold Start Packages	Field Installed Attachments - Optional
---------------------	--

8050	Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.	\$310.00
------	--	----------

Air Pre-Cleaner	Field Installed Attachments - Optional
-----------------	--

8060	Engine Air Precleaner	\$465.00
------	-----------------------	----------

DESTINATION AND LANGUAGE

Operator's Manual and Decals	Basic Factory Options - Required
------------------------------	----------------------------------

Code	Description	QTY	List Price (USD)
1501	English Operator's Manual and Decals		No Added Cost
1510	French Operator's Manual and Decals		No Added Cost
1515	Spanish Operator's Manual and Decals		No Added Cost
JOHN DEERE WORKSIGHT™			
	JDLink		Basic Factory Options - Required
1741	Less JDLink		No Added Cost
170K	JDLink™ Includes integrated cab wiring harness, antenna, and JDLink Modem (MTG). JDLink connectivity is enabled separately through the JDLink website. Connectivity service is subject to country availability.		\$1,777.00
	Grade Control		Field Installed Attachments - Optional
8503	SmartGrade™ Ready including Slope Control and Blade SmartGrade Ready includes Dozer Blade, harnesses, sensors, and DozerMode controls with EasyGrade to enable smooth manual operation and a future upgrade to SmartGrade 3D Mastless Grade Control using a field kit. Slope Control automatically controls the cross slope and/or mainfall angle without the need for additional equipment (e.g. GNSS, laser reference, etc.). Grade information is displayed through an integrated 7" color LCD Display. Requires Boom Performance Package (0995), JDLink (170K), Counterweights (8310), Rear View Camera (8042), and Standard Undercarriage. Not for use with Anti-Vibration Undercarriage System (8325), Onboard Grade Indication (8500) or SmartGrade™ Mastless 3D Grade Control w/ Slope Control and Blade (8504).		\$19,737.00
8504	SmartGrade™ Mastless 3D Grade Control w/ Slope Control and Blade Slope Control automatically controls the cross slope and/or mainfall angle without the need for additional equipment (e.g. GNSS, laser reference, etc.). Grade information is displayed through an integrated 7" color LCD Display. Requires Boom Performance Package (0995), JDLink (170K), Counterweights (8310), Rear View Camera (8042), and Standard Undercarriage. Not for use with Anti-Vibration Undercarriage System (8325), Onboard Grade Indication (8500), or SmartGrade™ Ready including Slope Control and Blade (8503). SmartGrade includes 96" 6-Way Dozer Blade, fully integrated harnesses, sensors, and DozerMode controls with EasyGrade to enable smooth manual operation controls as well as 3D Mastless Grade Control. Consists of dual-band radio that is capable of receiving both UHF and 915 MHz, sensors, integrated display and Topcon software compatible with Topcon file formats. Also includes Remote Display Access (RDA) and Wireless Data Transfer (WDT) for integrated connectivity and support.		\$95,395.00

Code	Description	QTY	List Price (USD)
UNDERCARRIAGE			
	Track		Basic Factory Options - Required
2505	Offset Block Lug Tread Pattern - 15.8 in. (400 mm) Tracks Provides 78.9 in. machine width.		(\$251.00)
2605	Offset Block Lug Tread Pattern - 17.7 in. (450 mm) Tracks Provides 81 in. machine width.		No Added Cost
2650	Zig-Zag Bar Tread Pattern - 17.7 in. (450 mm) Tracks Provides 81 in. machine width.		\$205.00
Undercarriage			
			Field Installed Attachments - Optional
8325	Anti-Vibration Undercarriage System Provides undercarriage isolation from the machine mainframe for reduced track vibration, smooth ride, and more material retention. Also includes an integrated bogie roller system for smooth transitions over peaks.		\$6,950.00
OPERATOR'S STATION AND CONTROLS			
	Controls		Basic Factory Options - Required
0950	E-H (ISO Pattern) Joystick Controls		No Added Cost
0953	ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness		\$1,058.00
0995	ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package Includes ISO Joystick Controls with integrated detents. Switchable control modes not available with this configuration.		\$2,454.00

Includes Switchable Accelerator/Decelerator with right side foot pedal.

EH Joystick Performance Package Features:

- Selectable propel speeds
- Creep Mode
- Boom and Bucket speed settings
- 12V 3 Pin and 14 Pin Attachment Control Harness

EH Boom Performance Package Features:

- EH Self-level up and down
- Return-to-dig
- Return-to-carry
- Boom-height-kickout

Seat	Basic Factory Options - Required
------	----------------------------------

6001	Mechanical Suspension Seat (Vinyl)	No Added Cost
------	------------------------------------	---------------

6003	Vinyl, Air-Ride Seat	\$462.00
------	----------------------	----------

6006	Air Suspension Seat (Cloth with Heat) Cloth seat only available with cab machines.	\$639.00
------	---	----------

Seat Belt	Basic Factory Options - Required
-----------	----------------------------------

4001	2-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	\$217.00
------	---	----------

4003	3-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	\$271.00
------	---	----------

Rear Camera	Field Installed Attachments - Optional
-------------	--

8042	Rear View Camera Includes 5" LCD monitor.	\$869.00
------	--	----------

ONBOARD GRADE INDICATION	Field Installed Attachments - Optional
--------------------------	--

Code	Description	QTY	List Price (USD)
8500	On-board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction)		\$1,534.00
	Radio		Field Installed Attachments - Optional
8342	Radio, AM/FM with Bluetooth Bluetooth connection is for streaming only - does not allow for hands-free calling.		\$614.00
	Floor Mat		Field Installed Attachments - Optional
8380	Footrest with Floormat		\$147.00
	BUCKETS		
	Buckets		Field Installed Attachments - Optional
9061	84 in. HD Construction Bucket (21.0 cu. ft.)		\$2,048.00
9062	84 in. HD Construction Bucket (21.0 cu. ft.) with Edge		\$2,188.00
9231	84 in. HD Tooth Bucket (21.0 cu. ft.)		\$2,165.00
9340	84 in. HD Utility Bucket (27.0 cu. ft.)		\$1,847.00
9341	84 in. HD Utility Bucket (27.0 cu. ft.) with Edge		\$2,234.00

Code	Description	QTY	List Price (USD)
9342	84 in. Construction Bucket (21.0 cu. ft.) with Serrated Edge		\$2,394.00
9410	90 in. SD Construction Bucket with Serrated Edge (22.4 cu.ft.)		\$3,960.00
9415	90 in. SD Tooth Bucket (22.4 cu. ft.)		\$3,944.00
9425	90 in. Light Materials Bucket (53.9 cu. ft.)		\$3,087.00
	Buckets	Field Installed Attachments - Optional	
KV21470	84 in. HD Utility Bucket (27.0 cu. ft.)		\$1,847.00
KV24758	84 in. HD Utility Bucket (27.0 cu. ft.) with Edge		\$2,234.00
AT450326	90 in. SD Tooth Bucket (22.4 cu. ft.)		\$3,944.00
AT455408	90 in. SD Construction Bucket with Serrated Edge (22.4 cu.ft.)		\$3,960.00
BYT10849	84 in. HD Construction Bucket (21.0 cu. ft.) with Serrated Edge		\$2,394.00
BYT10314	90 in. Light Material Bucket with Edge (53.9 cu. ft.)		\$3,087.00
AT319181	84 in. HD Construction Bucket (21.0 cu. ft.)		\$2,048.00
AT322311	84 in. HD Construction Bucket (21.0 cu. ft.) with Edge		\$2,188.00

Code	Description	QTY	List Price (USD)
AT321181	84 in. HD Tooth Bucket (21.0 cu. ft.)		\$2,165.00
BYT10191	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)		\$2,019.00
BYT10328	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH		\$2,381.00
BYT10853	78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE		\$2,266.00
KV24757	78 in. HD Utility Bucket (24.5 cu. ft.) with Edge		\$1,993.00
AT321180	78 in. HD Tooth Bucket (19.4 cu. ft.)		\$2,031.00
AT322310	78 in. HD Construction Bucket (19.4 cu. ft.) with Edge		\$2,069.00
KV22802	78 in. HD Utility Bucket (24.5 cu. ft.)		\$1,760.00
AT319180	78 in. HD Construction Bucket (19.4 cu. ft.)		\$1,839.00
	Tooth Bars		Field Installed Attachments - Optional
AT347132	78 in. Tooth Bar for BOCE - 7 Teeth		\$885.00
AT347135	84 in. Tooth Bar for BOCE - 9 Teeth		\$912.00
KV12298	84 in. Tooth Bar - 8 Teeth		\$750.00

Code	Description	QTY	List Price (USD)
KV12296	78 in. Tooth Bar - 8 Teeth		\$616.00
WEIGHTS AND BALLASTING			
	Counterweight		Field Installed Attachments - Optional
8300	Counterweight, (Single Set) Includes 2 stackable 86 lb weights (39 Kg).		\$383.00
8305	Counterweight, (Double Set) Includes 4 stackable 86 lb weights (39 Kg).		\$765.00
8310	Counterweight, (Triple Set) Includes 6 stackable 86 lb weights (39 Kg).		\$1,148.00
MISCELLANEOUS			
	Miscellaneous		Field Installed Attachments - Optional
8370	HD Rear Grille Provides protection to cooling package.		\$497.00
8525	Cab Severe Duty Polycarbonate Door		\$2,248.00
	G.R.Mfg.		Field Installed Attachments - Optional
	<p>G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.</p> <p>G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005</p>		
BYT10913	Bucket Cylinder Rod Guard		\$520.00

Code	Description	QTY	List Price (USD)
AT372950	Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications		\$820.00
BYT10261	Guard, Rear Bumper		\$1,804.00
BYT10260	Guard, Auxiliary Hydraulic Quick Coupler		\$342.00
BYT10263	Guard, Cab Roof Debris Requires Level II FOPS Plate AT445276		\$220.00
BYT10262	Guard, Chassis Bottom Cover Plates Not compatible with S/N above 408779		\$472.00
AT445276	Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.		\$964.00
BYT10259	Guard, Front Single and Dual Rear Worklights		\$242.00
BYT10258	Rear Window/Side Window Cab Guards		\$1,004.00
BYT12304	Wiper Blade and Arm Guard		\$184.00
BYT12664	Severe Duty Forestry Package Requires machine to be equipped with cab, severe duty door (8525), and HD rear grille (8370). Includes: <ul style="list-style-type: none"> • Side and Rear Window Screens (BYT10258) • Bumper (BYT10261) • Bottom Cover Plates (BYT12663) • Wiper Guard (BYT12304) • Aux Hydraulic Coupler Guard (BYT10260) • Level II FOPS Guard (AT445276) • Boom Arm Hose Guards (no Deere Part #-GR Part #705942)-order this kit directly from GR • Door Upgrade Kit (AT372950) • Cab Roof Debris Guard (BYT10263) • Work Light Guards (BYT10259) Not compatible with S/N below 408780. To obtain the Forestry Package for machines with serial numbers below 408779, please order BYT10262 and all kits listed in note above, except BYT12663.		\$6,611.00

Code	Description	QTY	List Price (USD)
BYT12663	Guard, Chasis Bottom Cover Plates Not compatible with S/N below 408780		\$721.00
	Kits & Accessories		Field Installed Attachments - Optional
BYT10227	Standard Door		\$1,062.00
BYT11301	High Debris Application Package Includes rear side panel and hood guarding, battery and def fluid-fill cover design and sealing enhancements, boom hydraulic line hose grommets, and engine manifold heat shields. Highly recommended kit. To help mitigate debris from entering the machine. Functional examples include mulching, shredding, recycling, and agricultural applications. Even with this kit installed, operators must follow information found in the operators manual concerning operating in high debris applications and cleaning the machine more frequently.		\$547.00
BYT10917	Attachment Control Installation instruction call out (S.N. - 391835)		\$459.00
BYT10039	Fluid Sampling Field Kit		\$175.00
BYT10767	On-Board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction). Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		\$1,545.00
BYT10226	Severe Duty Door BYT10085 Canopy Severe Duty Hardware Kit is required when installing on a canopy machine.		\$3,169.00
BYT10050	Hazard Warning Lights Hardware Mounted		\$131.00
BYT10048	Beacon Warning Light Magnetic Base		\$329.00
BYT10059	SMV Sign		\$80.00
BYT10058	HD Rear Grille Provides protection to cooling package.		\$611.00

Code	Description	QTY	List Price (USD)
AT466358	Backhoe Attachment Mounting Kit		\$122.00
AT469520	Single Point Lift System		\$2,571.00
AT439115	Block Heater Kit		\$115.00
AT439117	Engine Air Pre-Cleaner Kit		\$471.00
BYT10042	Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.		\$593.00
BYT10041	Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.		\$927.00
BYT10356	Field Kit, Reversing Fan Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		\$860.00
BYT10085	Canopy Severe Duty Door Hardware Kit		\$175.00
BYT10454	EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Factory Code 8395 or kit AT459848 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package. Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Not compatible with code 0900 Foot Controls. Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		\$611.00
AT348835	Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)		\$367.00
AT436025	Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]		\$102.00
AT410246	Foot Throttle Removal Kit Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		\$54.00

Code	Description	QTY	List Price (USD)
AT417736	Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.		\$355.00
AT419446	Joystick Pod Mounted Throttle		\$157.00
AT433683	High Spring Effort Joysticks Only compatible on 250K baud rate machines. Serial number ending in 391835 and lower.		\$789.00
BYT11984	LFG RETURN FILTER FIELD KIT Provides additional filtration to protect the hydraulic system from debris. This kit is designed for Large G Series machines that did not originally include the return filter as Factory installed (SN: - 387880). Reference DTAC solution 118092 from more information.		\$974.00
BYT12015	LFG RETURN FILTER FIELD KIT HEMA Requires BYT11984 Additional parts for early production machines (- 340404). This kit provides additional parts required to add return filter kit (BYT11984) onto early production machines.		\$281.00
BYT11997	4-Way Switchable Control Field Kit Compatible on G Series Large Frame SSL/CTL 250K baud machines. Serial Numbers ending in 391835 & lower. Machine must be equipped with ISO-H Switchable Controls and EH Joystick Performance Package For machine built without Joystick Performance Package, install BYT10454 EH Joystick Performance Package field kit Not compatible with EH Boom Performance Package (0995) Provides two additional control patterns: <ul style="list-style-type: none"> • Electrohydraulic (EH) hand and foot controls (H pattern) • Electrohydraulic (EH) hand and foot controls (ISO pattern) 		\$1,049.00
BYT11607	Attachment Control Field Kit Installation instructions call out (S.N. 391836 -)		\$459.00
BYT11958	On-Board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction). Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.		\$1,545.00
BYT12110	4-Way Switchable Control Field Kit Compatible on G Series Large Frame SSL/CTL 500K baud machines. Serial Numbers ending in 391836 & higher. Machine must be equipped with ISO-H Switchable Controls and EH Joystick Performance Package For machine built without Joystick Performance Package, install BYT11959 EH Joystick Performance Package field kit Not compatible with EH Boom Performance Package (0995) Provides two additional control patterns: <ul style="list-style-type: none"> • Electrohydraulic (EH) hand and foot controls (H pattern) • Electrohydraulic (EH) hand and foot controls (ISO pattern) 		\$1,049.00

Code	Description	QTY	List Price (USD)
BYT11955	<p>JDLink Hardware Kit - SSL/CTL</p> <p>Use with 330G-333G with Serial number ending in 391836 and higher. Only compatible on 500K baud rate machines. Hardware for mounting JDLink MTG terminal (does not include MTG).</p>		\$202.00
BYT11957	<p>LF G Reversing Fan Field Kit</p> <p>Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.</p>		\$860.00
BYT11971	<p>LF G Foot Throttle Removal</p> <p>Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.</p>		\$54.00
BYT11959	<p>EH Joystick Performance Package</p> <p>Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness, Creeper Mode Boom and Bucket speed settings. This kit is not compatible with Option Code 0995 - ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package. For G Series Large Frame SSL/CTL serial number 391836 & above.</p>		\$611.00
BYT11681	<p>SG96 DOZER BLADE ATTACHMENT HOOKS</p>		\$230.00
BYT11682	<p>SG96 DOZER BLADE BOX ENDS</p> <p>Additional Box End Attachments Converts Dozer Blade into Box Blade Requires Dozer Blade Attachments Hooks for mounting (BYT11681)</p>		\$2,303.00
BYT11683	<p>SG96 DOZER BLADE SCARIFIER</p> <p>Additional Scarifier/Ripper Attachment Converts Dozer Blade into Scarifier/Ripper Requires Dozer Blade Attachments Hooks for mounting (BYT11681)</p>		\$2,928.00
BYT11620	<p>SmartGrade JDLink Hardware Kit - SSL/CTL</p> <p>Use ONLY with 333G SmartGrade. This Enables SmartGrade Remote support. Includes Integration harness and ethernet harness. Machine Must be equipped with JDLink Option (170C or 170K) or will require the MTG field kit. Hardware for mounting JDLink MTG terminal (does not include MTG).</p>		\$694.00
BYT11772	<p>BOOM PERFORMANCE FIELD KIT</p> <p>EH Boom Performance Package Features: EH Self-level up and down Return-to-dig Return-to-carry Boom-height-kickout Required for SmartGrade functionality</p>		\$1,396.00
BYT10798	<p>JDLink Hardware Kit - SSL/CTL</p> <p>Use with 330G-333G with Serial Numbers ending in 391835 and lower. Only compatible on 250K baud rate machines. Hardware for mounting JDLink MTG terminal (does not include MTG).</p>		\$202.00
BYT12332	<p>Grade Control Laser Mast Field Kit for CTL</p>		\$2,000.00

This field kit includes two masts, two top brackets, and all appropriate mounting bolts that enable installation of the laser receivers on the CTL blade.

RUST PROTECTION

Rust Protection

Field Installed Attachments - Optional

9909	<p>Rust Preventative</p> <p>Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.</p>	\$163.00
------	---	----------

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.