

324G SKID STEER

27-Jun-2022



JOHN DEERE

Code	Description	QTY	List Price (USD)
00C2T	324G SKID STEER 324G SKID STEER Equipment for Base Machine Engine: 4 Cylinder Turbo-Charged Electronic Injection System Auto Idle Glow Plugs Automatic Engine Shutdown with Alarm V-Plenum Engine and Hydraulic cooling package Hydraulic Cool-on-Demand Variable Speed Fan Dual Element Air Cleaner Auto Fan Belt Tensioner John Deere "Cool Gard II" Extended Life Anti-Freeze John Deere Plus 50 10w30 engine oil 5 Micron fuel filter with Water Separator 100 Micron secondary fuel filter 21 Gallon (79 L) Fuel Tank Final Drive System and Brakes: 2-speed transmission Servo Axial Piston Hydrostatic Pumps Radial Piston Hydrostatic Motors Four Wheel Drive Four 80 HD heavy duty chain, continuous loop Spring applied, hydraulically released wet-disk park brake Gauges and Instruments: Keyless Start Sealed Switch Module Fuel Gauge Engine Coolant Temperature Operator Selectable LCD Digital Readout: Hourmeter Engine RPM Battery Voltage Engine Coolant Temp. Hydraulic Oil Temp. Job Clock Service Codes Diagnostic Codes Configuration Codes Indicator Warning Lights: Battery Not Charging Hydraulics Locked Out Park Brake Illumination Hydraulic Oil Over Temp 2-Speed Option Engaged Air Filter Restriction Hydraulic Oil Filter	1	\$61,081.00

Restriction
 Lap Bar Switch
 Seat Switch
 Door Open Switch
 Engine Preheat
 Low Engine Oil Pressure
 Automatic Engine Preheat

Electrical:
 12-Volt Electrical Battery
 750 cca w/150 minute reserve capacity
 Alternator 70 Amp
 Halogen Work Lights, 2 Front and 1 Rear
 Programmable courtesy lighting shutoff system

Hydraulics:
 3-Spool Open Center Valve
 System Pressure 3450 psi
 5 Micron Hydraulic Filter
 John Deere Boom & Bucket Cylinders w/Cushioned Boom
 Connect-under-pressure auxiliary hydraulic couplers
 Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
 Auxiliary Hydraulics Lock-out Override
 Boom Float

Performance Characteristics:
 Gross Horsepower 74 Hp (54.8 Kw)
 Rated Operating Capacity 2,690 lbs. (1,221 kg)
 Tipping Load 5,380 lbs. (2,443 kg)
 Hydraulic Pump Flow 21 gpm (79 L/m)
 Travel Speed-Low 6.9 mph (11.1 km/h)
 Construction Bucket Breakout Force 6,000 lbs. (2,724 kg)
 Boom Breakout Force 5,500 lbs. (2,497 kg)
 Width without Attachment 70.1 in. (1.78 m)
 Length without Attachment 112 in. 2.85 m)
 Height to Top of ROPS 79.4 in. (2.02 m)
 Height to Hinge Pin 125.5 in. (3.19 m)
 Machine Operating Weight 7,500 lbs. (3,405 kg)

Operator Protection/Comfort:
 FOPS / ROPS Roll-Guard with Side Screens
 In-Cab Boom Lockout System
 Adjustable Interlocking Operator Presence Lap Bar System
 Retractable Seat Belt
 Rearview mirror
 Back-up Alarm
 Horn
 Deluxe Headliner
 12V power port
 Cell Phone cargo net storage
 Interior Dome Lighting
 Cup Holder
 Itrigal Grab Handles for Easy Entry / Exit
 Top and Rear Windows
 Water Shedding Deluxe Seating
 Convenient Tie Downs
 Includes set of 2 stackable 86 lb (39 Kg) counterweights

Code	Description	QTY	List Price (USD)
	Attachment Coupler: John Deere patented Quik-Tatch system (no grease required)		
	Warranty: John Deere 2 years/2000 hours		
00C2T	324G SKID STEER	1	\$61,081.00
PACKAGES			
	Packages		Basic Factory Options - Required
0722	Open ROPS, Manual QT, SL, 2Spd Includes canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics with self level-up, and two speed transmission.		No Added Cost
0750	Cab/Heat/AC, Power QT, SL, 2Spd Includes cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics with self level-up, and two speed transmission.		\$5,314.00
0755	Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, and reversing fan drive.		\$9,644.00
0770	Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan, Chrome, Heat Seat, Radio Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, reversing fan drive, chrome stack, heated seat, and radio.		\$10,593.00
ENGINE			
	Engine		Basic Factory Options - Required
1301	Engine - Turbocharged Required for the United States. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards. Yanmar 4TNV98CT 3.3L 4 Cylinder Turbo-Charged 74 Gross hp (54.8 kW) 70 Net hp (52.5 kW)		\$2,665.00
Cold Start Packages			
			Field Installed Attachments - Optional
8050	Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (110 volt)		\$310.00

Includes Hydrau XR Cold Start Oil for Hydraulics.

Air Pre-Cleaner	Field Installed Attachments - Optional
-----------------	--

8060	Engine Air Precleaner		\$465.00
------	-----------------------	--	----------

DESTINATION AND LANGUAGE

Operator's Manual and Decals	Basic Factory Options - Required
------------------------------	----------------------------------

1501	English Operator's Manual and Decals For use with FT4 Engine.		No Added Cost
------	--	--	---------------

1510	French Operator's Manual and Decals For use with FT4 Engine.		No Added Cost
------	---	--	---------------

1515	Spanish Operator's Manual and Decals For use with FT4 Engine.		No Added Cost
------	--	--	---------------

JOHN DEERE WORKSIGHT™

JDLink	Basic Factory Options - Required
--------	----------------------------------

1741	Less JDLink		No Added Cost
------	-------------	--	---------------

170K	JDLink™ Includes integrated cab wiring harness, antenna, and JDLink Modem (MTG). JDLink connectivity is enabled separately through the JDLink website. Connectivity service is subject to country availability.		\$1,777.00
------	---	--	------------

WHEELS AND TIRES

Wheels and Tires	Basic Factory Options - Required
------------------	----------------------------------

Code	Description	QTY	List Price (USD)
2040	10x16.5 10 PR Galaxy "Beefy Baby III" HD For use primarily in medium duty applications. Provides 63 in. machine width.		\$182.00
2070	12x16.5 10 PR Titan HD2000-II Provides 70 in. machine width.		\$503.00
2285	10x16.5 NHS, CAMSO SKS For use primarily in lighter duty dirt applications. Provides 63.3 in. machine width.		(\$323.00)
2315	12 X 16.5 NHS, CAMSO SKS Provides 69.5 in. machine width.		No Added Cost
2400	10x16.5 Brawler Treaded SolidFlex For use primarily in severe duty applications. Provides 67.25 in. machine width. Not compatible with steel tracks.		\$1,956.00
2410	12x16.5 Brawler Treaded SolidFlex Provides 69 in. machine width. Not compatible with steel tracks.		\$2,656.00
2430	10x16.5 10 PR Galaxy Hulk For use primarily in medium duty/hard surface applications. Provides 63 in. machine width.		\$387.00
2440	12x16.5 12 PR Galaxy Hulk Provides 69 in. machine width.		\$826.00

OPERATOR'S STATION AND CONTROLS

Controls

Basic Factory Options - Required

0950	E-H (ISO Pattern) Joystick Controls		No Added Cost
0953	ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control		\$1,058.00

mode.

EH Joystick Performance Package Features:
 Selectable propel speeds
 Creeper Mode
 Boom and Bucket speed settings
 12V 3 Pin and 14 Pin Attachment Control Harness

Seat		Basic Factory Options - Required	
------	--	----------------------------------	--

6001	Mechanical Suspension Seat (Vinyl)		No Added Cost
------	------------------------------------	--	---------------

6003	Vinyl, Air-Ride Seat		\$462.00
------	----------------------	--	----------

6006	Air Suspension Seat (Cloth with Heat) Cloth seat only available with cab machines.		\$639.00
------	---	--	----------

Seat Belt		Basic Factory Options - Required	
-----------	--	----------------------------------	--

4000	2-Inch Seat Belt		No Added Cost
------	------------------	--	---------------

4001	2-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.		\$217.00
------	---	--	----------

4003	3-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.		\$271.00
------	---	--	----------

Rear Camera		Field Installed Attachments - Optional	
-------------	--	--	--

8042	Rear View Camera Includes 5" LCD monitor.		\$869.00
------	--	--	----------

Radio		Field Installed Attachments - Optional	
-------	--	--	--

Code	Description	QTY	List Price (USD)
8342	Radio, AM/FM with Bluetooth Bluetooth connection is for streaming only - does not allow for hands-free calling.		\$614.00
	Floor Mat		Field Installed Attachments - Optional
8380	Footrest with Floormat		\$147.00
	BUCKETS		
	Buckets		Field Installed Attachments - Optional
9028	66 in. Grading Heel Bucket (15.4 cu. Ft)		\$1,514.00
9030	66 in. Grading Heel Bucket (15.4 cu. Ft) with Teeth		\$1,763.00
9031	66 in. Construction Bucket (16.2 cu. ft.)		\$1,600.00
9032	66 in. Construction Bucket (16.2 cu. ft.) with Edge		\$1,680.00
9033	66 in. Dirt Bucket (14.5 cu. ft.)		\$1,338.00
9034	66 in. Dirt Bucket (14.5 cu. ft.) with Edge		\$1,605.00
9035	66 in. Dirt Bucket (14.5 cu. ft.) with Teeth		\$1,507.00
9036	66 in. Construction Bucket (16.2 cu. ft.) with Serrated Edge		\$1,749.00

Code	Description	QTY	List Price (USD)
9200	66 in. Tooth Bucket (16.2 cu. ft.)		\$1,662.00
9310	66 in. Utility Bucket (20.6 cu. ft.)		\$1,190.00
9311	66 in. Utility Bucket (20.6 cu. ft.) with Edge		\$1,737.00
9040	72 in. Construction Bucket (17.8 cu. ft.)		\$1,665.00
9041	72 in. Construction Bucket (17.8 cu. ft.) with Edge		\$1,915.00
9125	72 in. Grading Heel Bucket (16.8 cu. ft.)		\$2,132.00
9127	72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth		\$2,238.00
9210	72 in. Tooth Bucket (17.8 cu. ft.)		\$1,857.00
9320	72 in. Utility Bucket (22.6 cu. ft.)		\$1,692.00
9321	72 in. Utility Bucket (22.6 cu. ft.) with Edge		\$1,920.00
9322	72 in. Construction Bucket (17.8 cu. ft.) with Serrated Edge		\$2,102.00
9051	78 in. HD Construction Bucket (19.4 cu. ft.)		\$1,839.00
9052	78 in. HD Construction Bucket (19.4 cu. ft.) with Edge		\$2,069.00

Code	Description	QTY	List Price (USD)
9221	78 in. HD Tooth Bucket (19.4 cu. ft.)		\$2,031.00
9325	78 in. HD Grading Heel Bucket (18.2 cu. ft.)		\$2,019.00
9327	78 in. HD Grading Heel Bucket (18.2 cu. ft.) with Teeth		\$2,381.00
9330	78 in. HD Utility Bucket (24.5 cu. ft.)		\$1,760.00
9331	78 in. HD Utility Bucket (24.5 cu. ft.) with Edge		\$1,993.00
9332	78 in. HD Construction Bucket (19.4 cu. ft.) with Serrated Edge		\$2,266.00
	Buckets		Field Installed Attachments - Optional
BYT10855	66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE		\$1,749.00
BYT10086	72 in. Grading Heel Bucket (16.8 cu. ft.)		\$2,132.00
BYT10151	72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth		\$2,238.00
BYT10854	72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE		\$2,102.00
BYT10191	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)		\$2,019.00
AT441048	66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth		\$1,763.00

Code	Description	QTY	List Price (USD)
BYT10328	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH		\$2,381.00
AT440989	66 in. Grading Heel Bucket (15.4 cu. ft.)		\$1,514.00
BYT10853	78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE		\$2,266.00
AT354876	66 in. Dirt Bucket (14.5 cu. ft.)		\$1,338.00
KV24756	72 in. Utility Bucket (22.6 cu. ft.) with Edge		\$1,920.00
AT322309	72 in. Construction Bucket (17.8 cu. ft.) with Edge		\$1,915.00
AT321177	72 in. Tooth Bucket (17.8 cu. ft.)		\$1,857.00
KV24757	78 in. HD Utility Bucket (24.5 cu. ft.) with Edge		\$1,993.00
AT321180	78 in. HD Tooth Bucket (19.4 cu. ft.)		\$2,031.00
AT322310	78 in. HD Construction Bucket (19.4 cu. ft.) with Edge		\$2,069.00
AT354874	66 in. Dirt Bucket (14.5 cu. ft.) with Edge		\$1,605.00
KV22802	78 in. HD Utility Bucket (24.5 cu. ft.)		\$1,760.00
AT354880	66 in. Dirt Bucket (14.5 cu. ft.) with Teeth		\$1,507.00

Code	Description	QTY	List Price (USD)
KV11636	66 in. Foundry Bucket (14.6 cu. ft.)		\$1,399.00
KV22801	66 in. Utility Bucket (20.6 cu. ft.)		\$1,190.00
AT319177	72 in. Construction Bucket (17.8 cu. ft.)		\$1,665.00
KV24751	66 in. Construction Bucket (16.2 cu. ft.) with Edge		\$1,680.00
AT319180	78 in. HD Construction Bucket (19.4 cu. ft.)		\$1,839.00
KV11637	72 in. Foundry Bucket (16.0 cu. ft.)		\$1,502.00
KV12311	66 in. Tooth Bucket (16.2 cu. ft.)		\$1,662.00
KV11630	66 in. Construction Bucket (16.2 cu. ft.)		\$1,600.00
KV24755	66 in. Utility Bucket (20.6 cu. ft.) with Edge		\$1,737.00
KV21474	72 in. Utility Bucket (22.6 cu. ft.)		\$1,692.00
	Tooth Bars		Field Installed Attachments - Optional
AT347126	66 in. Tooth Bar for BOCE - 6 Teeth		\$786.00
KV12294	66 in. Tooth Bar - 7 Teeth		\$524.00

Code	Description	QTY	List Price (USD)
KV11598	72 in. Tooth Bar - 7 Teeth		\$562.00
AT347128	72 in. Tooth Bar for BOCE - 8 Teeth		\$808.00
WEIGHTS AND BALLASTING			
	Counterweight		Field Installed Attachments - Optional
8305	Counterweight, (Double Set) Includes 2 stackable 86 lb weights (39 Kg) to add to the set included in base.		\$383.00
8310	Counterweight, (Triple Set) Includes 4 stackable 86 lb weights (39 Kg) to add to the set included in base.		\$765.00
MISCELLANEOUS			
	Miscellaneous		Field Installed Attachments - Optional
8370	HD Rear Grille Provides protection to cooling package.		\$497.00
8525	Cab Severe Duty Polycarbonate Door		\$2,248.00
8530	Power Quik-Tatch for Canopy Units		\$740.00

G.R.Mfg.

Field Installed Attachments - Optional

G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.

G.R. Manufacturing, Inc.
4800 Commerce Drive
Trussville, Alabama 35173
Phone: (800)841-8001 Fax: (205)655-8005

Code	Description	QTY	List Price (USD)
BYT10946	Light Guard Kit		\$360.00
BYT10945	Bottom Covers & Reinforcement Plates		\$498.00
BYT10947	Bucket Cylinder Rod Guard		\$576.00
BYT10943	Bumper, Rear w/o Deflectors		\$1,702.00
BYT10948	Lift Cylinder Hose Guards		\$452.00
AT372950	Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications		\$820.00
BYT10263	Guard, Cab Roof Debris Requires Level II FOPS Plate AT445276		\$220.00
AT445276	Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.		\$964.00
	Kits & Accessories		Field Installed Attachments - Optional
BYT10679	HD Rear Grille Provides protection to cooling package.		\$611.00
BYT10227	Standard Door		\$1,062.00
BYT10682	Engine Air Pre-Cleaner Kit Compatible with 320G, 324G, & 325G machines with Turbocharged engine code 1301.		\$471.00
BYT10313	Backhoe Attachment Mounting Kit		\$291.00

Code	Description	QTY	List Price (USD)
BYT11292	SSM - Use with Manual Controls		\$185.00
BYT10680	SMV Sign		\$80.00
BYT10647	Attachment Control 3 & 14 pin attachment connector		\$706.00
BYT10661	Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.		\$355.00
BYT10641	Fluid Sampling Field Kit		\$134.00
BYT10648	Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.		\$927.00
BYT10226	Severe Duty Door BYT10085 Canopy Severe Duty Hardware Kit is required when installing on a canopy machine.		\$3,169.00
BYT10650	SSM - Use with EH Controls		\$185.00
BYT10843	Single Point Support Kit		\$2,623.00
BYT10048	Beacon Warning Light Magnetic Base		\$329.00
BYT10042	Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.		\$593.00
BYT10356	Field Kit, Reversing Fan		\$860.00
BYT10168	Boom Mounted Mirrors		\$78.00

Code	Description	QTY	List Price (USD)
BYT10062	Radio Field Kit		\$525.00
BYT10085	Canopy Severe Duty Door Hardware Kit		\$175.00
BYT10454	EH Joystick Performance Package		\$611.00
AT348835	Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)		\$367.00
AT374642	Foot Throttle Removal Kit		\$54.00
KV21995	12 Volt Demonstration Kit 3-pin connector		\$323.00
AT436025	Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]		\$102.00
AT419446	Joystick Pod Mounted Throttle		\$157.00
AT428072	Hydraulic Quick Coupler Adapter Kit Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.		\$335.00
AT431921	Hazard Warning Lights		\$131.00
AT427686	Block Heater Kit		\$115.00
BYT12524	Ride Control Field Kit Field kit for units with self level less ride control		\$356.00
AT433683	High Spring Effort Joysticks Only compatible on 250K baud rate machines. Serial number ending in 391835 and lower.		\$789.00

Code	Description	QTY	List Price (USD)
RUST PROTECTION			
	Rust Protection		Field Installed Attachments - Optional
9909	Rust Preventative Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.		\$163.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.