

330G SKID STEER

27-Jun-2022



JOHN DEERE

Code	Description	QTY	List Price (USD)
OBC2T	330G SKID STEER	1	\$75,375.00
	330G Base Equipment		
	Engine:		
	4 Cylinder Turbo-Charged		
	Electronic Injection System		
	Auto Idle		
	Glow Plugs		
	Automatic Engine Shutdown with Alarm		
	Tri-Cool Engine and Hydraulic cooling package		
	Hydraulic Cool-on-Demand Variable Speed Fan		
	Dual Element Air Cleaner		
	Auto Fan Belt Tensioner		
	John Deere "Cool Gard II" Extended Life Anti-Freeze		
	John Deere Plus 50 10w30 engine oil		
	5 Micron fuel filter with Water Separator		
	100 Micron secondary fuel filter		
	26 Gallon (97 L) Fuel Tank		
	Final Drive System and Undercarriage:		
	2-Speed Transmission		
	Servo Axial Piston Hydrostatic Pumps		
	Radial Piston Hydrostatic Motors		
	Four Wheel Drive		
	Four 100 HD continuous loop chain drive		
	Spring applied, hydraulically released wet-disk park brake		
	Gauges and Instruments:		
	Keyless Start Sealed Switch Module		
	Fuel Gauge		
	Engine Coolant Temperature		
	Operator Selectable LCD Digital Readout:		
	Hourmeter		
	Engine RPM		
	Battery Voltage		
	Engine Coolant Temp.		
	Hydraulic Oil Temp.		
	Job Clock		
	Service Codes		
	Diagnostic Codes		
	Configuration Codes		
	Indicator Warning Lights:		
	Battery Not Charging		
	Hydraulics Locked Out		
	Park Brake Illumination		
	Hydraulic Oil Over Temp		
	2-Speed Engaged		
	Air Filter Restriction		
	Hydraulic Oil Filter		
	Restriction		

Lap Bar Switch
 Seat Switch
 Door Open Switch
 Engine Preheat
 Low Engine Oil Pressure
 Automatic Engine Preheat

Electrical:
 12-Volt Electrical Battery
 925 cca w/150 minute reserve capacity
 Alternator 70 Amp
 Halogen Work Lights, 2 Front and 1 Rear
 Programmable courtesy lighting shutoff system

Hydraulics:
 3-Spool Open Center Valve
 System Pressure 3450 psi
 5 Micron Hydraulic Filter
 John Deere Boom & Bucket Cylinders w/Cushioned Boom
 Connect-under-pressure auxiliary hydraulic couplers
 Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
 Auxiliary Hydraulics Lock-out Override
 Boom Float

Performance Characteristics:
 Gross Horsepower 90 Hp (67 Kw)
 Rated Operating Capacity 3,000 lbs. (1,362 kg)
 Tipping Load 6,000 lbs. (2,724 kg)
 Hydraulic Pump Flow 24 gpm (91 L/m)
 Machine Operating Weight 9,950 lbs. (4,517 kg)
 Travel Speed Low 7 mph (11.3 km/h)
 Travel Speed High 12 mph (19.3 km/h)
 Construction Bucket Breakout Force 7,600 lbs. (3,450 kg)
 Boom Breakout Force 6,000 lbs. (2,724 kg)
 Width without Attachment 78 in. (1.98 m)
 Length without Attachment 122 in. (3.10 m)
 Height to Top of ROPS 86.3 in. (2.19 m)
 Height to Hinge Pin 132 in. (3.35 m)
 Machine Operating Weight 9,950 lbs. (4,517 kg)

Operator Protection/Comfort:
 FOPS / ROPS Roll-Guard with Side Screens
 In-Cab Boom Lockout System
 Adjustable Interlocking Operator Presence Lap Bar System
 Retractable Seat Belt
 Rearview Mirror
 Back-up Alarm
 Horn
 Deluxe Headliner
 12V power port
 Cell Phone cargo net storage
 Interior Dome Lighting
 Cup Holder
 Itrigal Grab Handles for Easy Entry / Exit
 Top and Rear Windows
 Water Shedding Deluxe Seating
 Convenient Tie Downs

Attachment Coupler:
John Deere patented Quik-Tatch system (no grease required)

Warranty:
John Deere 2 years/2000 hours

OBC2T	330G SKID STEER	1	\$75,375.00
-------	-----------------	---	-------------

PACKAGES

Packages	Basic Factory Options - Required
----------	----------------------------------

0720	Open ROPS, Manual QT, No SL or RC, 2Spd Includes canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics with no self level-up or ride control, and two speed transmission.	No Added Cost
------	---	---------------

0752	Cab/Heat/AC, Power QT, SL & RC, 2Spd Includes cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics with self level-up and ride control, and two speed transmission.	\$6,592.00
------	---	------------

0755	Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, and reversing fan drive.	\$10,232.00
------	--	-------------

ENGINE

Cold Start Packages	Field Installed Attachments - Optional
---------------------	--

8050	Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.	\$310.00
------	--	----------

Air Pre-Cleaner	Field Installed Attachments - Optional
-----------------	--

8060	Engine Air Precleaner	\$465.00
------	-----------------------	----------

DESTINATION AND LANGUAGE

Operator's Manual and Decals	Basic Factory Options - Required
------------------------------	----------------------------------

Code	Description	QTY	List Price (USD)
1501	English Operator's Manual and Decals		No Added Cost
1510	French Operator's Manual and Decals		No Added Cost
1515	Spanish Operator's Manual and Decals		No Added Cost
JOHN DEERE WORKSIGHT™			
	JDLink		Basic Factory Options - Required
1741	Less JDLink		No Added Cost
170K	JDLink™ Includes integrated cab wiring harness, antenna, and JDLink Modem (MTG). JDLink connectivity is enabled separately through the JDLink website. Connectivity service is subject to country availability.		\$1,777.00
WHEELS AND TIRES			
	Wheels and Tires		Basic Factory Options - Required
2070	12x16.5 10 PR Titan HD2000-II Provides 73.2 in. machine width.		(\$803.00)
2315	12 X 16.5 NHS, CAMSO SKS Provides 73.5 in. machine width.		(\$1,306.00)
2320	14x17.5 14 PR Titan HD2000-II Provides 78.5 in. machine width. Not compatible with steel tracks.		\$485.00
2335	14x17.5 NHS, CAMSO SKS Provides 77.5 in. machine width.		No Added Cost

Code	Description	QTY	List Price (USD)
2410	12x16.5 Brawler Treaded SolidFlex Provides 73.3 in. machine width. Not compatible with steel tracks.		\$1,350.00
2420	14x17.5 Treaded Brawler SolidFlex Provides 73.5 in. machine width. Not compatible with steel tracks.		\$2,875.00
2440	12x16.5 12 PR Galaxy Hulk Provides 73.75 in. machine width.		(\$480.00)
2450	14x17.5 14 PR Galaxy Hulk Provides 77 in. machine width. Not compatible with steel tracks.		\$1,000.00

OPERATOR'S STATION AND CONTROLS

Controls

Basic Factory Options - Required

0950	E-H (ISO Pattern) Joystick Controls		No Added Cost
0953	ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness		\$1,058.00
0995	ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package Includes ISO Joystick Controls with integrated detents. Switchable control modes not available with this configuration. Includes Switchable Accelerator/Decelerator with right side foot pedal. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness EH Boom Performance Package Features: EH Self-level up and down Return-to-dig Return-to-carry Boom-height-kickout		\$2,454.00

Code	Description	QTY	List Price (USD)
	Seat		Basic Factory Options - Required
6001	Mechanical Suspension Seat (Vinyl)		No Added Cost
6003	Vinyl, Air-Ride Seat		\$462.00
6006	Air Suspension Seat (Cloth with Heat) Cloth seat only available with cab machines.		\$639.00
	Seat Belt		Basic Factory Options - Required
4000	2-Inch Seat Belt		No Added Cost
4001	2-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.		\$217.00
4003	3-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.		\$271.00
	Rear Camera		Field Installed Attachments - Optional
8042	Rear View Camera Includes 5" LCD monitor.		\$869.00
	ONBOARD GRADE INDICATION		Field Installed Attachments - Optional
8500	On-board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction)		\$1,534.00
	Radio		Field Installed Attachments - Optional

Code	Description	QTY	List Price (USD)
8342	Radio, AM/FM with Bluetooth Bluetooth connection is for streaming only - does not allow for hands-free calling.		\$614.00
	Floor Mat		Field Installed Attachments - Optional
8380	Footrest with Floormat		\$147.00
	BUCKETS		
	Buckets		Field Installed Attachments - Optional
9051	78 in. HD Construction Bucket (19.4 cu. ft.)		\$1,839.00
9052	78 in. HD Construction Bucket (19.4 cu. ft.) with Edge		\$2,069.00
9221	78 in. HD Tooth Bucket (19.4 cu. ft.)		\$2,031.00
9325	78 in. HD Grading Heel Bucket (18.2 cu. ft.)		\$2,019.00
9327	78 in. HD Grading Heel Bucket (18.2 cu. ft.) with Teeth		\$2,381.00
9330	78 in. HD Utility Bucket (24.5 cu. ft.)		\$1,760.00
9331	78 in. HD Utility Bucket (24.5 cu. ft.) with Edge		\$1,993.00
9332	78 in. HD Construction Bucket (19.4 cu. ft.) with Serrated Edge		\$2,266.00

Code	Description	QTY	List Price (USD)
9061	84 in. HD Construction Bucket (21.0 cu. ft.)		\$2,048.00
9062	84 in. HD Construction Bucket (21.0 cu. ft.) with Edge		\$2,188.00
9231	84 in. HD Tooth Bucket (21.0 cu. ft.)		\$2,165.00
9340	84 in. HD Utility Bucket (27.0 cu. ft.)		\$1,847.00
9341	84 in. HD Utility Bucket (27.0 cu. ft.) with Edge		\$2,234.00
9342	84 in. Construction Bucket (21.0 cu. ft.) with Serrated Edge		\$2,394.00
9425	90 in. Light Materials Bucket (53.9 cu. ft.)		\$3,087.00
	Buckets		Field Installed Attachments - Optional
KV21470	84 in. HD Utility Bucket (27.0 cu. ft.)		\$1,847.00
KV24758	84 in. HD Utility Bucket (27.0 cu. ft.) with Edge		\$2,234.00
BYT10849	84 in. HD Construction Bucket (21.0 cu. ft.) with Serrated Edge		\$2,394.00
BYT10314	90 in. Light Material Bucket with Edge (53.9 cu. ft.)		\$3,087.00
AT319181	84 in. HD Construction Bucket (21.0 cu. ft.)		\$2,048.00

Code	Description	QTY	List Price (USD)
AT322311	84 in. HD Construction Bucket (21.0 cu. ft.) with Edge		\$2,188.00
AT321181	84 in. HD Tooth Bucket (21.0 cu. ft.)		\$2,165.00
	Tooth Bars		Field Installed Attachments - Optional
AT347132	78 in. Tooth Bar for BOCE - 7 Teeth		\$885.00
AT347135	84 in. Tooth Bar for BOCE - 9 Teeth		\$912.00
KV12298	84 in. Tooth Bar - 8 Teeth		\$750.00
KV12296	78 in. Tooth Bar - 8 Teeth		\$616.00
	WEIGHTS AND BALLASTING		
	Counterweight		Field Installed Attachments - Optional
8300	Counterweight, (Single Set) Includes 2 stackable 86 lb weights (39 Kg).		\$383.00
8305	Counterweight, (Double Set) Includes 4 stackable 86 lb weights (39 Kg).		\$765.00
8310	Counterweight, (Triple Set) Includes 6 stackable 86 lb weights (39 Kg).		\$1,148.00
	MISCELLANEOUS		

Code	Description	QTY	List Price (USD)
	Miscellaneous		Field Installed Attachments - Optional
8370	HD Rear Grille Provides protection to cooling package.		\$497.00
8525	Cab Severe Duty Polycarbonate Door		\$2,248.00
8530	Power Quik-Tatch for Canopy Units		\$740.00
	G.R.Mfg.		Field Installed Attachments - Optional
	<p>G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.</p> <p>G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005</p>		
BYT10946	Light Guard Kit		\$360.00
BYT10945	Bottom Covers & Reinforcement Plates		\$498.00
BYT10947	Bucket Cylinder Rod Guard		\$576.00
BYT10913	Bucket Cylinder Rod Guard		\$520.00
BYT10943	Bumper, Rear w/o Deflectors		\$1,702.00
AT372950	Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications		\$820.00
BYT10261	Guard, Rear Bumper		\$1,804.00

Code	Description	QTY	List Price (USD)
BYT10260	Guard, Auxiliary Hydraulic Quick Coupler		\$342.00
BYT10263	Guard, Cab Roof Debris Requires Level II FOPS Plate AT445276		\$220.00
BYT10262	Guard, Chassis Bottom Cover Plates Not compatible with S/N above 408779		\$472.00
AT445276	Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.		\$964.00
BYT10259	Guard, Front Single and Dual Rear Worklights		\$242.00
BYT10258	Rear Window/Side Window Cab Guards		\$1,004.00
BYT12304	Wiper Blade and Arm Guard		\$184.00
BYT12664	Severe Duty Forestry Package Requires machine to be equipped with cab, severe duty door (8525), and HD rear grille (8370). Includes: <ul style="list-style-type: none"> • Side and Rear Window Screens (BYT10258) • Bumper (BYT10261) • Bottom Cover Plates (BYT12663) • Wiper Guard (BYT12304) • Aux Hydraulic Coupler Guard (BYT10260) • Level II FOPS Guard (AT445276) • Boom Arm Hose Guards (no Deere Part #-GR Part #705942)-order this kit directly from GR • Door Upgrade Kit (AT372950) • Cab Roof Debris Guard (BYT10263) • Work Light Guards (BYT10259) Not compatible with S/N below 408780. To obtain the Forestry Package for machines with serial numbers below 408779, please order BYT10262 and all kits listed in note above, except BYT12663.		\$6,611.00
BYT12663	Guard, Chasis Bottom Cover Plates Not compatible with S/N below 408780		\$721.00

Kits & Accessories

Field Installed Attachments - Optional

Code	Description	QTY	List Price (USD)
BYT10227	Standard Door		\$1,062.00
BYT11301	High Debris Application Package Includes rear side panel and hood guarding, battery and def fluid-fill cover design and sealing enhancements, boom hydraulic line hose grommets, and engine manifold heat shields. Highly recommended kit. To help mitigate debris from entering the machine. Functional examples include mulching, shredding, recycling, and agricultural applications. Even with this kit installed, operators must follow information found in the operators manual concerning operating in high debris applications and cleaning the machine more frequently.		\$547.00
BYT10917	Attachment Control Installation instruction call out (S.N. - 391835)		\$459.00
BYT10039	Fluid Sampling Field Kit		\$175.00
BYT10767	On-Board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction). Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		\$1,545.00
BYT10226	Severe Duty Door BYT10085 Canopy Severe Duty Hardware Kit is required when installing on a canopy machine.		\$3,169.00
BYT10050	Hazard Warning Lights Hardware Mounted		\$131.00
BYT10048	Beacon Warning Light Magnetic Base		\$329.00
BYT10059	SMV Sign		\$80.00
BYT10454	EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Not compatible with code 0900 Foot Controls. Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		\$611.00
BYT10058	HD Rear Grille Provides protection to cooling package.		\$611.00

Code	Description	QTY	List Price (USD)
AT439117	Engine Air Pre-Cleaner Kit		\$471.00
AT466358	Backhoe Attachment Mounting Kit		\$122.00
AT439115	Block Heater Kit		\$115.00
BYT10042	Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.		\$593.00
AT469520	Single Point Lift System		\$2,571.00
BYT10041	Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.		\$927.00
BYT10356	Field Kit, Reversing Fan Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		\$860.00
BYT10085	Canopy Severe Duty Door Hardware Kit		\$175.00
AT348835	Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)		\$367.00
AT436025	Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]		\$102.00
AT410246	Foot Throttle Removal Kit Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		\$54.00
AT419446	Joystick Pod Mounted Throttle		\$157.00
AT417736	Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.		\$355.00

Code	Description	QTY	List Price (USD)
AT433683	High Spring Effort Joysticks Only compatible on 250K baud rate machines. Serial number ending in 391835 and lower.		\$789.00
BYT11984	LFG RETURN FILTER FIELD KIT Provides additional filtration to protect the hydraulic system from debris. This kit is designed for Large G Series machines that did not originally include the return filter as Factory installed (SN: - 387880). Reference DTAC solution 118092 from more information.		\$974.00
BYT12015	LFG RETURN FILTER FIELD KIT HEMA Requires BYT11984 Additional parts for early production machines (- 340404). This kit provides additional parts required to add return filter kit (BYT11984) onto early production machines.		\$281.00
BYT11997	4-Way Switchable Control Field Kit Compatible on G Series Large Frame SSL/CTL 250K baud machines. Serial Numbers ending in 391835 & lower. Machine must be equipped with ISO-H Switchable Controls and EH Joystick Performance Package For machine built without Joystick Performance Package, install BYT10454 EH Joystick Performance Package field kit Not compatible with EH Boom Performance Package (0995) Provides two additional control patterns: <ul style="list-style-type: none"> • Electrohydraulic (EH) hand and foot controls (H pattern) • Electrohydraulic (EH) hand and foot controls (ISO pattern) 		\$1,049.00
BYT12110	4-Way Switchable Control Field Kit Compatible on G Series Large Frame SSL/CTL 500K baud machines. Serial Numbers ending in 391836 & higher. Machine must be equipped with ISO-H Switchable Controls and EH Joystick Performance Package For machine built without Joystick Performance Package, install BYT11959 EH Joystick Performance Package field kit Not compatible with EH Boom Performance Package (0995) Provides two additional control patterns: <ul style="list-style-type: none"> • Electrohydraulic (EH) hand and foot controls (H pattern) • Electrohydraulic (EH) hand and foot controls (ISO pattern) 		\$1,049.00
BYT11958	On-Board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction). Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.		\$1,545.00
BYT11957	LF G Reversing Fan Field Kit Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.		\$860.00
BYT11955	JDLink Hardware Kit - SSL/CTL Use with 330G-333G with Serial number ending in 391836 and higher. Only compatible on 500K baud rate machines. Hardware for mounting JDLink MTG terminal (does not include MTG).		\$202.00
BYT11971	LF G Foot Throttle Removal		\$54.00

Code	Description	QTY	List Price (USD)
	Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.		
BYT11959	EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness, Creeper Mode Boom and Bucket speed settings. This kit is not compatible with Option Code 0995 - ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package. For G Series Large Frame SSL/CTL serial number 391836 & above.		\$611.00
BYT11607	Attachment Control Field Kit Installation instructions call out (S.N. 391836 -)		\$459.00
BYT10798	JDLink Hardware Kit - SSL/CTL Use with 330G-333G with Serial Numbers ending in 391835 and lower. Only compatible on 250K baud rate machines. Hardware for mounting JDLink MTG terminal (does not include MTG).		\$202.00
BYT11772	BOOM PERFORMANCE FIELD KIT EH Boom Performance Package Features: EH Self-level up and down Return-to-dig Return-to-carry Boom-height-kickout		\$1,396.00
RUST PROTECTION			
	Rust Protection		Field Installed Attachments - Optional
9909	Rust Preventative Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.		\$163.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.