

# 332G SKID STEER

27-Jun-2022



Code	Description	QTY	List Price (USD)
------	-------------	-----	------------------

OBD2T	332G SKID STEER	1	\$87,088.00
-------	-----------------	---	-------------

332G Base Equipment

Engine:

- 4 Cylinder Turbo-Charged
- Electronic Injection System
- Auto Idle
- Glow Plugs
- Automatic Engine Shutdown with Alarm
- Tri-Cool Engine and Hydraulic cooling package
- Hydraulic Cool-on-Demand Variable Speed Fan
- Dual Element Air Cleaner
- Auto Fan Belt Tensioner
- John Deere "Cool Gard II" Extended Life Anti-Freeze
- John Deere Plus 50 10w30 engine oil
- 5 Micron fuel filter with Water Separator
- 100 Micron secondary fuel filter
- 26 Gallon (97 L) Fuel Tank

Final Drive System and Undercarriage:

- 2-Speed Transmission
- Servo Axial Piston Hydrostatic Pumps
- Radial Piston Hydrostatic Motors
- Four Wheel Drive
- Four 100 HD continuous loop chain drive
- Spring applied, hydraulically released wet-disk park brake

Gauges and Instruments:

- Keyless Start Sealed Switch Module
- Fuel Gauge
- Engine Coolant Temperature

Operator Selectable LCD Digital Readout:

- Hourmeter
- Engine RPM
- Battery Voltage
- Engine Coolant Temp.
- Hydraulic Oil Temp.
- Job Clock
- Service Codes
- Diagnostic Codes
- Configuration Codes

Indicator Warning Lights:

- Battery Not Charging
- Hydraulics Locked Out
- Park Brake Illumination
- Hydraulic Oil Over Temp
- 2-Speed Engaged
- Air Filter Restriction
- Hydraulic Oil Filter Restriction

Lap Bar Switch  
 Seat Switch  
 Door Open Switch  
 Engine Preheat  
 Low Engine Oil Pressure  
 Automatic Engine Preheat

Electrical:  
 12-Volt Electrical Battery  
 925 cca w/150 minute reserve capacity  
 Alternator 70 Amp  
 Halogen Work Lights, 2 Front and 1 Rear  
 Programmable courtesy lighting shutoff system

Hydraulics:  
 3-Spool Open Center Valve  
 System Pressure 3450 psi  
 5 Micron Hydraulic Filter  
 John Deere Boom & Bucket Cylinders w/Cushioned Boom  
 Connect-under-pressure auxiliary hydraulic couplers  
 Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system  
 Auxiliary Hydraulics Lock-out Override  
 Boom Float

Performance Characteristics:  
 Gross Horsepower 100 Hp (75 Kw)  
 Rated Operating Capacity 3,600 lbs. (1,633 kg)  
 Tipping Load 7,200 lbs. (3,266 kg)  
 Hydraulic Pump Flow 25 gpm (95 L/m)  
 Travel Speed Low 7 mph (11.3 km/h)  
 Travel Speed High 12 mph (19.3 km/h)  
 Construction Bucket Breakout Force 9,250 lbs. (4,200 kg)  
 Boom Breakout Force 7,750 lbs. (3,519 kg)  
 Width without Attachment 78.4 in. (1.99 m)  
 Length without Attachment 122 in. (3.10 m)  
 Height to Top of ROPS 86.3 in. (2.19 m)  
 Height to Hinge Pin 132 in. (3.35 m)  
 Machine Operating Weight 10,000 lbs. (4,540 kg)

Operator Protection/Comfort:  
 FOPS / ROPS Roll-Guard with Side Screens  
 In-Cab Boom Lockout System  
 Adjustable Interlocking Operator Presence Lap Bar System  
 Retractable Seat Belt  
 Rearview Mirror  
 Back-up Alarm  
 Horn  
 Deluxe Headliner  
 12V power port  
 Cell Phone cargo net storage  
 Interior Dome Lighting  
 Cup Holder  
 Itrigal Grab Handles for Easy Entry / Exit  
 Top and Rear Windows  
 Water Shedding Deluxe Seating  
 Convenient Tie Downs

Attachment Coupler:

Code	Description	QTY	List Price (USD)
	John Deere patented Quik-Tatch system (no grease required)		
	Warranty: John Deere 2 years/2000 hours		
OBD2T	332G SKID STEER	1	\$87,088.00
PACKAGES			
Packages		Basic Factory Options - Required	
0752	Cab/Heat/AC, Power QT, SL & RC, 2Spd Includes cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics with self level-up and ride control, and two speed transmission.		No Added Cost
0770	Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan, Chrome, Heat Seat, Radio Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, reversing fan drive, chrome stack, heated seat, and radio.		\$4,589.00
ENGINE			
Cold Start Packages		Field Installed Attachments - Optional	
8050	Cold Start Package Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		\$310.00
Air Pre-Cleaner		Field Installed Attachments - Optional	
8060	Engine Air Precleaner		\$465.00
DESTINATION AND LANGUAGE			
Operator's Manual and Decals		Basic Factory Options - Required	
1501	English Operator's Manual and Decals		No Added Cost
1510	French Operator's Manual and Decals		No Added Cost

Code	Description	QTY	List Price (USD)
1515	Spanish Operator's Manual and Decals		No Added Cost
JOHN DEERE WORKSIGHT™			
	JDLink		Basic Factory Options - Required
1741	Less JDLink		No Added Cost
170K	JDLink™ Includes integrated cab wiring harness, antenna, and JDLink Modem (MTG). JDLink connectivity is enabled separately through the JDLink website. Connectivity service is subject to country availability.		\$1,777.00
WHEELS AND TIRES			
	Wheels and Tires		Basic Factory Options - Required
2320	14x17.5 14 PR Titan HD2000-II Provides 78.5 in. machine width. Not compatible with steel tracks.		No Added Cost
2335	14x17.5 NHS, CAMSO SKS Provides 77.5 in. machine width.		(\$485.00)
2420	14x17.5 Treaded Brawler SolidFlex Provides 73.5 in. machine width. Not compatible with steel tracks.		\$2,390.00
2450	14x17.5 14 PR Galaxy Hulk Provides 77 in. machine width. Not compatible with steel tracks.		\$515.00
OPERATOR'S STATION AND CONTROLS			
	Controls		Basic Factory Options - Required

Code	Description	QTY	List Price (USD)
0950	E-H (ISO Pattern) Joystick Controls		No Added Cost
0953	ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes.  Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.  EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness		\$1,058.00
0995	ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package Includes ISO Joystick Controls with integrated detents. Switchable control modes not available with this configuration.  Includes Switchable Accelerator/Decelerator with right side foot pedal.  EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness  EH Boom Performance Package Features: EH Self-level up and down Return-to-dig Return-to-carry Boom-height-kickout		\$2,454.00
	Seat		Basic Factory Options - Required
6001	Mechanical Suspension Seat (Vinyl)		No Added Cost
6003	Vinyl, Air-Ride Seat		\$462.00
6006	Air Suspension Seat (Cloth with Heat) Cloth seat only available with cab machines.		\$639.00
	Seat Belt		Basic Factory Options - Required
4001	2-Inch Seat Belt with Shoulder Harness		\$217.00

Code	Description	QTY	List Price (USD)
	Shoulder harness required with a cab package.		
4003	3-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.		\$271.00
	Rear Camera		Field Installed Attachments - Optional
8042	Rear View Camera Includes 5" LCD monitor.		\$869.00
	ONBOARD GRADE INDICATION		Field Installed Attachments - Optional
8500	On-board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction)		\$1,534.00
	Radio		Field Installed Attachments - Optional
8342	Radio, AM/FM with Bluetooth Bluetooth connection is for streaming only - does not allow for hands-free calling.		\$614.00
	Floor Mat		Field Installed Attachments - Optional
8380	Footrest with Floormat		\$147.00
	BUCKETS		
	Buckets		Field Installed Attachments - Optional
9051	78 in. HD Construction Bucket (19.4 cu. ft.)		\$1,839.00

Code	Description	QTY	List Price (USD)
9052	78 in. HD Construction Bucket (19.4 cu. ft.) with Edge		\$2,069.00
9221	78 in. HD Tooth Bucket (19.4 cu. ft.)		\$2,031.00
9325	78 in. HD Grading Heel Bucket (18.2 cu. ft.)		\$2,019.00
9327	78 in. HD Grading Heel Bucket (18.2 cu. ft.) with Teeth		\$2,381.00
9330	78 in. HD Utility Bucket (24.5 cu. ft.)		\$1,760.00
9331	78 in. HD Utility Bucket (24.5 cu. ft.) with Edge		\$1,993.00
9332	78 in. HD Construction Bucket (19.4 cu. ft.) with Serrated Edge		\$2,266.00
9061	84 in. HD Construction Bucket (21.0 cu. ft.)		\$2,048.00
9062	84 in. HD Construction Bucket (21.0 cu. ft.) with Edge		\$2,188.00
9231	84 in. HD Tooth Bucket (21.0 cu. ft.)		\$2,165.00
9340	84 in. HD Utility Bucket (27.0 cu. ft.)		\$1,847.00
9341	84 in. HD Utility Bucket (27.0 cu. ft.) with Edge		\$2,234.00
9342	84 in. Construction Bucket (21.0 cu. ft.) with Serrated Edge		\$2,394.00

Code	Description	QTY	List Price (USD)
9410	90 in. SD Construction Bucket with Serrated Edge (22.4 cu. ft.)		\$3,960.00
9415	90 in. SD Tooth Bucket (22.4 cu. ft.)		\$3,944.00
9425	90 in. Light Materials Bucket (53.9 cu. ft.)		\$3,087.00
	Buckets		Field Installed Attachments - Optional
KV21470	84 in. HD Utility Bucket (27.0 cu. ft.)		\$1,847.00
KV24758	84 in. HD Utility Bucket (27.0 cu. ft.) with Edge		\$2,234.00
AT455408	90 in. SD Construction Bucket with Serrated Edge (22.4 cu.ft.)		\$3,960.00
AT450326	90 in. SD Tooth Bucket (22.4 cu. ft.)		\$3,944.00
BYT10849	84 in. HD Construction Bucket (21.0 cu. ft.) with Serrated Edge		\$2,394.00
BYT10314	90 in. Light Material Bucket with Edge (53.9 cu. ft.)		\$3,087.00
AT319181	84 in. HD Construction Bucket (21.0 cu. ft.)		\$2,048.00
AT322311	84 in. HD Construction Bucket (21.0 cu. ft.) with Edge		\$2,188.00
AT321181	84 in. HD Tooth Bucket (21.0 cu. ft.)		\$2,165.00



Tooth Bars

Field Installed Attachments - Optional

AT347132	78 in. Tooth Bar for BOCE - 7 Teeth		\$885.00
----------	-------------------------------------	--	----------

AT347135	84 in. Tooth Bar for BOCE - 9 Teeth		\$912.00
----------	-------------------------------------	--	----------

KV12298	84 in. Tooth Bar - 8 Teeth		\$750.00
---------	----------------------------	--	----------

KV12296	78 in. Tooth Bar - 8 Teeth		\$616.00
---------	----------------------------	--	----------

WEIGHTS AND BALLASTING

Counterweight

Field Installed Attachments - Optional

8300	Counterweight, (Single Set) Includes 2 stackable 86 lb weights (39 Kg).		\$383.00
------	--	--	----------

8305	Counterweight, (Double Set) Includes 4 stackable 86 lb weights (39 Kg).		\$765.00
------	--	--	----------

8310	Counterweight, (Triple Set) Includes 6 stackable 86 lb weights (39 Kg).		\$1,148.00
------	--	--	------------

MISCELLANEOUS

Miscellaneous

Field Installed Attachments - Optional

8370	HD Rear Grille Provides protection to cooling package.		\$497.00
------	---	--	----------

8525	Cab Severe Duty Polycarbonate Door		\$2,248.00
------	------------------------------------	--	------------

Code	Description	QTY	List Price (USD)
	G.R.Mfg.		Field Installed Attachments - Optional
	<p>G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.</p> <p>G.R. Manufacturing, Inc.  4800 Commerce Drive  Trussville, Alabama 35173  Phone: (800)841-8001 Fax: (205)655-8005</p>		
BYT10913	Bucket Cylinder Rod Guard		\$520.00
AT372950	Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications		\$820.00
BYT10261	Guard, Rear Bumper		\$1,804.00
BYT10260	Guard, Auxiliary Hydraulic Quick Coupler		\$342.00
BYT10263	Guard, Cab Roof Debris Requires Level II FOPS Plate AT445276		\$220.00
BYT10262	Guard, Chassis Bottom Cover Plates Not compatible with S/N above 408779		\$472.00
AT445276	Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.		\$964.00
BYT10259	Guard, Front Single and Dual Rear Worklights		\$242.00
BYT10258	Rear Window/Side Window Cab Guards		\$1,004.00
BYT12304	Wiper Blade and Arm Guard		\$184.00

Code	Description	QTY	List Price (USD)
BYT12664	<p>Severe Duty Forestry Package</p> <p>Requires machine to be equipped with cab, severe duty door (8525), and HD rear grille (8370).</p> <p>Includes:</p> <ul style="list-style-type: none"> <li>• Side and Rear Window Screens (BYT10258)</li> <li>• Bumper (BYT10261)</li> <li>• Bottom Cover Plates (BYT12663)</li> <li>• Wiper Guard (BYT12304)</li> <li>• Aux Hydraulic Coupler Guard (BYT10260)</li> <li>• Level II FOPS Guard (AT445276)</li> <li>• Boom Arm Hose Guards (no Deere Part #-GR Part #705942)-order this kit directly from GR</li> <li>• Door Upgrade Kit (AT372950)</li> <li>• Cab Roof Debris Guard (BYT10263)</li> <li>• Work Light Guards (BYT10259)</li> </ul> <p>Not compatible with S/N below 408780. To obtain the Forestry Package for machines with serial numbers below 408779, please order BYT10262 and all kits listed in note above, except BYT12663.</p>		\$6,611.00
BYT12663	<p>Guard, Chasis Bottom Cover Plates</p> <p>Not compatible with S/N below 408780</p>		\$721.00
	Kits & Accessories		Field Installed Attachments - Optional
BYT10227	Standard Door		\$1,062.00
BYT10039	Fluid Sampling Field Kit		\$175.00
BYT11301	<p>High Debris Application Package</p> <p>Includes rear side panel and hood guarding, battery and def fluid-fill cover design and sealing enhancements, boom hydraulic line hose grommets, and engine manifold heat shields.</p> <p>Highly recommended kit. To help mitigate debris from entering the machine. Functional examples include mulching, shredding, recycling, and agricultural applications. Even with this kit installed, operators must follow information found in the operators manual concerning operating in high debris applications and cleaning the machine more frequently.</p>		\$547.00
BYT10917	<p>Attachment Control</p> <p>Installation instruction call out (S.N. - 391835)</p>		\$459.00
BYT10767	<p>On-Board Grade Indication</p> <p>Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction).</p> <p>Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.</p>		\$1,545.00
BYT10226	<p>Severe Duty Door</p> <p>BYT10085 Canopy Severe Duty Hardware Kit is required when installing on a canopy machine.</p>		\$3,169.00

Code	Description	QTY	List Price (USD)
BYT10048	Beacon Warning Light Magnetic Base		\$329.00
BYT10050	Hazard Warning Lights Hardware Mounted		\$131.00
BYT10059	SMV Sign		\$80.00
BYT10454	EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Not compatible with code 0900 Foot Controls. Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		\$611.00
BYT10058	HD Rear Grille Provides protection to cooling package.		\$611.00
AT439117	Engine Air Pre-Cleaner Kit		\$471.00
AT466358	Backhoe Attachment Mounting Kit		\$122.00
AT439115	Block Heater Kit		\$115.00
BYT10042	Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.		\$593.00
AT469520	Single Point Lift System		\$2,571.00
BYT10041	Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.		\$927.00
BYT10356	Field Kit, Reversing Fan Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		\$860.00
BYT10085	Canopy Severe Duty Door Hardware Kit		\$175.00

Code	Description	QTY	List Price (USD)
AT348835	Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)		\$367.00
AT436025	Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]		\$102.00
AT410246	Foot Throttle Removal Kit Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.		\$54.00
AT419446	Joystick Pod Mounted Throttle		\$157.00
AT417736	Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.		\$355.00
AT433683	High Spring Effort Joysticks Only compatible on 250K baud rate machines. Serial number ending in 391835 and lower.		\$789.00
BYT12015	LFG RETURN FILTER FIELD KIT HEMA Requires BYT11984 Additional parts for early production machines ( - 340404). This kit provides additional parts required to add return filter kit (BYT11984) onto early production machines.		\$281.00
BYT11984	LFG RETURN FILTER FIELD KIT Provides additional filtration to protect the hydraulic system from debris. This kit is designed for Large G Series machines that did not originally include the return filter as Factory installed (SN: - 387880). Reference DTAC solution 118092 from more information.		\$974.00
BYT11997	4-Way Switchable Control Field Kit Compatible on G Series Large Frame SSL/CTL 250K baud machines. Serial Numbers ending in 391835 & lower. Machine must be equipped with ISO-H Switchable Controls and EH Joystick Performance Package For machine built without Joystick Performance Package, install BYT10454 EH Joystick Performance Package field kit Not compatible with EH Boom Performance Package (0995)  Provides two additional control patterns: <ul style="list-style-type: none"> <li>• Electrohydraulic (EH) hand and foot controls (H pattern)</li> <li>• Electrohydraulic (EH) hand and foot controls (ISO pattern)</li> </ul>		\$1,049.00
BYT11971	LF G Foot Throttle Removal Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.		\$54.00
BYT11957	LF G Reversing Fan Field Kit		\$860.00

Code	Description	QTY	List Price (USD)
	Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.		
BYT11955	<p>JDLink Hardware Kit - SSL/CTL</p> <p>Use with 330G-333G with Serial number ending in 391836 and higher. Only compatible on 500K baud rate machines. Hardware for mounting JDLink MTG terminal (does not include MTG).</p>		\$202.00
BYT11959	<p>EH Joystick Performance Package</p> <p>Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness, Creeper Mode Boom and Bucket speed settings. This kit is not compatible with Option Code 0995 - ISO Joystick Controls with Integrated Detents &amp; EH Joystick Performance Package &amp; EH Boom Performance Package. For G Series Large Frame SSL/CTL serial number 391836 &amp; above.</p>		\$611.00
BYT11607	<p>Attachment Control Field Kit</p> <p>Installation instructions call out (S.N. 391836 - )</p>		\$459.00
BYT12110	<p>4-Way Switchable Control Field Kit</p> <p>Compatible on G Series Large Frame SSL/CTL 500K baud machines. Serial Numbers ending in 391836 &amp; higher. Machine must be equipped with ISO-H Switchable Controls and EH Joystick Performance Package For machine built without Joystick Performance Package, install BYT11959 EH Joystick Performance Package field kit Not compatible with EH Boom Performance Package (0995)</p> <p>Provides two additional control patterns:</p> <ul style="list-style-type: none"> <li>• Electrohydraulic (EH) hand and foot controls (H pattern)</li> <li>• Electrohydraulic (EH) hand and foot controls (ISO pattern)</li> </ul>		\$1,049.00
BYT11958	<p>On-Board Grade Indication</p> <p>Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction). Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.</p>		\$1,545.00
BYT10798	<p>JDLink Hardware Kit - SSL/CTL</p> <p>Use with 330G-333G with Serial Numbers ending in 391835 and lower. Only compatible on 250K baud rate machines. Hardware for mounting JDLink MTG terminal (does not include MTG).</p>		\$202.00
BYT11772	<p>BOOM PERFORMANCE FIELD KIT</p> <p>EH Boom Performance Package Features: EH Self-level up and down Return-to-dig Return-to-carry Boom-height-kickout</p>		\$1,396.00
RUST PROTECTION			
	Rust Protection		Field Installed Attachments - Optional
9909	Rust Preventative		\$163.00

Coating protects exposed unpainted surfaces from road salt during shipment.  
Applied at PSL.  
Not for use with export shipments as export pricing includes rust prevention.

---

---

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.