

# GOODYEAR Brand Farm Tires by Titan Tire

GOODYEAR SIZE	TT/TL	CATALOG#	PLY/PR LOAD	MAX LOAD	P.S.I.	Tread (32nds) Depth	WGT.	01/01/2014 LIST PRICE	State of Kansas INVOICE PRICE
<b>SINGLE RIB F-1</b>									
• Easy steering in soft soil									
• Designed for use in soggy/moist areas									
6.00-16SL	TT	SRT274GY	4	910	36	N/A	21	\$247.67	\$148.15
<b>SUPER RIB F-2</b>									
• Easy steering tire for good flotation and mobility									
• High, wide center rib provides control, prevents bruise damage, eliminates soil clogs									
• Side ribs provide stability									
9.5L-15SL	TL	SR1343GY	6	1,520	36	27	44	\$299.13	\$187.31
7.50-20	TL	SR1311001	8	2,090	36	12	44	\$477.78	\$287.36
<b>TRIPLE RIB HD F-2</b>									
• Improved steering in loose, cultivated soil provided by the deep, wide center ribs.									
• 3 rib design provides excellent steering capabilities									
• Excellent wear characteristics from the even load distribution on the center and shoulder ribs.									
7.5L-15SL	TT	TRD290GY	6	1,430	44	17	28	\$188.93	\$118.40
9.5L-15SL	TT	TRD244GY	8	1,870	48	27	42	\$300.04	\$186.92
11L-15SL	TT	TRD218GY	8	2,090	44	24	47	\$333.40	\$207.85
5.50-16SL	TT	TRD238GY	4	855	40	14	17	\$128.91	\$79.84
5.50-16SL	TT	TRD239GY	6	1,050	56	14	17	\$135.58	\$83.57
6.00-16SL	TT	TRD274GY	4	910	36	14	21	\$151.13	\$94.08
6.00-16SL	TT	TRD275	6	1,140	52	14	21	\$153.36	\$95.33
6.50-16SL	TT	TRD281GY	6	1,230	48	18	26	\$193.38	\$119.99
6.50-16SL	TL	TRD381GY	6	1,230	48	18	29	\$195.60	\$122.59
7.50-16SL	TT	TRD283GY	6	1,480	44	18	32	\$222.27	\$138.87
7.50-16SL	TL	TRD383GY	6	1,480	44	18	38	\$226.71	\$144.06
7.50-16SL	TT	TRD284GY	8	1,710	56	18	34	\$233.38	\$145.99
10.00-16SL	TT	TRD298	8	2,340	44	24	51	\$358.11	\$223.49
10.00-16SL	TL	TRD398	8	2,340	44	24	55	\$371.18	\$232.61
11.00-16SL	TL	TRD395	8	2,600	40	27	71	\$466.76	\$293.34
7.50-18SL	TT	TRD278GY	6	1,610	44	18	34	\$261.04	\$161.48
<b>TRIPLE RIB RS F-2</b>									
• 3 rib design provides excellent steering capabilities									
4.00-15SL	TT	TRR230	4	585	52	N/A	12	\$161.67	\$95.94
5.00-15SL	TT	TRR235GY	4	715	44	N/A	14	\$153.36	\$92.18
5.00-15SL	TL	TRR335GY	4	715	44	N/A	16	\$189.22	\$113.16
4.00-19SL	TT	TRR233	4	715	52	N/A	14	\$124.47	\$76.00
<b>GY TRU TRAC F-2</b>									
• 3 rib design provides excellent steering capabilities									
• Titan Tru Trac design									
• Found O.E. on John Deere Compact Utility Tractors									
7.50-20SL	TL	462393	6	1,710	44	23	45	\$380.07	\$233.09
7.50-16SL	TT	462283	6	1,480	44	23	29	\$211.16	\$131.30

GOODYEAR SIZE	TT/TL	CATALOG#	PLY/PR LOAD	MAX LOAD	P.S.I.	Tread (32nds) Depth	WGT.	01/01/2014 LIST PRICE	State of Kansas INVOICE PRICE
<b>FOUR RIB F-2M</b>									
• Four rib design									
• Improved performance at an economical price									
7.50-16SL	TT	44R283GY	6	1,480	44	15	30	\$228.93	\$141.70
10.00-16SL	TT	44R298	8	2,340	44	20	53	\$317.84	\$201.84
11.00-16SL	TT	44R295	8	2,600	40	22	80	\$428.51	\$275.97
<b>DYNA RIB F-2M</b>									
• Excellent flotation and mobility from four rib design									
• Excellent roadability									
11L-15SL	TL	DRT314GY	6	1,710	32	28	57	\$333.40	\$212.35
10.00-16SL	TL	DRT398	8	2,340	44	26	58	\$344.36	\$218.94
11.00-16SL	TL	DRT395	8	2,600	40	29	83	\$455.64	\$292.51
11.00-16SL	TL	DRT396	12	3,420	60	29	95	\$703.69	\$436.82
14L-16.1SL	TL	DRT389	10	3,420	44	33	116	\$871.09	\$540.01
14L-16.1SL	TL	DRT362	12	3,860	52	33	117	\$913.51	\$564.22
16.5L-16.1SL	TL	DRT351	8	3,520	32	37	154	\$1,111.31	\$691.63
11.00-24SL	TL	DRT316	12	4,400	60	29	121	\$1,000.18	\$614.55
<b>MULTI RIB F-3</b>									
• Easy mobility with the rounded shoulder design									
• Withstands scuffing, abrasions and bruises with the reinforced sidewall construction.									
9.00-10 NHS	TT	4MR2T8GY	10	1,820	60	10	29	\$232.62	\$143.32
9.00-10 NHS	TL	4MR3T8GY	10	1,820	60	10	35	\$246.56	\$153.82
<b>LABORER F-3</b>									
• Industrial use for rugged applications									
• Resists tearing and cracking with special tread compound									
• Excellent handling and mobility with the 5 rib design									
11L-15 SL	TL	4LT318GY	8	2,090	44	12	46	\$292.49	\$184.49
11L-15 SL	TL	4LT310GY	10	2,340	52	12	46	\$343.56	\$213.09
11L-16 SL	TL	4LT315GY	10	2,470	52	16	56	\$320.09	\$204.45
11L-16 SL	TL	4LT317GY	12	2,760	64	16	63	\$366.51	\$233.60
14.5/75-16.1 SL	TL	4LT388	10	3,200	40	19	99	\$773.11	\$477.49
<b>FARM HIGHWAY SERVICE I-1</b>									
• D.O.T. approved for highway use									
• Designed for implements and wagons transported intermittently at highway speeds.									
• Flotation and load carrying capacity of Farm Service (SL) and highway speed characteristics of LT tires.									
9.5L-15 FI	TL	4HS303GY	C	2,260	45	11	41	\$266.71	\$167.81
9.5L-15 FI	TL	4HS313	D	2,670	60	11	41	\$277.82	\$174.03
10.00-15 FI	TL	4HS3L1GY	D	3,960	60	11	47	\$355.96	\$220.49
11L-15 FI	TL	HS2383GY	C	2,600	45	12	45	\$353.40	\$218.15
11L-15 FI	TL	4HS386	D	3,120	60	12	44	\$375.62	\$230.15
11L-15 FI	TL	HS2386GY	D	3,120	60	10	48	\$375.62	\$231.95
11L-15 FI	TL	HS2392GY	F	3,960	90	12	56	\$430.76	\$266.43
12.5L-15 FI	TL	HS2363	D	3,740	60	10	54	\$427.87	\$263.91
12.5L-15 FI	TL	HS2387GY	F	4,680	90	10	66	\$511.20	\$315.97
12.5L-16 FI	TL	4HS3F6	D	3,860	60	12	55	\$644.80	\$385.84
13.5L-15FI	TL	41H3F0GY	F	4,540	75	11	75	\$500.09	\$313.80
14L-16.1 FI	TL	4HS3F3GY	D	4,290	45	13	80	\$838.98	\$505.83
16.5L-16.1 FI	TL	4HS3E0	E	6,450	60	14	112	\$1,492.71	\$886.32

GOODYEAR SIZE	TT/TL	CATALOG#	PLY/PR LOAD	MAX LOAD	P.S.I.	Tread (32nds) Depth	WGT.	01/01/2014 LIST PRICE	State of Kansas INVOICE PRICE
19L-16.1 FI	TL	4HS5H7	E	6,450	60	14	118	\$1,617.00	\$958.62
21.5L-16.1 FI	TL	4HS3E9	E	8,050	45	15	155	\$1,894.18	\$1,130.49
<b>FARM UTILITY I-1</b>									
• Outstanding flotation									
• Easy steering from the heavy grooved ribs									
• Extra wide design									
7.50-14 SL	TL	4FU382GY	4	1,360	28	8	19	\$229.62	\$137.14
8.5L-14 SL	TL	4FU389GY	6	1,870	36	7	24	\$206.71	\$126.56
9.5L-14 SL	TL	4FU398GY	6	1,930	32	7	26	\$202.27	\$124.97
11L-14 SL	TL	4FU391GY	8	2,470	36	8	33	\$266.47	\$164.07
7.60-15 SL	TL	4FU336	6	1,760	40	6	24	\$200.04	\$122.82
7.60-15 SL	TL	4FU337	8	2,090	52	6	23	\$200.04	\$122.37
9.5L-15 SL	TL	4FU343GY	6	2,040	32	7	27	\$211.16	\$130.40
9.5L-15 SL *	TL	4FL344	8	2,470	44	7	29	\$258.60	\$157.87
9.5L-15 SL	TL	4FU344GY	8	2,470	44	7	30	\$211.16	\$131.75
9.5L-15 SL	TL	4FU3D7	12	3,200	64	7	36	\$297.82	\$182.98
9.5L-15 SL *	TL	4FL3D7	12	3,200	64	7	36	\$342.49	\$207.99
10.00-15 SL	TL	4FU3M1	8	3,200	40	11	43	\$350.58	\$215.67
11L-15 SL	TL	4FU318	8	2,540	36	7	32	\$223.31	\$139.45
11L-15 SL *	TL	4FL318	8				35	\$246.21	\$153.63
11L-15 SL	TL	4FU319	10	2,910	44	7	35	\$305.62	\$186.90
11L-15 SL	TL	4FU317	12	3,200	52	7	42	\$306.73	\$190.67
11L-15 SL *	TL	4FL317	12	3,200	52	7	42	\$334.82	\$206.40
12.5L-15 SL	TL	4FU340	8	3,000	36	9	37	\$307.87	\$189.06
12.5L-15 SL *	TL	4FL340	8				40	TBD	
12.5L-15 SL	TL	4FU341	10	3,420	44	9	39	\$322.29	\$198.03
12.5L-15 SL *	TL	4FL341	10	3,420	44	9	36	\$354.51	\$214.73
12.5L-15 SL	TL	4FU305	12	3,860	52	9	47	\$382.29	\$235.23
12.5L-15 SL *	TL	4FL305	12	3,860	52	9	47	\$416.58	\$254.43
11L-16 SL	TL	4FU324GY	10	3,000	44	9	37	\$308.96	\$189.67
12.5L-16 SL	TL	4FU3ACGY	8	3,080	36	9	46	\$393.98	\$241.33
12.5L-16 SL	TL	4FU3BCGY	12	3,960	52	9	56	\$444.53	\$274.14
14L-16.1 SL	TL	4FU368GY	8	3,860	32	11	60	\$589.00	\$356.84
14L-16.1 SL	TL	4FU362GY	12	4,680	44	11	69	\$670.29	\$406.41
14L-16.1 SL	TL	4FU3L2GY	14	5,200	52	11	78	\$635.31	\$390.87
14L-16.1 SL *	TL	4FL3L2	14	n/a	44	11	88	\$691.24	\$426.69
16.5L-16.1 SL	TL	4FU310	10	5,200	36	13	107	\$666.80	\$421.56
16.5L-16.1 SL	TL	4FU3L1	14	6,400	48	13	11	\$947.76	\$535.70
16.5L-16.1 SL	TL	4FU7L1	20	7,600	64	13	119	\$1,089.91	\$663.90
19L-16.1 SL	TL	4FU3H7	10	6,000	32	14	133	\$878.04	\$551.55
21.5L-16.1 SL	TL	4FU349	10	6,600	36	15	132	\$1,191.33	\$726.54
21.5L-16.1 SL	TL	4FU3J1	14	7,850	36	15	146	\$1,426.93	\$864.78
* With Stubble Resistance Compound									
<b>DRILL RIB I-1</b>									
• Distinct shoulder ridges									
• Smooth center									
• Primarily designed for grain drills									
7.5-20SL	TL	4DR301GY	4	1,760	28	n/a	52	\$435.27	\$267.15

GOODYEAR SIZE	TT/TL	CATALOG#	PLY/PR LOAD	MAX LOAD	P.S.I.	Tread (32nds) Depth	WGT.	01/01/2014 LIST PRICE	State of Kansas INVOICE PRICE
<b>RIB IMPLEMENT I-1</b>									
<ul style="list-style-type: none"> <li>• Easy rolling resistance with the 5 rib design</li> <li>• Designed for dependable on/off highway service</li> <li>• A raised diamond scruff band protects against abrasion and sidewall bruises.</li> </ul>									
4.00-18 SL	TT	4RB262	4	880	44	5	14	\$168.91	\$100.89
5.00-15 SL	TL	4RB372GY	4	965	36	5	15	\$124.47	\$76.45
5.90-15 SL	TL	4RB353GY	4	1,140	36	7	17	\$168.84	\$102.20
6.40-15SL	TL	4RB378GY	6	1,520	48	8	26	\$275.20	\$165.81
6.70-15 SL	TL	4RB367GY	4	1,280	32	8	21	\$166.69	\$102.80
6.70-15 SL	TL	4RB388	6	1,610	44	8	21	\$166.69	\$102.80
6.00-16 SL	TL	4RB326	6	1,520	44	8	24	\$173.36	\$107.88
6.50-16 SL	TL	4RB381GY	6	1,710	44	7	24	\$173.36	\$107.88
7.50-16 SL	TL	4RB392GY	10	2,680	60	8	37	\$288.56	\$178.24
9.00-24 SL	TL	4RB3J8	8	3,520	40	10	69	\$627.22	\$382.29
11.25-24 SL	TL	4RB3K7	8	4,080	32	11	87	\$755.69	\$462.34
11.25-24 SL	TL	4RB3K9	12	5,200	48	11	99	\$929.07	\$564.83
11.25-28 SL	TL	4RB361	12	5,360	48	11	118	\$1,166.89	\$706.56
<b>SMOOTH I-1</b>									
<ul style="list-style-type: none"> <li>• Specialty service tire for use on paving equipment and rollers</li> </ul>									
16.9-30	TL	3SC679	6	3,740	18	0	180	\$1,333.58	\$827.80
<b>SOFTTRAC II I-2</b>									
<ul style="list-style-type: none"> <li>• Good flotation due to the wide, flat tread</li> <li>• Minimal ground disruption provided by the button tread design.</li> <li>• Dependable traction on or off the road</li> <li>• Squared-off shoulder for steering stability.</li> </ul>									
16.5L-16.1 SL	TL	4FS3M2	6	3,960	24	20	119	\$749.02	\$473.00
21.5L-16.1 SL	TL	4FS3A9	6	2,760	12	30	187	\$1,395.82	\$865.81
21.5L-16.1 SL	TL	4FS349	10	3,860	22	30	196	\$1,708.24	\$1,044.81
<b>TRACTION IMPLEMENT I-3</b>									
<ul style="list-style-type: none"> <li>• Traction design for implement service</li> </ul>									
5.00-15 SL	TL	4T1335GY	4	965	36	15	16	\$213.16	\$126.57
5.90-15 SL	TL	4T1353GY	4	1,140	36	15	17	\$227.56	\$135.08
<b>SURE GRIP IMPLEMENT I-3</b>									
<ul style="list-style-type: none"> <li>• Traction for all types of farm implements</li> <li>• Improved treadwear from the flared lug design at the centerline.</li> </ul>									
10.5/80-18	TL	4G13J8001	10	3,840	54	29	65	\$711.31	\$427.58
12.5/80-18	TL	4G15J9001	14	6,600	62	31	85	\$768.22	\$468.45
16.0/70-20SL	TL	4G12E2001	10	3,300	36	39	87	\$1,509.49	\$884.46
16.0/70-20	TL	4G14E2001	14	7,440	51	39	87	\$1,719.58	\$1,002.11
15.5/80-24	TL	4G11RW001	12	8,180	44	47	87	\$1,548.02	\$906.04
15.5/80-24	TL	4G15RW001	16	9,670	56	47	167	\$1,902.71	\$1,140.67
16.5/85-24	TL	4G14B6001	8	7,440	30	33	87	\$2,079.27	\$1,203.54

Page 5 of 23

GOODYEAR SIZE	TT/TL	CATALOG#	PLY/PR LOAD	MAX LOAD	P.S.I.	Tread (32nds) Depth	WGT.	01/01/2014 LIST PRICE	State of Kansas INVOICE PRICE
<b>BIAS REAR FARM TIRES</b>									
<b>DURATORQUE R-1</b>									
• Excellent roadability provided by the over-lapping lugs in the center									
• Traction in a wide range of sizes due to the long bar design									
• Long wear and durability from the braced lug design									
• Easy lug cleanability									
7-14	TL	4DQ665GY	6	990	36	32	28	\$254.93	\$155.36
7-16	TL	4DQ666GY	6	1,100	36	32	32	\$272.51	\$167.01
8-16	TL	4DQ667GY	6	1,360	28	35	39	\$339.51	\$207.68
9.5-16	TL	4DQ695GY	6	1,390	30	36	50	\$544.11	\$327.20
9.5-16	TL	4DQ895GY	8					\$587.64	\$329.08
8.3-24	TT	47Q684GY	6	1,610	34	35	47	\$456.18	\$276.61
8.3-24	TL	4DQ684GY	6	1,610	34	35	52	\$462.31	\$282.29
9.5-24	TT	47Q494	4	1,480	20	36	60	\$456.51	\$282.65
9.5-24	TT	47Q694GY	6	1,870	30	36	57	\$470.64	\$289.21
9.5-24	TL	4DQ694GY	6	1,870	30	36	69	\$475.64	\$297.41
11.2-24	TL	4DQ404GY	4	1,650	18	38	88	\$555.67	\$350.78
11.2-24	TL	4DQ604GY	6	2,090	26	38	86	\$575.67	\$361.08
12.4-24	TT	47Q414	4	1,870	16	40	106	\$644.56	\$408.65
12.4-24	TL	4DQ414	4	1,870	16	40	112	\$644.56	\$411.35
12.4-24	TT	47Q814	8	2,830	32	40	110	\$722.36	\$454.02
12.4-24	TL	4DQ814	8	2,830	32	40	115	\$737.91	\$464.98
14.9-24	TL	4DQ434	4	2,200	12	44	143	\$811.27	\$518.66
14.9-24	TT	47Q634	6	3,000	20	44	140	\$800.16	\$511.09
14.9-24	TL	4DQ634	6	3,000	20	44	143	\$822.38	\$524.88
14.9-24	TL	4DQ834	8	3,520	26	44	150	\$946.84	\$597.73
16.9-24	TT	47Q645	6	3,420	18	50	165	\$1,022.42	\$646.81
16.9-24	TL	4DQ645	6	3,420	18	50	173	\$1,022.42	\$650.41
11.2-28	TT	47Q410	4	1,760	18	38	79	\$589.00	\$365.39
12.4-28	TT	47Q412	4	1,980	16	40	103	\$633.44	\$401.08
12.4-28	TL	4DQ812	8	3,000	32	40	116	\$688.24	\$437.61
13.6-28	TT	47Q624	6	2,830	22	42	137	\$777.91	\$497.28
13.6-28	TL	4DQ624	6	2,830	22	42	147	\$844.60	\$539.13
14.9-28	TT	47Q638GY	6	3,200	20	49	129	\$793.49	\$502.40
14.9-28	TL	4DQ638GY	6	3,200	20	44	148	\$815.71	\$523.40
16.9-28	TL	4DQ648GY	6	3,640	18	50	199	\$1,040.20	\$672.06
16.9-30	TT	47Q679GY	6	3,740	18	50	183	\$1,000.18	\$642.45
16.9-30	TL	4DQ679GY	6	3,740	18	50	203	\$1,033.53	\$670.13
18.4-30	TT	47Q850	6	4,800	20	52	218	\$1,242.44	\$793.87
18.4-30	TL	4DQ850	8	4,800	20	52	235	\$1,286.91	\$826.42
18.4-34	TT	47Q654	6	4,400	16	52	246	\$1,433.60	\$913.52
18.4-34	TT	47Q854	8	5,080	20	52	239	\$1,433.60	\$910.37
11.2-38	TL	4DQ408	4	2,090	18	38	118	\$744.58	\$470.06
11.2-38	TT	47Q408	4	2,090	18	38	113	\$711.24	\$449.14
11.2-38	TL	4DQ608	6	2,540	26	38	131	\$844.60	\$531.93
11.2-38	TT	47Q608	6	2,540	26	38	111	\$833.49	\$516.70
12.4-38	TT	47Q618	6	2,910	24	40	125	\$1,057.98	\$648.72
12.4-38	TL	4DQ018	10	3,960	40	40	152	\$1,347.29	\$822.88
13.6-38	TT	47Q628	6	3,300	22	42	143	\$1,068.78	\$662.87
13.6-38	TL	4DQ628	6	3,300	22	42	156	\$1,122.22	\$698.64
15.5-38	TT	47Q674	6	3,520	20	47	183	\$1,111.31	\$704.68
15.5-38	TT	47Q874	8	4,080	26	47	178	\$1,153.56	\$726.09

GOODYEAR SIZE	TT/TL	CATALOG#	PLY/PR LOAD	MAX LOAD	P.S.I.	Tread (32nds) Depth	WGT.	01/01/2014 LIST PRICE	State of Kansas INVOICE PRICE
18.4-38	TT	47Q677	6	4,680	16	52	261	\$1,479.04	\$945.71
18.4-38	TT	47Q877	8	5,360	20	52	266	\$1,495.82	\$957.36
9.5-42	TT	4DQ633	6	2,400	30	36	110	\$1,120.58	\$677.02
12.4-42	TL	4DQ619	6	3,080	24	39	161	\$1,295.80	\$798.10
12.4-42	TL	4DQ019	10	4,180	40	39	176	\$1,522.51	\$931.81
<b>DYNA TORQUE II R-1</b>									
• Reduce vibration in the field from the long bar/short bar design									
• Excellent roadability									
• Maximum traction provided by the increased lug count									
7-12 NHS	TL	42D382GY	4	715	24	23	20	\$197.53	\$119.62
11.2-16	TL	42D3R5GY	4	1,280	18	44	60	\$514.27	\$314.99
11.2-24	TT	427604	6	2,090	26	44	85	\$601.29	\$374.97
13.6-24	TT	427822	8	3,080	28	47	106	\$1,069.09	\$646.39
13.6-24	TL	42D822	8	3,080	28	47	118	\$1,069.09	\$651.79
14.9-24	TL	42D634	6	3,000	20	49	136	\$822.38	\$521.73
14.9-24	TL	42D834	8	3,520	26	49	140	\$946.84	\$593.23
16.9-24	TT	427645	6	3,420	18	50	165	\$1,022.42	\$646.81
16.9-24	TL	42D645	6	3,420	18	50	176	\$1,057.20	\$671.23
14.9-26	TL	42D031	10	4,080	32	49	187	\$2,022.60	\$1,216.81
16.9-26	TL	42D046	10	4,540	28	49	214	\$2,222.64	\$1,340.98
18.4-26	TL	42D656	6	3,960	16	52	228	\$1,651.42	\$1,027.40
18.4-26	TL	42D056	10	5,200	26	52	248	\$1,978.13	\$1,219.35
18.4-26	TL	4DQ156	12	5,840	32	52	249	\$1,782.56	\$1,110.28
23.1-26	TL	42D086	10	6,400	20	52	360	\$2,513.80	\$1,569.73
23.1-26	TL	42D186	12	7,150	24	54	374	\$2,513.80	\$1,576.03
28L-26	TL	42D198	12	7,400	20	58	429	\$3,191.71	\$1,980.41
13.6-28	TL	42D024	10	3,740	36	47	153	\$1,355.80	\$828.10
14.9-28	TT	427438	4	2,340	12	49	131	\$793.49	\$503.30
14.9-28	TL	42D038	10	4,180	32	49	169	\$1,778.11	\$1,071.79
16.9-28	TT	427648	6	3,640	18	50	168	\$1,022.42	\$648.16
16.9-28	TL	42D048	10	4,680	28	50	214	\$2,052.27	\$1,245.57
16.9-30	TT	427679	6	3,740	18	50	172	\$1,000.18	\$637.50
18.4-30	TT	427850	8	4,800	20	52	215	\$1,242.44	\$792.52
23.1-30	TT	427182	12	7,600	24	54	335	\$2,829.42	\$1,735.23
24.5-32	TL	42D199	12	8,800	24	55	456	\$3,136.13	\$1,961.43
30.5L-32	TL	42D196	12	9,350	20	56	585	\$4,227.44	\$2,630.62
30.5L-32	TL	42D396	14	9,900	22	56	619	\$4,758.67	\$2,943.41
30.5L-32	TL	42D596	16	11,000	26	56	628	\$5,049.82	\$3,110.50
16.9-34	TT	427644	6	3,960	18	50	194	\$1,246.89	\$785.56
18.4-34	TT	427654	6	4,400	16	52	245	\$1,433.60	\$913.07
18.4-34	TT	427854	8	5,080	20	52	250	\$1,433.60	\$915.32
18.4-34	TT	427054	10	6,000	26	52	267	\$1,771.44	\$1,112.16
20.8-34	TT	427801	8	5,840	18	53	290	\$2,492.78	\$1,526.46
23.1-34	TT	42D888	8	6,400	16	54	366	\$2,778.29	\$1,720.54
15.5-38	TT	427674	6	3,520	20	47	162	\$1,111.31	\$695.23
16.9-38	TT	427820	8	4,940	24	50	232	\$1,695.87	\$1,054.09
16.9-38	TT	427320	14	6,800	40	50	266	\$2,222.64	\$1,364.38
18.4-38	TT	427877	8	5,360	20	52	256	\$1,495.82	\$952.86
18.4-38	TT	427077	10	6,400	26	52	278	\$1,885.71	\$1,181.10
18.4-38	TL	427377	14	7,600	36	52	311	\$3,056.11	\$1,851.37
20.8-38	TT	427889	8	6,150	18	53	315	\$1,995.93	\$1,259.47



GOODYEAR SIZE	TT/TL	CATALOG#	PLY/PR LOAD	MAX LOAD	P.S.I.	Tread (32nds) Depth	WGT.	01/01/2014 LIST PRICE	State of Kansas INVOICE PRICE
20.8-38	TT	427089	10	6,950	22	53	332	\$2,740.51	\$1,684.09
20.8-38	TL	42D389	14	8,550	32	53	398	\$3,003.89	\$1,861.28
20.8-42	TL	42D052	10	7,400	22	53	419	\$3,333.96	\$2,055.57
20.8-42	TL	42D352	14	9,100	32	53	419	\$3,373.96	\$2,077.97
<b>DYNA TORQUE III R-1</b>									
12.4-38	TL	4D3318	14	4,800	42	40	180	\$1,539.76	\$943.27
<b>HARVESTORQUE R-1</b>									
• Premium design specifically for combines									
• Increased Lugs - Excellent Roadability									
30.5L-32	TL	4HB196	12	9,350	26	56	590	\$4,389.71	\$2,723.74
30.5L-32	TL	4HB396	14	9,900	22	56	619	\$4,889.80	\$3,016.84
<b>POWER TORQUE R-1</b>									
• Established tread design for tough service									
6-12	TL	42P3C3GY	4	600	28	19	18	\$126.69	\$79.05
7.2-16	TL	42P833GY	8	1,230	52	34	30	\$306.42	\$185.10
8.3-16	TL	42P651GY	6	1,200	34	34	36	\$351.76	\$213.19
9.5-16	TL	42P695	6	1,390	30	40	51	\$544.11	\$327.65
<b>TRACTION SURE GRIP R-1</b>									
• Ruler straight lugs for grip with even, steady pull									
• Excellent cleanability provided by the open tread center									
18.4-16.1	TL	4TG690	6	2,540	16	50	150	\$1,168.91	\$722.09
7.20-30	TL	4TG611	6		12	34	61	\$699.64	\$419.25
<b>IRRIGATION SERVICE TI3</b>									
• Wrap-around lug shape for full tire with gripping action.									
• Open tread center to maintain cleaning.									
• Rounded tire shape to reduce crop and soil damage.									
• Increased lug count for improved tractive performance.									
11.2-24	TL	4TS404	4	1,650	18	31	71	\$552.27	\$341.22
14.9-24	TL	4TS434	4	2,200	12	39	103	\$555.67	\$357.53
<b>SPECIAL SURE GRIP R-2</b>									
• Twice the tread depth of conventional R-1 tires									
• Extra bite in soft, moist soil provided by open faced tread design									
• Extra lug bracing provides durability and strength									
14.9-24	TL	4D8634	6	3,000	20	88	197	\$1,441.53	\$895.91
14.9-24	TL	4D8134	12	4,400	38	88	219	\$2,111.51	\$1,281.00
18.4-26	TL	4D8056	10	5,200	26	99	284	\$1,969.49	\$1,230.71
23.1-26	TL	4D8086	10	6,400	20	108	403	\$3,155.40	\$1,948.37
23.1-26	TL	4D8186	12	7,150	24	108	427	\$3,493.00	\$2,148.23
28L-26	TL	4D8198	12	7,400	20	112	521	\$4,391.98	\$2,693.96
28L-26	TL	4D8598	16	9,100	28	112	544	\$5,250.87	\$3,185.29
18.4-30	TL	4D8650	6	4,180	16	99	290	\$2,055.93	\$1,281.82
18.4-30	TT	478650	6	4,180	16	99	290	\$2,124.91	\$1,320.45
18.4-30	TL	4D8050	10	5,520	26	99	331	\$2,363.20	\$1,472.34
VA500/95D32	TL	4VA7KT	186A5/179A8	20,900	60	67	514	\$5,523.58	\$3,324.50
DW500/95D32	TL	4DW7KR	169A5/162A8	12,800	25	67	448	\$3,943.82	\$2,410.14
30.5L-32	TL	4D8396	14	9,900	22	118	765	\$5,445.44	\$3,393.70
15.5-38	TT	4D7874	8	4,080	26	85	192	\$1,726.29	\$1,053.12



GOODYEAR SIZE	TT/TL	CATALOG#	PLY/PR LOAD	MAX LOAD	P.S.I.	Tread (32nds) Depth	WGT.	01/01/2014 LIST PRICE	State of Kansas INVOICE PRICE
18.4-38	TL	4D8877	8	5,360	20	99	360	\$2,824.62	\$1,743.79
20.8-38	TL	4D8889	8	6,150	18	108	417	\$2,932.84	\$1,830.04
20.8-42	TL	4D8352	14	9,100	32	98	478	\$3,635.00	\$2,250.70
<b>ALL WEATHER TRACTOR R-3</b>									
• Diamond tread design for minimal soil disruption									
• High traction in loose, sandy soil provided by the large tread area.									
• Ideal for golf courses, parks, citrus groves and highway mowing.									
9.5-16	TT	4A7495	4	1,100	20	15	39	\$589.00	\$347.39
9.5-16	TL	4AW895GY	8	1,650	40	15	45	\$624.56	\$370.00
13.6-161	TL	4AW381	8	2,340	28	23	85	\$984.00	\$589.29
18.4-161	TL	4AW890	8	2,910	20	29	134	\$1,255.78	\$763.54
9.5-24	TT	4A7494	4	1,480	20	18	48	\$575.67	\$343.98
14.9-24	TL	4AW634	6	3,000	20	23	119	\$1,048.98	\$640.98
16.9-24	TL	4AW645	6	3,420	18	26	131	\$1,229.11	\$747.25
18.4-26	TL	4AW156	12	5,840	32	28	203	\$1,453.60	\$905.37
23.1-26	TL	4AW886	8	5,680	16	21	272	\$1,960.36	\$1,220.20
23.1-26	TL	4AW086	10	6,400	20	21	297	\$2,273.76	\$1,406.96
23.1-26	TL	4AW186	12	7,150	24	21	299	\$2,384.89	\$1,470.09
28L-26	TL	4AW598	16	9,100	28	30	441	\$3,320.62	\$2,058.00
13.6-28	TT	4A7624	6	2,830	22	23	101	\$1,070.87	\$645.14
24.5-32	TL	4AW199	12	8,800	24	32	428	\$3,769.58	\$2,303.56
30.5L-32	TL	4AW196	12	9,350	20	37	492	\$4,445.27	\$2,710.75
30.5L-32	TL	4AW396	14	9,900	22	37	487	\$4,445.27	\$2,708.50
30.5L-32 VA	TL	4VA596	16	11,000	26	37	538	\$5,655.02	\$3,408.91
<b>SFT105 R-3</b>									
• Specifically designed for turf applications									
• Low operating pressures for minimum soil disturbance									
11.2-24	TL	4SF604	6	2,090	26	20	75	\$601.29	\$370.47
16.9-30	TL	4SF679	6	3,740	18	26	179	\$1,190.64	\$747.31
<b>SOFTTRAC II R-3</b>									
• Good flotation due to the wide, flat tread									
• Minimal ground disruption provided by the button tread design.									
• Dependable traction on or off the road									
• Squared-off shoulder for steering stability.									
560/65D24	TL	4FS4D9	140A8	5,520	23	27	254	\$2,899.16	\$1,737.83
19.5L-24	TL	4FS061	10	4,680	24	27	177	\$1,703.38	\$1,033.54
<b>SuperFlot I-3</b>									
• Designed for heavy load carrying capacity with reduced soil compaction									
• Great for balers and other heavy implements									
710/40R22.5	TL	SPF4ESGY	156	13,200	46	31	303	\$2,444.09	\$1,505.04
<b>IT515 HS R-4</b>									
• Designed for backhoe/loader operations									
• More lugs for improved puncture resistance									
• Better durability provided by the natural shaped carcass									
19.5L-24	TL	4H5161	12	7,600	34	34	230	\$1,512.93	\$950.74

GOODYEAR SIZE	TT/TL	CATALOG#	PLY/PR LOAD	MAX LOAD	P.S.I.	Tread (32nds) Depth	WGT.	01/01/2014 LIST PRICE	State of Kansas INVOICE PRICE
<b>IT525 R-4</b>									
• Solid performance on rock-hard ground									
• increase wear and performance on hard surfaces									
14.9-24	TL	45T834	8	5,080	30	32	133	\$947.31	\$590.34
14.9-24	TL	45T134	12	6,400	42	32	145	\$1,136.42	\$701.65
16.9-24	TL	45T845	8	5,840	28	33	149	\$981.11	\$616.47
16.9-24	TL	45T045	10	6,400	32	33	162	\$962.82	\$612.08
16.9-24	TL	45T145	12	7,150	38	33	163	\$1,142.36	\$713.07
17.5L-24	TL	45T803GY	8	5,360	26	32	151	\$1,018.91	\$638.54
17.5L-24	TL	45T003GY	10	6,150	32	32	165	\$1,078.33	\$678.11
18.4-24	TL	45T164	12	8,250	36	34	194	\$1,400.27	\$871.45
19.5L-24	TL	45T061	10	6,600	28	34	202	\$1,348.22	\$845.90
19.5L-24	TL	45T161	12	7,600	34	34	204	\$1,512.93	\$939.04
19.5L-24	TL	45T361	14	8,250	38	34	221	\$1,664.22	\$1,031.41
21L-24	TL	45T075	10	7,400	26	34	256	\$1,708.89	\$1,072.18
21L-24	TL	45T175	12	8,550	32	34	256	\$1,817.98	\$1,133.27
21L-24	TL	45T575	16	9,900	40	34	277	\$2,106.27	\$1,304.16
16.9-28	TL	45T848	8	6,150	28	33	177	\$1,140.20	\$718.16
16.9-28	TL	45T048	10	6,800	32	33	192	\$1,231.42	\$776.00
16.9-28	TL	45T148	12	7,600	38	33	193	\$1,285.93	\$806.97
21L-28	TL	45T376	14	9,900	36	34	310	\$2,222.64	\$1,384.18
<b>INDUSTRIAL LUG R-4</b>									
• Increased number of lugs for improved traction									
• Deep tread for long, even wear									
16.9-24	TL	486645GY	6	4,940	22	35	167	\$902.64	\$580.63
16.9-24	TL	486845GY	8	5,840	28	35	167	\$981.11	\$624.57
19.5L-24	TL	4LG061	10	6,600	28	34	208	\$1,324.51	\$835.33
<b>INDUSTRIAL SURE GRIP R-4</b>									
• Reinforced lugs for industrial use									
• Aggressive tread design									
18.4-28	TL	SG1158	12	8,800	36	35	231	\$1,563.13	\$979.30
18.4-28	TT	S71158	12	8,800	36	35	209	\$1,406.82	\$881.87
16.9-30	TT	SG7079001	10	7,150	32	33	171	\$2,824.73	\$1,658.80
<b>RADIAL REAR FARM TIRES</b>									
<b>VERSATORQUE RADIAL R-1</b>									
• Bi-directional design for optimal performance in either direction									
• Excellent ride and handling supplied by the high center contact area tread pattern.									
• Multiple lug pattern offers large increase in traction edges for excellent traction.									
• Also known as Versatorque DT717									
440/80R28	TL	4VT4G0	140A8	5,520	23	45	201	\$2,540.89	\$1,513.35
480/85R34	TL	4VT5H4	149A8	7,150	23	52	313	\$2,298.20	\$1,427.84

GOODYEAR SIZE	TT/TL	CATALOG#	PLY/PR LOAD	MAX LOAD	P.S.I.	Tread (32nds) Depth	WGT.	01/01/2014 LIST PRICE	State of Kansas INVOICE PRICE
<b>ULTRATORQUE RADIAL R-1</b>									
<ul style="list-style-type: none"> <li>• Excellent traction and tread cleaning in both wet and dry soil conditions provided by the open center tread and rugged design</li> <li>• Long lasting treadwear provided by the patented riding cleat</li> <li>• Able to carry heavier loads than comparable R-1 tires due to the metric design.</li> <li>• Dual marked in metric and conventional sizes</li> <li>• Also known as UltraTorque DT712</li> </ul>									
380/85R28	TL	4UT438	133A8	4,540	23	48	202	\$1,767.00	\$1,080.42
420/85R28	TL	4UT448	139A8	5,360	23	50	204	\$2,189.29	\$1,317.80
380/85R30	TL	4UT430	135A8	4,800	23	48	198	\$2,080.38	\$1,254.11
420/90R30	TL	4UT479	142A8	5,840	23	52	238	\$2,444.89	\$1,476.24
380/85R34	TL	4UT435GY	137A8	5,080	23	48	206	\$2,322.64	\$1,393.38
480/85R34	TL	4UT5H4	149A8	7,150	23	53	303	\$2,298.20	\$1,423.34
480/80R38	TL	4UT477	149A8	7,150	23	52	325	\$2,093.71	\$1,318.73
480/80R38	TL	4UT777	155A8	8,550	35	52	328	\$2,198.18	\$1,378.58
520/85R38	TL	4UT589	155A8	8,550	23	54	420	\$2,789.40	\$1,751.06
480/80R42	TL	4UT442	151A8	7,600	23	52	342	\$2,656.04	\$1,641.28
520/85R42	TL	4UT452	157A8	9,100	23	54	445	\$2,947.22	\$1,850.69
520/85R42	TL	4UT652	162A8/B	10,500	35	54	468	\$3,894.04	\$2,391.26
520/85R42	TL	4UT752	170A8	13,200	52	54	502	\$4,385.16	\$2,681.59
380/90R46	TL	4UTD32GY	149A8	7,150	35	52	321	\$2,827.20	\$1,727.68
380/90R46	TL	4UTJ32GY	159A8	9,650	58	52	368	\$2,898.67	\$1,788.86
380/90R46	TL	4UT032GY	168A8	12,300	70	52	370	\$3,000.56	\$1,846.81
420/80R46	TL	4UT4G7	151A8	7,600	35	50	309	\$3,434.98	\$2,062.64
480/80R46	TL	4UT547	158A8	9,350	35	52	404	\$3,236.16	\$1,994.05
<b>ULTRATORQUE PLUS RADIAL R-1</b>									
• Same great design as the UltraTorque Radial with identical dimensions of conventional sizes									
480/80R42	TL	4UP442	151A8	7,600	23	52	368	\$2,656.04	\$1,652.98
480/80R42	TL	4UP542	1548/B	8,250	29	52	371	\$2,921.64	\$1,803.07
480/80R46	TL	4UP547	158A8	9,350	35	52	423	\$3,333.96	\$2,057.37
<b>DYNA TORQUE RADIAL R-1</b>									
<ul style="list-style-type: none"> <li>• Reduced vibration in field and road service</li> <li>• Improved traction from the 3 pitch tread design</li> <li>• Longer body life provided by the natural shape casing</li> </ul>									
420/85R26	TL	4DT446GY	138A8/B	5,200	23	50	225	\$2,333.76	\$1,408.16
480/85R26	TL	4DT456GY	145A8/B	6,400	23	52	260	\$2,342.64	\$1,428.88
340/90R28	TL	4DT424	129A8/B	4,080	23	47	156	\$1,833.67	\$1,097.06
380/85R28	TL	4DT438	133A8/B	4,540	23	49	202	\$1,767.00	\$1,080.42
420/85R28	TL	4DT448	139A8/B	5,320	23	50	243	\$2,082.60	\$1,275.61
380/85R30	TL	4DT430	135A8/B	4,800	23	49	210	\$2,080.38	\$1,259.51
420/90R30	TL	4DT479	142A8/B	5,840	23	50	255	\$2,358.22	\$1,435.35
650/75R32	TL	4DT6F9	172A8/B	13,900	46	55	577	\$4,423.04	\$2,736.55
800/65R32	TL	4DT596	172A8/B	13,900	35	56	647	\$5,020.93	\$3,102.87
380/85R34	TL	4DT435	137A8/B	5,080	23	49	229	\$2,322.64	\$1,403.73
320/85R34	TL	4DT4H5	132D	4,400	46	46	172	\$1,778.11	\$1,073.14

GOODYEAR SIZE	TT/TL	CATALOG#	PLY/PR LOAD	MAX LOAD	P.S.I.	Tread (32nds) Depth	WGT.	01/01/2014 LIST PRICE	State of Kansas INVOICE PRICE
320/85R34	TL	4DT5H5	133A8/B	4,540	35	46	158	\$1,778.11	\$1,066.84
385/85R34	TL	4DT4H6	141G	5,680	36	49	236	\$2,333.76	\$1,413.11
480/80R38	TL	4DT477	149A8/B	7,150	23	52	329	\$2,093.71	\$1,320.53
520/85R38	TL	4DT489	148A8/B	6,950	17	53	403	\$2,716.07	\$1,702.35
520/85R38	TL	4DT889	170A8/B	13,200	58	53	478	\$3,556.22	\$2,206.58
520/85R38	TL	4DT589	155A8/B	8,550	23	53	428	\$2,789.40	\$1,754.66
480/80R42	TL	4DT442	151A8/B	7,600	23	52	363	\$2,656.04	\$1,650.73
480/80R42	TL	4DT942	166A8	11,700	58	52	422	\$3,667.36	\$2,243.62
520/85R42 (20.8R42)	TL	4DT452	157A8/B	9,100	23	53	433	\$2,947.22	\$1,845.29
380/85R46	TL	4DT5H2	147A8/B	6,800	35	49	332	\$2,772.60	\$1,702.06
380/85R46	TL	4DT4H2	146D	6,600	46	49	355	\$3,668.49	\$2,214.10
380/85R46	TL	4DT7H2	165A8/B	11,400	75	49	370	\$4,000.73	\$2,406.91
480/80R46	TL	4DT547	158A8/B	9,350	35	52	452	\$3,236.16	\$2,015.65
420/80R46	TL	4DT5G7	159A8/B	9,650	52	50	415	\$3,778.47	\$2,302.69
420/80R46	TL	4DT7G7	170A8/B	13,200	78	50	458	\$4,223.00	\$2,570.98
<b>DYNA TORQUE RADIAL II</b>									
• Titan Hi-Traction Radial Design.									
• Long Bar/Medium Bar Design									
• Found OE on JD Combines.									
18.4R26	TL	48E256GY	140A8/B	5,520	24	53	287	\$2,342.64	\$1,441.03
18.4R26	TL	48E456GY	152A8	7,850	44	53	314	\$2,807.33	\$1,713.40
<b>ULTRA GRIP RADIAL</b>									
• Titan Hi-Traction Lug (bias) mold.									
• Long Bar/Medium Bar Design									
• Found OE on JD CUT Tractors and Kubota (12.4R24, 18.4R30).									
• 23.1R26 found on John Deere Windrowers									
12.4R24	TL	4RD414GY	122A8	3,300	36	44	118	\$1,127.47	\$684.48
23.1R26	TL	4RD586GY	156A8	8,800	28	52	441	\$3,829.22	\$2,342.81
18.4R30	TL	4RD450GY	143A8	6,000	24	50	277	\$2,034.07	\$1,263.73
<b>DT730 R-1</b>									
• Designed for use in row-crop and specialized vegetable service.									
• Center element, traction layout with wrap-around shoulder lugs reduces crop and soil damage.									
290/95R34	TL	4T7405	131A8	4,300	35	37	132	\$1,911.47	\$1,129.82
<b>DT710 R-1</b>									
• Interlocking center lugs reduce reide disturbance to the operator.									
• Dozens of cutting edges provides unmatched performance in dry-land conditions.									
320/75R24	TL	471AF4	118A8	2,910	23	37	127	\$1,679.18	\$997.49
13.6R28	TL	471124	1*	3,740	30	45	171	\$1,408.76	\$865.86
13.6R28	TL	471324	3*	3,740	30	45	178	\$1,671.71	\$1,016.26
16.9R38	TL	471341	3*	6,400	30	45	278	\$2,309.31	\$1,418.31
18.4R34	TL	471154	1*	5,360	18	46	374	\$1,774.02	\$1,161.75
18.4R38	TL	471177	1*	5,680	18	46	308	\$1,998.16	\$1,257.57
18.4R30	TL	471350	1*	4,940	18	46	253	\$1,797.31	\$1,120.34

GOODYEAR SIZE	TT/TL	CATALOG#	PLY/PR LOAD	MAX LOAD	P.S.I.	Tread (32nds) Depth	WGT.	01/01/2014 LIST PRICE	State of Kansas INVOICE PRICE
<b>ULTRA SPRAYER R-1</b>									
• Designed specifically for sprayer applications									
• Significant increase in lug surface for improved lug durability									
• Increased lug bracing for high load durability									
<b>380/80R42</b>	<b>TL</b>	<b>4US4RZGY</b>	<b>150A8</b>	<b>7,400</b>	<b>46</b>	<b>48</b>	<b>294</b>	<b>\$2,599.69</b>	<b>\$1,588.13</b>
320/90R46	TL	4US7T5GY	156A8	8,800	70	37	312	\$2,444.89	\$1,509.54
380/90R46	TL	4USH32GY	156A8	8,800	49	49	368	\$3,000.56	\$1,845.91
380/90R46	TL	4US032GY	168A8	12,300	78	49	370	\$3,111.69	\$1,909.05
380/90R46	TL	FUSD32GY	168D	12,300	64	49	376	\$3,371.73	\$2,057.37
320/90R50	TL	4US8V6GY	161A8	10,200	78	37	339	\$3,871.34	\$2,320.50
320/90R50	TL	FUSDV6GY	161D	10,200	64	37	339	\$4,176.20	\$2,491.22
380/105R50	TL	4US9DTGY	170A8/B	13,200	70	49	458	\$4,271.91	\$2,598.37
320/90R54	TL	4US443GY	149A8	7,150	46	37	287	\$3,547.33	\$2,115.65
320/105R54	TL	4US7MNGY	166A8	11,700	75		359	\$4,081.00	\$2,446.91
380/90R54	TL	4US9V9GY	170A8/B	13,200	75	49	433	\$4,388.22	\$2,652.25
<b>ULTRA GRIP LM RADIAL R-1</b>									
• Designed specifically for sprayer applications									
• Titan Hi-Traction Lug Radial Design									
• Combines Long Bar / Medium Bar Traction for cleanability, smooth ride, and more power to the ground.									
380/90R46	TL	48E032GY	168A8	12,300	78	50	370	\$3,000.56	\$1,846.81
<b>SUPER TRACTION RADIAL R-1W</b>									
• Self-cleaning tread action promoted by 45 degree tread lug angles									
• Up to 25% deeper than conventional R-1 tires									
• For applications in heavy, wet soil conditions									
7.50R16	TL	4TR483001	102A8	1,870	46	37	22	\$709.44	\$407.19
7.50R18	TL	4TR484001	104A8	1,980	46	37	24	\$787.69	\$451.91
260/80R20	TL	4TR3F2001	106A8	2,090	23	39	68	\$1,229.49	\$719.11
12.4R20	TL	4TR4RT001	116A8	2,760	24	53	107	\$1,409.00	\$837.19
13.6R24	TL	D063D3001	128A8	4,180	35	54	148	\$2,223.89	\$1,311.98
16.9R26	TL	4TR446001	135A8	4,800	24	57	210	\$3,574.31	\$2,096.11
18.4R26	TL	4TR256	140A8	5,520	24	64	264	\$2,678.96	\$1,619.02
28LR26	TL	4TR698GY	169A8	12,800	42	78	532	\$4,715.00	\$2,879.80
16.9R28	TL	4TR748	136A8	4,940	24	62	251	\$2,571.38	\$1,552.92
14.9R30	TL	4TRB30	134A8	4,080	24	61	209	\$2,396.67	\$1,436.19
16.9R30	TL	4TR479	144A8	6,150	35	62	264	\$2,584.93	\$1,566.36
12.4R32	TL	4TR4W4001	122A8	3,300	24	53	134	\$2,207.18	\$1,296.32
800/65R32	TL	4TR596	172A8	13,900	35	75	741	\$5,589.93	\$3,463.81
420/85R34	TL	4TR7M4	147A8	6,800	35	62	306	\$2,958.33	\$1,794.36
18.4R38	TL	4TR777	146A8	6,600	24	64	333	\$2,584.93	\$1,597.41
20.8R38	TL	4TR789	153A8	8,050	24	72	467	\$3,362.84	\$2,093.34
18.4R42	TL	4TR742	148A8	6,950	24	64	389	\$3,167.24	\$1,948.70
18.4R42	TL	4TR842	153A8	8,050	30	64	401	\$3,333.96	\$2,047.47
520/85R42	TL	4TR452	157A8	9,100	23	72	501	\$3,789.21	\$2,347.41
520/85R42	TL	4TR652	162A8	10,500	35	72	522	\$4,137.60	\$2,551.96
480/80R46	TL	4TR547	158A8	9,350	35	64	446	\$3,823.25	\$2,341.72
480/80R46	TL	4TR647	168A8	9,350	35	64	456	\$4,357.24	\$2,645.25
520/85R46	TL	4TR771	158A8	9,350	23	72	538	\$4,665.31	\$2,854.67
520/85R46	TL	4TR971	169A8	12,800	46	72	584	\$5,132.07	\$3,136.76
480/80R50	TL	4TR751	159A8	9,650	35	64	481	\$4,883.13	\$2,951.00
480/80R50	TL	4TR851	165A8	11,400	46	64	506	\$5,112.07	\$3,090.46
480/80R50	TL	4TR951	176A8	15,700	73	64	530	\$5,623.27	\$3,387.53

GOODYEAR SIZE	TT/TL	CATALOG#	PLY/PR LOAD	MAX LOAD	P.S.I.	Tread (32nds) Depth	WGT.	01/01/2014 LIST PRICE	State of Kansas INVOICE PRICE
<b>DT800 RADIAL R-1W</b>									
• Self-cleaning tread action promoted by 45 degree tread lug angles									
• Up to 25% deeper than conventional R-1 tires									
• For applications in heavy, wet soil conditions									
420/90R30	TL	4T04C1	147A8	6,800	35	62	271	\$2,979.84	\$1,790.66
250/95R34	TL	4T04KF	119A8	3,000	23	55	126	\$1,550.78	\$925.14
320/85R34	TL	4T04HL	133A8	4,540	35	57	183	\$2,013.71	\$1,210.03
380/85R34	TL	4T04HP	137A8	5,080	23	60	229	\$2,529.36	\$1,519.49
380/85R34	TL	4T0435GY	137A8	5,080	23	60	206	\$2,529.36	\$1,509.14
380/85R34	TL	4T06HP	155A8	8,550	64	60	279	\$2,778.29	\$1,681.39
250/90R38	TL	4T04JE	132A8	4,400	52	52	139	\$1,867.11	\$1,108.13
290/90R38	TL	4T07V1	138A8	5,200	46	57	181	\$2,031.36	\$1,219.01
320/85R38	TL	4T0545	143A8	6,000	52	57	193	\$2,138.18	\$1,284.23
320/85R38	TL	4T0645	152A8	7,850	73	57	219	\$2,409.82	\$1,448.05
380/80R38	TL	4T07M3GY	142A8	5,840	35	60	243	\$2,638.13	\$1,586.70
380/80R42	TL	4T04RZ	150A8	7,400	46	58	295	\$2,764.27	\$1,680.74
290/90R42	TL	4T04JJ	140A8	5,520	46	57	192	\$2,390.78	\$1,425.24
320/80R42	TL	4T08V2	141A8	5,680	46	55	214	\$2,333.76	\$1,403.21
320/90R42	TL	4T04JM	139A8	5,360	35	58	211	\$2,222.64	\$1,339.63
320/90R42	TL	4T05JM	147A8	6,800	52	58	236	\$2,533.80	\$1,525.13
320/90R46	TL	4T04T5	148A8	6,950	52	52	264	\$2,464.91	\$1,499.15
320/90R46	TL	4T05T5	153A8	8,050	64	52	282	\$2,464.91	\$1,507.25
320/90R46	TL	4T07T5	156A8	8,800	70	55	290	\$2,593.82	\$1,583.04
380/90R46	TL	4T04JQ	149A8	7,150	35	61	300	\$2,869.42	\$1,741.88
380/90R46	TL	4T06JQ	159A8/B	9,650	58	61	332	\$3,111.69	\$1,891.95
250/95R50	TL	4T04KG	137A8/B	5,080	46	55	182	\$2,324.29	\$1,383.50
320/90R50	TL	4T07V6	148A8	6,950	46	52	284	\$2,907.20	\$1,755.83
320/90R50	TL	4T09V6	159A8	9,650	75	52	313	\$3,333.96	\$2,007.87
320/90R50	TL	4T08V6	161A8	10,200	78	52	313	\$3,627.00	\$2,171.97
380/90R50	TL	4T04JR	151A8	7,600	35	62	248	\$3,476.20	\$2,058.27
380/90R50	TL	4T06JRGY	166A8	11,700	70	62	398	\$4,247.22	\$2,557.54
250/95R54	TL	4T04KHGY	141A8	5,680	52	55	209	\$2,774.76	\$1,647.92
320/90R54	TL	4T0443GY	149A8	7,150	46	58	287	\$3,547.33	\$2,115.65
320/105R54	TL	4T05MNGY	153A8	8,050	46	58	340	\$3,763.96	\$2,260.82
320/105R54	TL	4T07MNGY	166A8	11,700	75	58	340	\$4,140.33	\$2,471.58
380/90R54	TL	4T07V9GY	152A8	7,850	35	61	378	\$4,016.29	\$2,419.22
380/90R54	TL	4T09V9GY	170A8	13,200	75	61	428	\$4,749.71	\$2,852.44
480/95R50	TL	4T0562	164A8	11,000	35	64	592	\$6,159.22	\$3,715.56
<b>OPTITRAC DESIGN</b>									
<b>DT806 RADIAL R-1W</b>									
• Goodyear Europe Production									
• Found OE on European Imports									
• Deep. Open Tread for good traction and cleaning									
280/85R20	TL	D06303001	112A8/B	2,400	24	50	83	\$1,233.98	\$728.38
280/85R24	TL	D06404001	115A8/B	2,680	23	51	100	\$1,831.78	\$1,070.80
320/85R24	TL	D06A14001	122A8/B	3,300	23	52	168	\$1,954.78	\$1,170.28
340/85R24	TL	D062D3001	125A8/B	3,640	29	60	136	\$2,145.80	\$1,262.85
420/85R24	TL	D06B45001	137A8/B	5,080	23	61	163	\$2,815.98	\$1,650.30
385/85R24	TL	D06634001	131A8/B	4,300	35	55	168	\$2,413.38	\$1,427.09
280/85R28	TL	D06280001	118A8/B	2,910	23	51	110	\$2,216.24	\$1,290.59



GOODYEAR SIZE	TT/TL	CATALOG#	PLY/PR LOAD	MAX LOAD	P.S.I.	Tread (32nds) Depth	WGT.	01/01/2014 LIST PRICE	State of Kansas INVOICE PRICE
320/85R28	TL	D06B9A001	124A8/B	3,520	23	52	133	\$2,514.87	\$1,468.18
380/85R28	TL	D06438001	133A8/B	4,540	23	48	205	\$2,608.02	\$1,552.74
340/85R28	TL	D064C2001	127A8/B	3,520	23	52	133	\$2,326.67	\$1,362.79
420/85R28	TL	D06CD8001	144A8/B	6,150	35	61	245	\$4,077.11	\$2,393.43
340/85R36	TL	D064C6001	132A8/B	4,400	23	52	200	\$2,836.27	\$1,678.31
340/85R38	TL	D06340001	133A8/B	4,540	23	64	202	\$2,997.93	\$1,769.74
420/85R38	TL	D062R7001	144A8	6,150	23	63	294	\$3,309.51	\$1,985.63
380/85R30	TL	D06C30001	135A8/B	4,800	23		235	\$2,661.49	\$1,596.18
420/85R30	TL	D06D01001	140A8/B	5,520	23	61	229	\$3,064.20	\$1,819.00
460/85R30	TL	D06451001	145A8/B	5,840	23	64	273	\$3,556.22	\$2,114.33
420/85R34	TL	D066M4001	142A8/B	5,840	23	61	264	\$3,122.80	\$1,867.57
420/85R34	TL	D067M4	147A8/B	6,800	35	62	306	\$2,958.33	\$1,794.36
460/85R34	TL	D065B8001	147A8	6,800	23	64	302	\$3,995.23	\$2,373.23
320/85R36	TL	D06320001	128A8/B	3,960	23	52	174	\$2,765.38	\$1,626.91
420/85R38	TL	D06568	149A8/B	7,150	23	63	343	\$3,036.51	\$1,854.80
460/85R38	TL	D064RR001	149A8	7,150	23	60	400	\$4,029.67	\$2,436.62
520/85R38	TL	D06589001	155A8	8,550	23	64	434	\$4,778.20	\$2,871.09
460/85R42	TL	D064H2001	150A8/B	7,400	23	61	370	\$4,851.73	\$2,883.47
520/85R42	TL	D06452001	157A8/B	9,100	23		396	\$5,548.51	\$3,285.37
OPTITRAC DESIGN	001 Suffix = Import								
DT810 RADIAL R-1W									
• Self-cleaning tread action promoted by 45 degree tread lug angles									
• Up to 25% deeper than conventional R-1 tires									
• 70 series sizes to provide less soil compaction									
380/70R20	TL	4T1CEM001	122A8	3,300	23	55	122	\$2,312.76	\$1,350.05
480/70R30	TL	4T1440	152A8	7,850	46	62	294	\$3,111.69	\$1,874.85
480/70R34	TL	4T15M5	146A8	6,600	29	62	346	\$3,103.64	\$1,893.74
480/70R34	TL	4T16M5	155A8	8,550	46	62	363	\$3,400.62	\$2,067.70
DT812 RADIAL R-1W									
• Self-cleaning tread action promoted by 45 degree tread lug angles									
• Up to 25% deeper than conventional R-1 tires									
• Extra wide flotation sizes for super traction									
200/70R16	TL	D123E3001	94A8	1,480	35	30	35	\$666.80	\$389.16
240/70R16	TL	D122E5001	104A8	1,980	35	34	21	\$834.82	\$476.95
260/70R16	TL	D124E6001	109A8/B	2,270	35	35	50	\$811.27	\$476.81
280/70R16	TL	D123EH001	112A8/B	2,471	36	40	58	\$815.02	\$482.51
280/70R18	TL	D123EF001	114A8	2,600	35	40	66	\$921.24	\$545.59
260/70R20	TL	D124E2001	113A8	2,540	35	40	60	\$1,124.24	\$656.57
280/70R20	TL	D12AEF001	116A8	2,760	35	40	70	\$1,339.96	\$781.88
300/70R20	TL	D12BEC001	110A8	2,340	23	43	142	\$1,026.29	\$638.62
360/70R20	TL	D123E7001	129A8	4,080	35	53	150	\$1,784.42	\$1,066.78
320/70R24	TL	D12114001	116A8	2,760	23	48	112	\$2,163.07	\$1,261.72
380/70R24	TL	D12234001	125A8	3,640	23	55	291	\$2,197.09	\$1,361.32
420/70R24	TL	D12445GY	130A8	4,180	23	56	185	\$2,000.38	\$1,203.46



GOODYEAR SIZE	TT/TL	CATALOG#	PLY/PR LOAD	MAX LOAD	P.S.I.	Tread (32nds) Depth	WGT.	01/01/2014 LIST PRICE	State of Kansas INVOICE PRICE
480/70R24	TL	D124E1001	138A8	5,200	23	58	219	\$2,944.42	\$1,747.43
360/70R28	TL	D12424001	125A8	3,640	23	53	150	\$2,500.69	\$1,467.89
380/70R28	TL	D12138001	127A8	3,860	23	55	157	\$2,775.93	\$1,625.17
420/70R28	TL	D12448001	133A8	4,540	23	56	200	\$3,064.42	\$1,806.08
480/70R28	TL	D12323001	140A8	5,520	23	62	271	\$3,118.22	\$1,868.15
480/70R28	TL	D12423001	145A8	6,400	32	62	285	\$3,872.04	\$2,296.59
480/70R30	TL	D12440	152A8/B	7,850	46	62	321	\$3,111.69	\$1,887.00
480/70R34	TL	D1244M001	143A8	6,000	23	62	291	\$3,538.42	\$2,112.47
480/70R34	TL	D125M5	146A8/B	6,600	29	62	316	\$3,103.64	\$1,880.24
480/70R34	TL	D126M5	155A8/B	8,500	46	62	334	\$3,400.62	\$2,054.65
520/70R38	TL	D12589GY	150A8	7,400	23	64	395	\$3,548.27	\$2,164.78
580/70R38	TL	D125EM001	155A8	8,550	23	71	445	\$6,139.36	\$3,638.29
620/70R42	TL	D12770	166A8/B	11,700	35	66	603	\$4,740.87	\$2,926.24
620/70R46	TL	D12881	167A8/B	12,000	35	71	640	\$5,778.84	\$3,524.15
OPTITRAC DESIGN	001 Suffix = Import								
DT818 RADIAL R-1W									
• Self-cleaning tread action promoted by 45 degree tread lug angles									
• Up to 25% deeper than conventional R-1 tires									
• Extra wide flotation sizes for super traction									
540/65R24	TL	D18475001	146A8	6,600	35	63	271	\$3,365.73	\$2,006.76
540/65R28	TL	D184CC001	142A8/B	5,840	23	63	284	\$4,327.49	\$2,551.19
540/65R34	TL	D185DA	152A8	7,850	35	63	360	\$3,541.62	\$2,145.31
650/65R38	TL	D185DD001	157A8	9,100	23	72	509	\$6,182.53	\$3,691.27
OPTITRAC DESIGN	001 Suffix = Import								
DT820 RADIAL R-1W									
• Self-cleaning tread action promoted by 45 degree tread lug angles									
• Up to 25% deeper than conventional R-1 tires									
• Extra wide flotation sizes for super traction									
620/75R26	TL	4T25FBGY	166A8	11,700	46	72	460	\$6,380.91	\$3,780.31
480/65R28	TL	4T2433	131A8	4,180	17	55		\$2,469.89	\$1,383.14
600/65R28	TL	4T2865GY	154A8/B	8,250	26	64	379	\$3,829.60	\$2,315.13
540/65R30	TL	4T24D8	150A8	7,400	35	58	330	\$2,889.42	\$1,766.58
600/70R30	TL	4T27M6	152A8	7,850	23	59	424	\$3,522.87	\$2,163.61
650/75R32	TL	4T27FU	172A8	13,900	46	74	638	\$4,218.56	\$2,649.49
650/75R34	TL	4T26FV	162A8	10,500	23	68	535	\$6,032.16	\$3,618.76
620/75R34	TL	4T26FT001	170A8	13,200	46	71	550	\$7,623.58	\$4,516.70
710/70R38	TL	4T2769GY	166A8	11,700	23	73	680	\$4,796.44	\$2,992.01
800/70R38	TL	4T27M8	173A8	14,300	23	77	909	\$6,656.78	\$4,136.85
800/70R38	TL	4H29M8	181A8	18,200	41	77	957	\$8,223.73	\$5,035.94
850/80R38	TL	4T27G1	180A8	17,600	23	91	1,104	\$8,890.53	\$5,475.50
650/65R42	TL	4T27DT	170A8	13,200	46	68	640	\$5,778.84	\$3,524.15
620/70R42	TL	4T2770	160A8	9,900	23	66	587	\$4,409.71	\$2,733.59
850/75R42	TL	GT28G1	185A8	20,400	35	91	1208	\$11,022.49	\$6,716.19
620/70R46	TL	4T2881	167A8	12,000	35	71	611	\$5,778.84	\$3,511.10
620/70R46	TL	4T2981	176A8	15,700	55	71	659	\$6,445.64	\$3,906.11
DT820 HD RADIAL R-1W									
• Designed for severe applications such as scraper service									
• Specialized tread compounds for chip / chunk resistance									
710/70R38	TL	4H2869	171A8	13,600	35	73	725	\$4,423.04	\$2,803.15
620/70R42	TL	4H2770	166A8	11,700	35	66	628	\$5,212.07	\$3,201.36

GOODYEAR SIZE	TT/TL	CATALOG#	PLY/PR LOAD	MAX LOAD	P.S.I.	Tread (32nds) Depth	WGT.	01/01/2014 LIST PRICE	State of Kansas INVOICE PRICE
620/70R42	TL	4H2970	172A8	13,900	46	66	613	\$5,445.44	\$3,325.30
710/70R42	TL	4H2491	173A8	14,300	35	73	815	\$6,223.38	\$3,851.84
<b>DT822 RADIAL R-1W</b>									
• Self-cleaning tread action promoted by 45 degree tread lug angles									
• Up to 25% deeper than conventional R-1 tires									
• Extra wide flotation sizes for super traction									
650/75R32	TL	D227FU	172A8	13,900	46	74	866	\$4,218.56	\$2,752.09
<b>DT824 RADIAL R-1W</b>									
• Self-cleaning tread action promoted by 45 degree tread lug angles									
• Up to 25% deeper than conventional R-1 tires									
• Extra wide flotation sizes for super traction									
540/75R28	TL	D245FB001	154A8	8,250	35	63	354	\$5,420.67	\$3,194.88
600/65R28	TL	D24865	154A8	8,250	35	64	397	\$3,829.60	\$2,323.23
600/70R28	TL	D247C3GY	161A8	10,000	41	64	445	\$4,114.09	\$2,504.14
600/70R30	TL	D247M6	152A8	7,850	23	64	423	\$3,522.87	\$2,163.16
620/75R30	TL	D247FC	163A8	10,700	35	76	592	\$4,334.13	\$2,693.51
540/75R34	TL	D245FA	157A8	9,100	35	66	416	\$3,788.76	\$2,308.91
650/75R38	TL	D246FW	169A8	12,800	35	76	678	\$5,334.31	\$3,292.31
650/85R38	TL	D247HA	173A8	14,300	35	76	735	\$5,572.13	\$3,451.14
710/70R38	TL	D24769	166A8	11,700	23	78	749	\$4,796.44	\$3,023.06
710/70R38	TL	D24869	171A8	13,600	35	78	778	\$4,423.04	\$2,827.00
710/70R42	TL	D24491	173A8	14,300	35	78	816	\$5,950.00	\$3,699.20
710/70R42	TL	D24891GY	179A8	17,100	46	78	824	\$6,445.64	\$3,980.36
<b>OPTITRAC DESIGN</b>									
<b>DT830 RADIAL R-1W</b>									
• Self-cleaning tread action promoted by 45 degree tread lug angles									
• Up to 25% deeper than conventional R-1 tires									
• Extra wide flotation sizes for super traction									
750/55R26	TL	4T34B8001	160A8	9,900	35	61	503	\$7,716.36	\$4,547.51
750/65R26	TL	4T36N6	166A8	11,700	35	34	686	\$7,255.38	\$4,371.71
800/70R38	TL	4T30M8	173A8	14,300	23	77	916	\$6,656.78	\$4,140.00
900/55R32	TL	4T34B2001	173A8	14,300	26	71	808	\$11,025.76	\$6,538.03
900/55R32	TL	4PT4B2	173A8	14,300	26	71	808	\$9,651.53	\$5,768.46
900/60R32	TL	4T34C2	176A8	15,700	35	71	809	\$7,245.78	\$4,421.69
900/75R32	TL	4T37C4	184A8	19,800	35	71	1062	\$8,612.71	\$5,301.02
900/50R42	TL	4T34A2	168A8	12,300	23	61	948	\$8,406.00	\$5,133.96
IF900/50R46CFO	TL	FT37W8GY	185A8	20,400	41	71	1056	\$11,461.62	\$6,893.71
IF800/55R46	TL	GT37M8	173A8	18,700	41	77	903	\$10,386.27	\$6,222.66
<b>OPTITRAC DESIGN</b>									
<b>DT830 RADIAL R-1W</b>									
900/60R32	TL	4T36C2GY	185A8	20,400	58	71	836	\$7,779.22	\$4,732.56
<b>OPTITRAC DESIGN</b>									
<b>DT900 RADIAL R1-W</b>									
• Titan 49V Radial Design									
• High clearance tire for narrow row crop usage.									
230/95R32	TL	49V7N3GY	140A8/B	5,520	84	54	118	\$1,721.13	\$1,016.93

GOODYEAR SIZE	TT/TL	CATALOG#	PLY/PR LOAD	MAX LOAD	P.S.I.	Tread (32nds) Depth	WGT.	01/01/2014 LIST PRICE	State of Kansas INVOICE PRICE
<b>DT924 RADIAL R-1W</b>		<b>Titan AG49M Design</b>							
• Titan AG49M Radial Design									
• Greater Flotation, Improved Traction, Smoother Ride									
800/70R38	TL	49M7M8GY	173A8/B	14,300	23	74	902	\$6,656.78	\$4,133.70
<b>Goodyear Optitrac R+</b>									
• 10% More Traction than the standard R-1W									
• 23% More load capacity at the same inflation									
• 40 mph rated transport speed									
• 6 psi pressure reduction for same load									
600/70R30 R+	TL	4RP7M6	152D	7,850	23	66	530	TBD	
620/75R30 R+	TL	4RP7FC	163D	10,700	35	76	659	\$5,112.07	\$3,159.31
650/85R38 R+	TL	4RP7HA	173D	14,300	35	76	826	\$6,667.91	\$4,105.73
710/70R42 R+	TL	4RP491	173D	14,300	35	78	829	TBD	
710/75R42 R+	TL	4RP6P9	175D	15,200	35	78	1,004	\$8,446.00	\$5,181.56
<b>DT930 Radial R1-W LSW</b>									
• Largest 46" drive wheel tire in the industry									
• Reduces vehicle bounce, loping, and power hop									
• Low aspect ratio for stability									
• Titan AG49M Radial Design									
1100/45R46	TL	G8M716GY	177A8	16,100	23	77	1274	\$12,326.96	\$7,476.40
1100/45R46	TL	G8M916GY	189A8	22,700	46	77	1,362	\$15,140.71	\$9,091.70
<b>TITAN HI-LOAD HARVESTER LS-2</b>									
Wide Deep Lug providing excellent traction.									
Wide spacing for good cleaning.									
28LR26	TL	48C598GY	166A8	11,700	36	70	548	\$4,591.24	\$2,817.69
<b>SPECIAL SURE GRIP RADIAL R-2</b>									
• Twice the tread depth of conventional R-1 tires									
• Extra bite and self-cleaning provided by the deep, precision angled lugs									
• Excellent traction in heavy, wet soil conditions									
710/65R26	TL	4TD698	169A8	12,800	49	112	592	\$5,070.16	\$3,105.69
420/85R28	TL	4TD448	139A8	5,360	23	86	270	\$2,976.49	\$1,788.33
420/90R30	TL	4TD479	142A8	5,840	23	86	308	\$3,257.89	\$1,963.02
480/85R30	TL	4TD450	147A8	6,800	23	91	372	\$3,194.00	\$1,956.04
900/65R32	TL	4TD6Y1	178A8	16,500	35	126	1,152	\$11,112.13	\$6,741.19
900/50R42	TL	4TD5B7	180A8	13,900	29	126	1,051	\$12,551.15	\$7,501.59
480/70R34	TL	4TD4M5	146A8	6,600	29	91	375	\$3,654.80	\$2,215.44
480/70R34	TL	4TD6M5	155A8	8,550	46	91	399	\$4,002.74	\$2,421.08
480/80R38	TL	4TD477	149A8	7,150	23	99	400	\$3,039.91	\$1,882.35
520/85R38	TL	4TD589	155A8	8,550	23	108	510	\$3,924.62	\$2,427.29
480/80R42	TL	4TD442	151A8	7,600	23	92	425	\$3,769.40	\$2,302.11
520/85R42	TL	4TD452	157A8/B	9,100	23	98	571	\$4,796.13	\$2,942.78
520/85R42	TL	4TD652	162A8/B	10,500	35	98	591	\$5,456.80	\$3,321.76
520/85R42	TL	4TD752	165A/8		35	98	607	\$6,097.97	\$3,688.01
480/80R46	TL	4TD547	158A8	9,350	35	92	468	\$4,291.58	\$2,613.88
320/90R46	TL	4TD7V8	148A8	6,950	52	86	296	\$2,884.29	\$1,748.40
340/85R46	TL	4TD4H1	140A8	5,520	29	84	260	\$3,118.13	\$1,863.15
480/80R50	TL	4TD751	159A8/B	9,650	35	69	532	\$5,882.04	\$3,533.34
520/85R46	TL	4TD771	158A8	9,350	23	108	617	\$4,998.76	\$3,076.96

GOODYEAR SIZE	TT/TL	CATALOG#	PLY/PR LOAD	MAX LOAD	P.S.I.	Tread (32nds) Depth	WGT.	01/01/2014 LIST PRICE	State of Kansas INVOICE PRICE
520/85R46	TL	4TD971	169A8	12,800	46	108	656	\$5,598.84	\$3,430.55
<b>ALL WEATHER RADIAL R-3</b>									
• Same great features of the bias All Weather with the added benefits of a radial									
• longer wearing, increased fuel efficiencies									
• Increased hillside stability									
480/80R26	TL	4AW456	149A8	7,150	35	28	235	\$2,957.91	\$1,762.18
580/70R26	TL	4AW486	149A8	7,150	23	21	276	\$3,417.42	\$2,037.96
480/80R38	TL	AW2677	152A8	7,850	29	31	329	\$3,025.24	\$1,842.18
580/70R26	TL	4AW586	152A8	8,550	35	21	303	\$3,593.44	\$2,148.68
<b>ALL WEATHER RADIAL II R-3 Titan Torc-Trac Radial R-3 Design</b>									
• New Fitment on John Deere Windrowers.									
• Minimizes ground disturbance with wide flat footprint and deep grooves.									
23.1R26	TL	4R5286GY	153A8	8,050	24	35	410	\$3,878.49	\$2,356.45
<b>MUCK MASTER RADIAL</b>									
• Large section for flotation..									
• Low profile for stability									
• Massive lug design for higher loads									
• Lug concentration on center for excellent roadability									
750/60R26	TL	4SS59RGY	173B	14,300	58	41	592	\$4,436.31	\$2,750.73
<b>IT510 RADIAL R-4</b>									
• Maximum traction supplied by additional biting edges from the overlapping lug/block pattern.									
• Flotation and traction provided by a larger contact patch									
• Industrial use applications									
19.5LR24	TL	451461GY	152A8	7,850	38	33	216	\$2,545.91	\$1,522.91
<b>IT520 RADIAL R-4</b>									
• Outstanding soft soil traction									
• Reinforced lugs for deeper grip and extended wear									
• Industrial use applications									
340/80R18	TL	4523T7001	136A8	4,940	46	30	114	\$1,119.11	\$678.00
440/80R24	TL	452403001	154A8	7,510	46	45	229	\$4,043.78	\$2,367.57
460/70R24	TL	452AA4001	152A8	7,400	44	41	204	\$2,569.36	\$1,530.64
500/70R24	TL	452661GY	157A8	9,100	46	44	239	\$1,699.76	\$1,059.42
500/85R24	TL	452464	171A8	13,600	61	44	337	\$2,470.18	\$1,534.95
480/80R26	TL	452456001	160A8	9,900	46	46	276	\$4,459.98	\$2,621.79
440/80R28	TL	4524G3	156A8	8,250	46	45	255	\$3,086.71	\$1,843.31
<b>IT520 RADIAL R-4</b>									
500/85R24	TL	45R464	171A8	13,600	61	36	300	\$2,799.31	\$1,702.61
<b>IT530 RADIAL R-4</b>									
• Excellent hard soil traction									
• High puncture resistance									
• Refined Road Comfort									
340/80R18	TL	4533T7001	136A8	4,940	46	30	140	\$1,112.47	\$685.98
400/70R18	TL	4533ED001	147A8	6,800	58	33	146	\$2,848.96	\$1,661.12
400/70R20	TL	45334L001	149A8	7,150	58	33	140	\$3,535.78	\$2,043.04
500/70R24	TL	453661GY	157A8	9,100	46	34	239	\$1,686.71	\$1,052.11
540/70R24	TL	453675	161A8	10,200	46	36	292	\$3,033.62	\$1,830.23

GOODYEAR SIZE	TT/TL	CATALOG#	PLY/PR LOAD	MAX LOAD	P.S.I.	Tread (32nds) Depth	WGT.	01/01/2014 LIST PRICE	State of Kansas INVOICE PRICE
480/80R26	TL	453456001	160A8	9,900	46	46	276	\$4,600.29	\$2,700.36
440/80R28	TL	4534G3	156A8	8,250	46	45	245	\$3,465.73	\$2,051.06
<b>LARGE TERRA – 20" &amp; UP</b>									
<b>SUPER TERRA GRIP RADIAL HF-2</b>									
• For low pressure flotation applications									
• Deep shoulder lugs for excellent traction									
• Submerged center line ribs									
44x41.00R20	TL	RSD61TGY	153A8	8,050	65	30	321	\$8,084.22	\$4,671.61
54x31.00R26	TL	SRG6S1	157A8	9,100	50	44	400	\$6,236.71	\$3,672.56
1000/50R25	TL	RTGAF3GY	142A8	5,840	6	61	709	\$8,037.31	\$4,819.94
1000/50R25	TL	RTG5F3GY	172A8	13,900	35	61	770	\$9,759.00	\$5,811.54
1000/50R25	TL	RTG6F3GY	178A8	16,500	46	61	790	\$11,695.16	\$6,904.79
1250/35R42	TL	RTGB73	181A8	18,200	35	31	1077	\$12,967.60	\$7,746.51
<b>SUPER TERRA GRIP XT RADIAL HF-3</b>									
1000/50R25 replaces 66x4300-25									
• For low pressure flotation applications									
1050/50R32 replaces 73x4400-32									
• Deep shoulder lugs for excellent traction									
• Submerged center line ribs									
• 25% deeper non-skid than STG									
48x31.00R20	TL	4RG2T2GY	150A8	7,400	45	57	431	\$3,353.96	\$2,072.17
1000/50R25	TL	4RG5F3GY	172A8	13,900	35	79	954	\$8,090.38	\$4,959.91
1050/50R32	TL	4RG543GY	178A8	16,500	35	85	1144	\$11,795.87	\$7,120.49
<b>TUNDRA GRIP RADIAL</b>									
• For low pressure flotation applications									
1050/50R25	TL	TGRD36	178A8	16,100	41	12	717	\$12,117.87	\$7,108.66
<b>TUNDRA GRIP BIAS</b>									
66x44.00-25	TL	TG4B36	20	15,700	50	12	690	\$11,633.16	\$6,825.07
66x44.00-25	TL	TG4T36	26					\$12,559.81	
<b>SUPER TERRA RIB</b>									
44X41.00R20	TL	RSR61TGY	153A8	8,050	65	17	360	\$8,456.09	\$4,897.41
<b>SUPER TERRA GRIP HF-2</b>									
• For low pressure flotation applications									
29x12.50-15NHS	TL	STGD20GY	8	2,150	30	20	49	\$442.00	\$269.57
38x14.00-20NHS	TL	STG416	8	3,540	50	25	94	\$1,054.24	\$632.67
38x14.00-20NHS	TL	STG3R6	14	4,800	50	25	110	\$1,222.91	\$734.33
66x43.00-25NHS	TL	STG9F3	20	13,200	40	61	758	\$7,944.60	\$4,790.08
54x31.00-26NHS	TL	STG5S1	16	9,100	50	44	409	\$9,314.82	\$5,400.35
<b>SUPER TERRA GRIP XT HF-3</b>									
66x43.00-25NHS	TL	STX5F4	16	13,200	40	79	862	\$6,672.33	\$4,124.40
<b>SUPER TERRA GRIP LW RADIAL HF-2</b>									
• For low pressure flotation applications									
• Provides lateral traction									
48x31.00R20NHS	TL	SRL2T2GY	150A8	7,400	45	38	342	\$6,571.62	\$3,834.01

GOODYEAR SIZE	TT/TL	CATALOG#	PLY/PR LOAD	MAX LOAD	P.S.I.	Tread (32nds) Depth	WGT.	01/01/2014 LIST PRICE	State of Kansas INVOICE PRICE
<b>SUPER FLOT RADIAL</b>									
• Designed for high flotation for tillage, hay, and liquid fertilizer tanks.									
• Radial construction for rugged performance applications.									
• Design for free roll or light ground applications.									
500/60R22.5	TL	SPF429GY	163B	10,700FR	46	31	218	\$1,637.11	\$1,014.88
600/50R22.5	TL	SPF4ETGY	168B	12,300FR	46	31	265	\$2,015.00	\$1,247.65
710/40R22.5	TL	SPF4ESGY	170B	13,200FR	46	31	303	\$2,444.09	\$1,505.04
<b>SOFTTRAC HF-1</b>									
• Low ground bearing pressure									
• Good for turf applications									
38x14.00-20NHS	TL	4SR462	4	2,340	25	16	82	\$721.20	\$440.77
41x14.00-20NHS	TL	4SR323	4	3,080	25	18	90	\$771.80	\$472.71
44x18.00-20NHS	TL	4SR342	4	3,420	20	24	134	\$1,076.64	\$663.22
<b>SFT105 HF-1</b>									
• Minimum soil disturbance									
• Low inflation operating pressures									
• Specially designed for turf applications									
44x22.00-16.1	TL	4SF3J4	6	5,360	25	13	93	\$1,064.18	\$637.79
54x31.00-26NHS	TL	4SF632	6	5,360	20	30	257	\$2,254.98	\$1,378.44
54x31.00-26NHS	TL	4SF032	10	6,800	30	30	271	\$2,424.71	\$1,479.79
<b>INDUSTRIAL XTRA GRIP</b>									
5.70-8	TT	4DG230GY	4	710	50	N/A	13	\$221.84	\$130.08
<b>SURE GRIP LUG SS</b>									
• Directional design for excellent traction									
• For use in soft soil operations where traction and flotation are required.									
10-16.5NHS	TL	4GL3D1	8	4,140	60	19	58	\$366.73	\$231.47
10-16.5NHS	TL	4GL3C8	6	3,500	45	21	51	\$355.62	\$222.10
12-16.5NHS	TL	4GL3E8GY	8	4,810	50	23	72	\$376.71	\$243.36
12-16.5NHS	TL	4GL3J7GY	10	5,600	65	23	74	\$414.07	\$265.18
15-19.5NHS	TL	4GL336GY	12	9,190	60	26	136	\$849.31	\$536.81
<b>IT323</b>									
• 115 level non-skid depth									
• Heavier under tread									
• Sidewall scuff rib									
• Wear pad design for better wear									
23x8.50-12NHS	TL	4323C3GY	4	1,470	35	16	26	\$300.18	\$179.80
27x8.50-15NHS	TL	4323J3	4	1,940	30	18	37	\$425.84	\$255.12
27x8.50-15NHS	TL	432339	6	2,480	45	18	37	\$324.33	\$198.27
27x10.50-15NHS	TL	4323L6	4	2,085	30	20	40	\$397.73	\$240.73
27x10.50-15NHS	TL	4323H7	6	2,610	45	20	45	\$360.47	\$222.11

GOODYEAR SIZE	TT/TL	CATALOG#	PLY/PR LOAD	MAX LOAD	P.S.I.	Tread (32nds) Depth	WGT.	01/01/2014 LIST PRICE	State of Kansas INVOICE PRICE
31x15.50-15NHS	TL	4323L8	8	4,480	35	25	83	\$704.48	\$431.86
10-16.5NHS	TL	4323D1GY	8	4,140	60	25	58	\$362.29	\$228.98
12-16.5NHS	TL	4323E8GY	8	4,810	50	26	75	\$437.09	\$278.52
12-16.5NHS	TL	4323J7GY	10	5,600	65	26	77	\$460.09	\$292.30
14-17.5NHS	TL	432384GY	14	8,540	80	28	114	\$733.47	\$462.04
15-19.5NHS	TL	4323H9	8	7,250	40	26	121	\$770.18	\$485.75
<b>COMPACTOR TIRE</b>									
• Designed for unique demands of air drills									
• Sidewall scuff rib									
• Wear pad design for better wear									
7.50-15NHS	TT	3SC252F	12	5,860	110	0	54	\$654.87	\$391.03
7.50-15NHS	TT	3SC2E1GY	14	6,300	125	0	50	\$736.89	\$435.16
8.5-90-15K	TL	3SC3A2GY	6	3,900	50	0	47	\$602.67	\$358.65
<b>SPECIAL FLOTATION TIRES</b>									
<b>SURE GRIP LUG HF-2</b>									
• Premium skid steer tire									
• For heavy duty applications									
• Loader design									
25x8.50-14NHS	TL	4GL379GY	6	2,130	50	18	30	\$243.76	\$150.01
27x8.50-15NHS	TL	4GL3J3	4	1,840	35	18	33	\$291.27	\$177.96
27x8.50-15NHS	TL	4GL339GY	6	2,480	45	18	36	\$326.20	\$198.87
27x10.50-15NHS	TL	4GL3H7	6	2,610	45	18	37	\$312.51	\$191.66
15-19.5NHS	TL	4GL3H9GY	8	7,250	40	26	121	\$770.18	\$485.75
<b>SFT 105 HF-1</b>									
• Built for minimum soil disturbance									
• Designed for golf course and turf applications									
24x8.50-14NHS	TL	4SF324	4	1,230	22	9	22	\$186.42	\$114.30
33x12.50-15NHS	TL	4SF3M0	4	2,090	20	12	53	\$498.76	\$303.16
<b>SOFT TURF</b>									
• Titan Soft Turf design									
• Designed for golf course and turf applications									
27x12LL-15NHS	TL	4303M7GY	6	1,320	30	10	35	\$341.53	\$207.01
<b>SOFTTRAC HF-1</b>									
• Button tread design									
• Wide footprint with excellent traction									
24x13.00-12NHS	TL	4FS2J3	4	1,755	18	8	26	\$262.00	\$158.42
25x8.50-14NHS	TL	4SR327GY	6	1,640	32	9	27	\$279.62	\$168.74
25x10.50-15NHS	TL	4SR4WQ	4	980	25	9	32	\$298.38	\$181.49
27x8.50-15NHS	TL	4SR348GY	4	1,230	30	11	29	\$284.16	\$172.18
27x10.50-15NHS	TL	4SR3H6	4	1,320	30	11	32	\$353.93	\$212.60
29x12.50-15NHS	TL	4SR3L5	4	1,320	20	12	49	\$385.07	\$237.69
31x12.50-15NHS	TL	4SR34B	4	1,650	20	12	58	\$426.69	\$265.05
31x13.50-15NHS	TL	4SR34A	4	1,650	20	12	47	\$468.93	\$283.75
31x15.50-15NHS	TL	4SR35B	4	1,710	20	13	55	\$541.60	\$328.05
31x15.50-15NHS	TL	4SR3A4GY	8	2,760	45	13	72	\$679.38	\$412.85
33x12.50-15NHS	TL	4SR3M0GY	4	2,090	20	12	55	\$498.76	\$304.06



GOODYEAR SIZE	TT/TL	CATALOG#	PLY/PR LOAD	MAX LOAD	P.S.I.	Tread (32nds) Depth	WGT.	01/01/2014 LIST PRICE	State of Kansas INVOICE PRICE
<b>SUPER TERRA GRIP HF-2</b>									
• Lug design for traction in a flotation design									
• Wide base for extra flotation									
16x6.50-8NHS	TL	STG321	4	620	28	13	7	\$138.22	\$80.55
26x12.00-12NHS	TL	STG361	4	1,780	20	24	28	\$283.00	\$171.08
29x12.50-15NHS	TL	STGB20	4	1,320	20	20	44	\$386.73	\$236.37
29x12.50-15NHS	TL	STGC20	6	1,710	30	20	48	\$394.64	\$242.60
29x12.50-15NHS	TL	STGD20GY	8	2,150	30	20	49	\$442.00	\$269.57
31x15.50-15NHS	TL	STG331	4	1,710	20	24	57	\$552.73	\$335.18
31x15.50-15NHS	TL	STG3A4	8	2,760	45	24	65	\$693.02	\$417.34
38x20.00-16.1NHS	TL	STG398	8	4,400	35	25	109	\$1,421.02	\$844.82
<b>XTRA TRAC HF-2</b>									
• Aggressive, open unidirectional tread that cleans well									
• Wide base for extra flotation									
31x15.50-15 NHS	TL	XTR396	4	1,710	20	23	52	\$520.00	\$314.60
31x15.50-15 NHS	TL	XTR3A8	8	2,760	45	23	67	\$682.60	\$412.41
<b>TERRA RIB HF-1</b>									
• Rib design for minimum soil disturbance									
• Smooth riding									
18x9.50-8NHS	TL	RTR473GY	4	1,040	24	6	17	\$220.09	\$130.90
18x9.50-8NHS	TT	RTR171	10	1,775	60	10	18	\$266.42	\$157.30
25x7.50-15NHS	TL	TR4393GY	4	960	30	9	23	\$205.60	\$125.49
25x7.50-15NHS	TL	TR436AGY	6	1,230	45	9	23	\$209.73	\$127.80
27x9.50-15NHS	TL	TR4395	6	1,600	45	10	31	\$255.29	\$156.91
27x9.50-15NHS	TL	TR4306GY	10	1,900	60	10	39	\$320.22	\$196.87
31x13.50-15NHS	TL	TR4396GY	6	2,090	30	12	56	\$484.53	\$296.54
31x13.50-15NHS	TL	TR4397GY	8	2,620	45	12	60	\$537.87	\$328.21
31x13.50-15NHS	TL	TR4597GY	12	3,520	75	12	64	\$706.80	\$424.61
<b>XTRA TRACTION HF-1</b>									
• Aggressive unidirectional tread									
• Excellent choice for ditching service as well as a skid steer tire									
29x12.50-15 NHS	TL	XTR3L5GY	4	1,320	20	12	46	\$532.33	\$318.80
<b>Smooth Terra HF-1</b>									
18x9.50-8NHS		GST273GY	2	695	12	8	17	\$125.02	\$77.66
<b>Power Cushion Trailer Service</b>									
18.5x8.50-8	TL	PCTC18GY	C	935	50	10	20	\$189.78	\$115.28
23x8.50-12NHS	TT+F	PCT182F	12	2,170	68		28	\$264.11	\$160.50