

TITAN Brand Farm Tires by Titan Tire

TITAN Size	TT/TL	CATALOG #	PLY/PR Load	MAX Load	P.S.I.	Tread (32nds) Depth	WGT.	F.E.T.	1/1/2014 LIST PRICE	State of Kansas INVOICE PRICE
------------	-------	-----------	-------------	----------	--------	---------------------------	------	--------	------------------------	----------------------------------

TITAN HI-TRACTION LUG RADIAL R-1

~ Heavy duty rim required

>Superior Traction & Side Hill Slip Resistance

>Combines Long Bar / Medium Bar Traction for cleanability, smooth ride, and more power to the ground.

30 MPH

320/85R24	TL	4RDH14	142A8/B	5,840	67	44	132		\$1,435.22	\$935.05
380/85R24	TL	4RDH34	143A8/B	6,000	46	47	164		\$1,463.18	\$966.55
12.4R28	TL	4RD412	121A8/B	3,200	30	44	138		\$1,555.84	\$1,011.34
13.6R24	TL	4RD422	128A8/B	3,200	24	46	147		\$1,157.78	\$772.45
13.6R28	TL	48E324	3*	3,740	30	51	199		\$1,857.44	\$1,222.60
14.9R24	TL	4RD434	120A8/B	3,080	18	47	156		\$1,272.36	\$846.21
14.9R24	TL	4RD534	130A8/B	4,180	30	47	168		\$1,399.58	\$929.30
380/85R28	TL	48E438	133A8/B	4,540	23	50	210		\$1,678.09	\$1,118.24
380/85R30	TL	48E430	135A8/B	4,800	23	50	226		\$1,978.13	\$1,308.42
380/85R34	TL	48E435	137A8/B	5,080	23	52	242		\$2,433.78	\$1,593.29
380/85R34	TL	48E79A	148A8/B	6,950	46	52	254		\$2,333.76	\$1,538.00
520/85R38	TL	48E789	160A8	9,900	35	55	467		\$2,889.42	\$1,972.54
380/90R46	TL	48E432	144A8/B	6,150	23	50	321		\$2,510.93	\$1,676.14
380/90R46	TL	48ED32	149A8/B	7,150	35	50	321		\$2,667.16	\$1,771.44
380/90R46	TL	48EH32	156A8/B	8,800	49	50	368		\$2,889.42	\$1,928.14
380/90R46	TL	48E032	168A8/B	12,300	78 ~	50	370		\$3,000.56	\$1,996.92
16.9R24	TL	4RD545	134A8/B	4,680	24	48	215		\$1,555.84	\$1,045.79
16.9R26	TL	48E246	2*	4,800	24	52	225		\$2,175.04	\$1,428.17
420/85R28	TL	48E448	139A8/B	5,360	23	52	263		\$1,989.27	\$1,331.62
420/90R30	TL	48E479	142A8/B	5,840	23	56	258		\$2,222.64	\$1,471.96
16.9R38	TL	48E220	2*	5,680	24	52	305		\$2,167.07	\$1,458.95
18.4R30	TL	4R3450	143A8/B	6,000	24	50	277		\$1,755.49	\$1,195.45
18.4R34	TL	48E154	1*	5,360	18	53	323		\$1,967.02	\$1,345.07
480/80R38	TL	48E477	149A8/B	7,150	23	53	355		\$1,998.16	\$1,378.43
480/80R38	TL	48E677	152A8/B	7,850	29	53	362		\$2,111.51	\$1,450.73
480/80R42	TL	48E442	151A8/B	7,600	23	53	390		\$2,533.80	\$1,721.06
480/80R42	TL	48E542	154A8/B	8,250	29	53	395		\$3,031.67	\$2,026.97
480/80R42	TL	48E842	162A8/B	10,500	46	53	428		\$3,222.82	\$2,158.61
480/80R42	TL	48E942	166A8/B	11,700	58	53	436		\$3,445.09	\$2,297.83
480/80R46	TL	48E447	155A8/B	8,550	29	53	431		\$3,056.11	\$2,058.02
480/80R46	TL	48E547	158A8/B	9,350	35	53	411		\$3,111.69	\$2,083.22
20.8R34	TL	4RD501	151A8/B	7,600	24	61	340		\$2,858.62	\$1,896.72
520/85R38	TL	48E489	148A8/B	6,950	17	55	411		\$2,578.24	\$1,757.61
520/85R38	TL	48E689	158A8/B	9,350	29	55	467		\$2,689.38	\$1,850.52
520/85R42	TL	48E452	157A8/B	9,100	23	55	488		\$2,833.87	\$1,948.24
23.1R30	TL	4R36Q7	168A8	12,300	46	52	492		\$3,665.98	\$2,457.85
24.5R32	TL	48E199	1*	8,520	18	56	521		\$4,223.00	\$2,810.69
24.5R32	TL	48E599	5*	12,800	38	56	607		\$4,854.07	\$3,233.97
24.5R32	TL	48E699	6*	14,300	46	56	607		\$5,401.27	\$3,567.92

TITAN SUPER HI-POWER LUG RADIAL R-1

>Single Bar Design with Wide overlapping Lugs

>Deep Tread cuts through soil and penetrates easily for maximum traction.

>Also provides excellent treadwear and durability.

30 MPH

800/65R32	TL	48T596	172 A8/B	13,900	35	59	767		\$4,778.67	\$3,260.23
-----------	----	--------	----------	--------	----	----	-----	--	------------	------------

TITAN HI-LOAD RADIAL R-1S

>Delivers Superior Treadwear

>Reduced Lug induced vibration

~ Heavy duty rim required

>Higher load capabilities over standard R-1 Radials.

>Stability at transport speeds

30 MPH

380/90R46	TL	48S832	164A8/B	11,200	68~	41	393		\$4,249.84	\$2,769.25
380/90R46	TL	48S032	168A8/B	12,300	78 ~	41	405		\$4,407.42	\$2,870.85

TITAN Brand Farm Tires by Titan Tire

TITAN Size	TT/TL	CATALOG #	PLY/PR Load	MAX Load	P.S.I.	Tread (32nds) Depth	WGT.	F.E.T.	1/1/2014 LIST PRICE	State of Kansas INVOICE PRICE
TITAN REVOLUTION R-1W										
>Designed to work best in roading applications										
>Deeper tread depth										
>Reversed Lug for better ride										
>Increased traction										
>Popular sure grip design										
420/90R30	TL	4RV479	142A8/B	5,840	23	64	306		\$2,917.27	\$1,917.33
TITAN AG 49M RADIAL R-1W										
>Wide base and wider section width allow for higher loads.										
>Greater flotation, Improved traction, and smoother ride.										
30 MPH										
380/80R38	TL	49M7M3	142A8/B	5,840	35	60	243		\$2,500.47	\$1,634.65
420/85R34	TL	49M7M4	147A8/B	6,800	35	56	277		\$3,007.49	\$1,959.41
480/70R30	TL	49M440	152A8/B	7,850	46	66	298		\$2,903.60	\$1,905.47
480/80R50	TL	49M751	159A8/B	9,650	35	64	526		\$4,656.42	\$3,077.32
520/85R46	TL	49M771	158A8/B	9,350	23	72	579		\$4,434.16	\$2,965.22
600/60R34	TL	49M5Q5	164A8/B	11,000	46	65	498		\$3,860.42	\$2,579.18
600/65R28	TL	49M765	147A8/B	6,800	23	69	352		\$3,353.96	\$2,204.44
600/70R30	TL	49M7M6	152A8/B	7,850	23	65	407		\$3,333.96	\$2,216.94
600/70R30	TL	49M5M6	165A8/B	11,400	46	65	422		\$3,778.47	\$2,494.96
620/70R42	TL	49M770	160A8/B	9,900	23	66	646		\$4,189.67	\$2,846.59
620/70R46	TL	49M781	162A8/B	10,500	23	73	691		\$5,334.31	\$3,564.67
710/70R38	TL	49M769	166A8/B	11,700	23	78	680		\$4,556.40	\$3,085.31
710/70R42	TL	49M5Q6	180A8/B	17,600	49	74	812		\$6,445.64	\$4,297.30
TITAN AG 49H RADIAL R-1W										
> Modeled after the popular European-style tires.										
>Specifically designed for soft, moist and sticky soil.										
>Deep tread for solid traction										
16.9R28	TL	49H748	136A8/B	4,940	24	63	255		\$2,444.89	\$1,606.27
16.9R30	TL	49H479	144A8/B	6,150	36	60	269		\$2,444.89	\$1,612.24
18.4R38	TL	49H777	146A8/B	6,600	24	66	353		\$2,444.89	\$1,650.09
18.4R42	TL	49H742	148A8/B	6,950	24	66	447		\$3,056.11	\$2,065.16
20.8R38	TL	49H789	153A8/B	8,050	24	70	424		\$3,222.82	\$2,156.62
20.8R42	TL	49H752	155A8/B	8,550	24	66	505		\$3,645.11	\$2,450.63
TITAN GRIZZ LSW49H RADIAL R-1W										
* Requires LSW Wheels										
>Patented wheel and tire assembly designed to reduce vehicle bounce, loping, and power hop.										
>Features low aspect ratio tire and a large diameter wheel for greater stability.										
LSW 430R953	TL	G9H479	144A8/B	6,150	36	60	266		\$2,339.36	\$1,546.88
LSW 525R1257 *	TL	G9H752	155A8/B	8,550	24	66	471		\$3,498.07	\$2,345.70
LSW 525R50	TL	G9H852	155A8/B	8,550	24	66	478		\$3,498.07	\$2,349.13
TITAN TT49V R-1W										
>Developed for High Clearance with the Row Crop Market in mind.										
>Features a deeper tread than a R-1 tire for improved traction.										
230/95R48	TL	49V4V4	147A8/B	6,800 ~	73	56	197		\$2,333.57	\$1,512.24
230/115R54	TL	49V7T3	146A8/B	6,600 ~	64	58	316		\$3,463.13	\$2,254.55
			157A2*	9100 ~	64					
290/90R38	TL	49V7V1	138A8/B	5,200	46	54	190		\$2,000.38	\$1,305.61
320/80R42	TL	49V7V2	130A8/B	4,180	23	60	225		\$2,222.64	\$1,456.94
320/85R38	TL	49V445	138A8/B	5,200	41	55	221		\$1,844.78	\$1,224.80
320/90R46	TL	49V7V8	148A8/B	6,950	52	54	267		\$2,333.76	\$1,543.96
320/90R46	TL	49V7T5	156A8/B	8800 ~	70	54	312		\$2,464.91	\$1,644.06
320/90R50	TL	49V4V6	156A8/B	8800 ~	78	54	327		\$3,000.56	\$1,977.55
320/90R50	TL	49V8V6	161A8/B	10200 ~	78	54	340		\$3,500.64	\$2,288.19
320/90R54	TL	49V743	154A8/B	8,250	60	56	328		\$3,547.33	\$2,311.40
380/90R54	TL	49V7V9	152A8/B	7,850	35	58	378		\$3,889.60	\$2,542.97
TITAN HI-TRACTION LUG R-1										
* Maximum load @ 5 mph.										
>Exclusive Long Bar/ Medium Bar tread pattern.										
>This design follows a symmetrical lug pattern to eliminate side to side rocking and promotes even wear.										
7-14	TL	48D665	6	990	36	33	26		\$238.69	\$157.48
7-16	TL	48D666	6	1,100	36	34	32		\$272.51	\$180.52
8-16	TL	48D667	6	1,360	28	31	36		\$321.98	\$212.70
8.3-24	TL	48D684	6	1,610	34	37	56		\$440.09	\$293.73
9.5-16	TL	48D695	6	1,390	30	40	50		\$544.11	\$354.39
9.5-20	TL	48D663	6	1,650	30	41	57		\$555.71	\$364.75

TITAN Brand Farm Tires by Titan Tire

TITAN Size	TT/TL	CATALOG #	PLY/PR Load	MAX Load	P.S.I.	Tread (32nds) Depth	WGT.	F.E.T.	1/1/2014 LIST PRICE	State of Kansas INVOICE PRICE
9.5-24	TL	48D694	6	1,870	30	41	65		\$451.20	\$304.55
11.2-24	TL	48D404	4	1,650	18	43	88		\$555.67	\$378.70
11.2-24	TL	48D604	6	2,090	26	43	100		\$575.67	\$395.99
11.2-24	TT	47D804	8	2,540	36	43	92		\$590.16	\$401.47
11.2-24	TL	48D804	8	2,540	36	43	102		\$577.89	\$398.39
11.2-24	TL	48D004	10	2,830	44	43	106		\$725.91	\$490.30
11.2-28	TL	48D410	4	1,760	18	43	101		\$633.44	\$431.83
12.4-24	TL	48D414	4	1,870	16	44	108		\$611.22	\$421.44
12.4-24	TL	48D614	6	2,400	24	44	113		\$700.13	\$478.13
12.4-24	TL	48D814	8	2,830	32	44	114		\$711.24	\$484.98
12.4-24	TL	48D114	12	3,520	48	44	130		\$1,222.44	\$804.33
12.4-28	TL	48D412	4	1,980	16	44	108		\$633.44	\$434.94
12.4-28	TL	48D612	6	2,540	24	44	114		\$644.56	\$444.60
12.4-28	TL	48Y812	8	3,000	32	44	117		\$746.24	\$507.79
12.4-42	TT	47D619	6	3,080	24	32	157		\$1,255.78	\$836.88
12.4-42	TL	48D019	10	4,180	40	48	183		\$1,489.16	\$990.72
12.4-42	TL	48D119	12	4,680	48	48	184		\$1,574.51	\$1,043.08
13.6-24	TL	48D422	4	2,040	14	46	132		\$933.51	\$628.87
13.6-24	TL	48D622	6	2,680	22	46	133		\$977.96	\$656.49
13.6-24	TL	48D822	8	3,080	28	46	141		\$1,022.42	\$687.26
13.6-28	TT	47D424	4	2,200	14	46	127		\$700.13	\$484.04
13.6-28	TL	48D424	4	2,200	14	46	136		\$744.58	\$515.57
13.6-28	TT	47D624	6	2,830	22	46	133		\$722.36	\$500.67
13.6-28	TL	48D624	6	2,830	22	46	143		\$833.49	\$573.00
13.6-28	TT	47D824	8	3,300	28	46	134		\$811.27	\$555.04
13.6-28	TL	48D024	10	3,740	36	46	147		\$1,311.36	\$866.16
14.9-24	TL	48D434	4	2,200	12	47	130		\$777.91	\$533.12
14.9-24	TT	47D634	6	3,000	20	47	132		\$766.80	\$527.14
14.9-24	TL	48D634	6	3,000	20	47	144		\$789.04	\$546.32
14.9-24	TL	48D834	8	3,520	26	47	146		\$900.16	\$614.58
14.9-28	TT	47D638	6	3,200	20	47	133		\$766.80	\$527.45
14.9-28	TL	48D638	6	3,200	20	47	139		\$789.04	\$543.90
14.9-28	TL	48D038	10	4,180	32	47	162		\$1,700.31	\$1,110.10
14.9-30	TL	48D030	10	4,300	32	47	190		\$1,879.84	\$1,232.41
15.5-38	TT	47D674	6	3,520	20	46	185		\$1,055.76	\$727.05
15.5-38	TT	47D874	8	4,080	26	46	186		\$1,100.20	\$754.77
16.9-24	TT	47D645	6	3,420	18	48	148		\$955.73	\$649.48
16.9-24	TL	48D645	6	3,420	18	48	166		\$955.73	\$657.49
16.9-24	TL	48D845	8	4,080	24	48	166		\$986.84	\$676.80
16.9-26	TL	48D646	6	3,520	18	48	174		\$1,423.31	\$946.59
16.9-26	TL	48D046	10	4,540	28	48	191		\$2,067.04	\$1,347.06
16.9-28	TL	48D648	6	3,640	18	48	180		\$977.96	\$677.65
16.9-28	TT	47D848	8	4,300	24	48	169		\$1,500.27	\$991.25
16.9-28	TL	48D048	10	4,680	28	48	199		\$1,978.13	\$1,296.12
16.9-30	TT	47D679	6	3,740	18	48	181		\$1,000.18	\$691.42
16.9-30	TL	48D679	6	3,740	18	48	203		\$1,033.53	\$722.02
16.9-30	TT	47D879	8	4,400	24	48	185		\$1,133.53	\$774.73
16.9-34	TT	47D644	6	4,680	18	48	190		\$1,200.22	\$817.54
16.9-34	TT	47D844	8	4,680	24	48	191		\$1,246.89	\$846.47
16.9-38	TT	47D620	6	4,180	18	48	198		\$1,566.96	\$1,044.90
16.9-38	TL	48D620	6	4,180	18	48	218		\$1,723.66	\$1,149.53
16.9-38	TT	47D820	8	4,940	24	48	206		\$1,611.40	\$1,075.46
18.4-16.1	TL	48D890	8	2,910	20	50	168		\$1,262.44	\$845.61
18.4-26	TL	48D656	6	3,960	16	50	196		\$1,584.73	\$1,054.68
18.4-26	TL	48D056	10	5,200	26	50	215		\$1,793.67	\$1,190.85
18.4-26	TL	48D156	12	5,840	32	50	222		\$1,711.42	\$1,143.93
18.4-30	TL	48D650	6	4,180	16	50	232		\$1,286.91	\$889.33
18.4-30	TT	47D850	8	4,800	20	50	209		\$1,198.00	\$824.95
18.4-30	TT	48D050	10	5,520	26	50	261		\$1,684.02	\$1,144.61
18.4-34	TT	47D654	6	4,400	16	50	214		\$1,366.91	\$930.30
18.4-34	TT	47D854	8	5,080	20	50	221		\$1,366.91	\$933.17
18.4-34	TL	48D054	10	6,000	26	50	265		\$1,711.42	\$1,163.43
18.4-38	TT	47D677	6	4,680	16	50	251		\$1,422.49	\$980.46
18.4-38	TT	47D877	8	5,360	20	50	256		\$1,422.49	\$983.08
18.4-38	TT	47D077	10	6,400	26	50	280		\$1,885.71	\$1,276.34
20.8-34	TT	47D801	8	5,840	18	51	290		\$2,389.33	\$1,587.98
20.8-38	TT	47D889	8	6,150	18	51	315		\$1,907.02	\$1,305.10
20.8-38	TT	47D089	10	6,950	22	51	315		\$2,600.49	\$1,727.88
23.1-26	TL	48D086	10	6,400	20	52	334		\$2,400.44	\$1,614.72
23.1-26	TL	48D186	12	7,150	24	52	344		\$2,400.44	\$1,619.19

TITAN Brand Farm Tires by Titan Tire

TITAN Size	TT/TL	CATALOG #	PLY/PR Load	MAX Load	P.S.I.	Tread (32nds) Depth	WGT.	F.E.T.	1/1/2014 LIST PRICE	State of Kansas INVOICE PRICE
23.1-26	TL	48D386	14	7,850	28	52	344		\$2,689.38	\$1,795.44
23.1-26	TL	48D586	16	8,800	34	52	343		\$2,767.18	\$1,842.51
23.1-34	TT	47D888	8	6,400	16	52	303		\$2,667.16	\$1,763.25
24.5-32	TL	48D099	10	7,850	20	53	402		\$2,833.87	\$1,909.65
24.5-32	TL	48D199	12	8,800	24	53	447		\$3,022.78	\$2,045.09
24.5-32	TL	48D399	14	9,650	28	53	448		\$3,389.51	\$2,269.14
30.5L-32	TL	48D196	12	9,350	20	54	550		\$4,045.20	\$2,714.93
30.5L-32	TL	48D596	16	11,000	26	54	584		\$4,823.11	\$3,204.88

TITAN HI-LOAD HARVESTER

~ Heavy duty rim required

>Hi-Load Harvester tires are specifically designed for High-Load Cotton and Grain Combines.

20.8-38	TL	48DD89	28	12,800	62 ~	51	456		\$4,412.53	\$2,896.85
---------	----	--------	----	--------	------	----	-----	--	------------	------------

TITAN HI-POWER LUG R-1

>This tires Single Curved Bar design offers maximum cleaning & sidehill slip resistance.

> Designed to deliver power to the ground.

25 MPH

11.2-24	TT	473404	4	1,650	18	42	75		\$422.31	\$291.57
11.2-24	TL	483404	4	1,650	18	42	88		\$573.71	\$389.70
11.2-38	TT	473408	4	2,090	18	42	114		\$689.02	\$471.48
11.2-38	TL	483408	4	2,090	18	42	122		\$755.69	\$515.97
11.2-38	TL	483608	6	2,540	26	42	124		\$844.60	\$570.99
12.4-38	TT	473418	4	2,340	16	44	131		\$800.16	\$547.12
12.4-38	TL	483818	8	3,520	32	44	159		\$902.16	\$621.73
12.4-38	TL	483118	12	4,400	48	44	181		\$1,124.09	\$767.02
13.6-28	TT	473624	6	2,830	22	46	127		\$722.36	\$497.98
13.6-38	TT	473628	6	3,300	22	46	155		\$1,033.53	\$700.33
13.6-38	Spc. Order	483128	12	4,800	42	46	218		\$1,889.24	\$1,250.67
14.9-24	TT	473434	4	2,200	12	47	105		\$622.33	\$426.90
14.9-24	TL	483434	4	2,200	12	47	130		\$711.24	\$492.45
14.9-24	TT	473634	6	3,000	20	47	131		\$766.80	\$526.69
14.9-24	TL	483634	6	3,000	20	47	144		\$789.04	\$546.23
14.9-26	TT	473631	6	3,080	20	47	152		\$971.29	\$660.86
14.9-26	TL	483031	10	4,080	32	47	183		\$1,889.24	\$1,234.89
14.9-26	TL	483131	12	4,400	36	47	190		\$1,955.91	\$1,278.81
14.9-28	TL	483638	6	3,200	26	47	139		\$789.04	\$543.90
14.9-28	TL	483838	8	3,740	26	47	147		\$1,042.40	\$702.19
14.9-28	TL	483038	10	4,180	32	47	162		\$1,700.31	\$1,110.10
14.9-38	TT	473673	6	3,740	20	47	200		\$1,200.22	\$822.09
15.5-38	TT	473674	6	3,520	20	46	185		\$1,055.76	\$727.05
16.9-30	TT	473679	6	3,740	18	48	181		\$1,000.18	\$691.42
18.4-28	TT	473658	6	4,080	16	50	183		\$1,500.27	\$997.42
18.4-30	TT	473650	6	4,180	16	50	204		\$1,198.00	\$822.76
18.4-34	TT	473654	6	4,400	16	50	214		\$1,366.91	\$930.30
18.4-38	TT	473677	6	4,680	16	50	247		\$1,422.49	\$978.93
18.4-38	TT	473877TTF	8	5,360	20	50	266		\$1,422.49	\$987.58
20.8-38	TT	473889TTF	8	6,150	18	51	315		\$1,907.02	\$1,305.10
23.1-26	TL	483086	10	6,400	20	52	345		\$2,400.44	\$1,619.32
23.1-30	TT	473882	8	6,000	16	52	326		\$2,389.33	\$1,604.21
23.1-30	TL	483082	10	6,800	20	52	368		\$2,607.16	\$1,755.91

TITAN TT415

23.5/55-26	TL	4151C7	12	11,540	40	49	324		\$2,398.38	\$1,608.62
------------	----	--------	----	--------	----	----	-----	--	------------	------------

TITAN FARM TRACTOR R-1

>Great size range for Antique and older tractors.

>The open 45 degree lug provides self-cleaning and traction benefits.

25 MPH

11.2-34	TT	470402	4	1,980	18	42	98		\$1,028.13	\$671.20
11.2-36	TT	470406	4	2,040	18	44	93		\$780.98	\$518.35
12.4-36	TT	470616	6	2,830	24	44	131		\$1,259.80	\$827.36
13.9-36	TT	470693	6	3,200	20	44	133		\$1,192.78	\$787.33

TITAN TRACTION DRIVE R-1

>Titans Irrigation Drive and Traction Drive R-1 tires are designed for irrigation service with minimal soil compaction and excellent wear.

14.9-24	TL	499511TTF	4	4,640 T	16	47	137		\$811.27	\$556.40
---------	----	-----------	---	---------	----	----	-----	--	----------	----------

T - Load shown is for use in Irrigation Service only at creep speed (not to exceed 200 ft. in a 30 minute period).

TITAN Brand Farm Tires by Titan Tire

TITAN Size	TT/TL	CATALOG #	PLY/PR Load	MAX Load	P.S.I.	Tread (32nds) Depth	WGT.	F.E.T.	1/1/2014 LIST PRICE	State of Kansas INVOICE PRICE
------------	-------	-----------	-------------	----------	--------	---------------------------	------	--------	------------------------	----------------------------------

TITAN AG 48N RADIAL R-2

>Unique for its uncommon lug geometry. This tire gives Max traction in mud and wet soil.

>Other benefits include, long life and excellent traction.

25 MPH										
16.9R38	TL	48N120	1*	4,680	18	89	351		\$2,705.00	\$1,808.16
18.4R38	TL	48N177	1*	5,680	18	101	443		\$3,262.18	\$2,189.21
20.8R38	TL	48N189	1*	6,800	18	107	447		\$3,947.73	\$2,609.13
20.8R38	TL	48N289	2*	8,050	24	107	504		\$4,022.73	\$2,680.62



TITAN SPECIAL SERVICE R-2

>Curved lugs prevent mud clogging while adding traction and side hill slip resistance.

>At it's best in the muddy, sticky soil conditions.

25 MPH										
13.6-38	TT	47B628	6	3,300	22	78	177		\$1,463.38	\$972.35
14.9-28	TT	47B638	6	3,200	20	89	166		\$1,600.44	\$1,050.86
15.5-38	TT	47B674	6	3,520	20	85	226		\$1,651.24	\$1,109.15
16.9-26	TL	48B046	10	4,540	28	96	233		\$2,298.82	\$1,507.08
18.4-26	TL	48B056	10	5,200	26	98	269		\$1,918.11	\$1,291.28
18.4-30	TL	48B650	6	4,180	16	99	317		\$1,998.16	\$1,361.54
18.4-30	TL	48B050	10	5,520	26	99	341		\$2,422.29	\$1,630.95
18.4-34	TT	47B654	6	4,400	16	99	278		\$1,884.36	\$1,274.38
18.4-38	TT	47B877	8	5,360	20	99	324		\$2,824.62	\$1,869.01
20.8-38	TT	47B889	8	6,150	18	104	385		\$2,932.84	\$1,962.13
20.8-38	TT	47B089	10	6,950	22	104	393		\$3,193.87	\$2,125.21
23.1-26	TT	47B886	8	5,680	16	109	393		\$2,704.33	\$1,826.61
23.1-26	TL	48B086	10	6,400	20	109	427		\$3,155.40	\$2,116.89
23.1-30	TT	47B882	8	6,000	16	109	403		\$3,089.00	\$2,065.69
23.1-34	TT	47B888	8	6,400	16	109	413		\$3,748.67	\$2,472.75
24.5-32	TT	47B099	10	7,850	20	112	514		\$3,780.67	\$2,537.69
28L-26	TL	48B198	12	7,400	20	109	506		\$4,391.98	\$2,906.69
30.5L-32	TL	48B096	10	8,250	16	113	648		\$5,566.36	\$3,686.92
30.5L-32	TL	48B196	12	9,350	20	113	692		\$4,889.80	\$3,294.39
30.5L-32	TL	48B396	14	9,900	22	113	694		\$5,334.31	\$3,566.10



HI-LOAD HARVESTER R-2

~ Heavy duty rim required

>Hi-Load Harvester tires are specifically designed for High-Load Cotton and Grain Combines.

20.8-38	TL	48BD89	169A8	12,800	64	104	552		\$4,515.60	\$3,002.87
---------	----	--------	-------	--------	----	-----	-----	--	------------	------------



TITAN TORC-TRAC II R-3

>This rugged tire minimizes ground disturbance with a button tread pattern that offers good

performance, on vibratory rollers and combine applications.

25 MPH										
12.4-28	TT	475412	4	1,980	16	22	87		\$780.29	\$515.32
12.4-28	TT	475612	6	2,540	24	22	94		\$845.13	\$557.75
13.6-28	TL	485424	4	2,200	14	24	108		\$974.56	\$642.88
13.6-28	TT	475624	6	2,830	22	24	103		\$1,070.87	\$699.42
23.1-26	TL	48A886	8	5,680	16	31	294		\$1,878.13	\$1,277.80
23.1-26	TL	48A086	10	6,400	20	31	310		\$2,167.07	\$1,461.39
23.1-26	TL	48A586	16	8,800	34	31	338		\$2,640.47	\$1,762.79
28L-26	TL	485198	12	7,400	20	30	434		\$2,851.64	\$1,934.80
28L-26	TL	485598	16	9,100	28	30	470		\$3,111.69	\$2,109.52
24.5-32	TL	485199	12	8,800	24	35	441		\$3,611.78	\$2,401.69
24.5-32	TL	485599	16	9,900	30	35	441		\$5,334.31	\$3,452.44
30.5L-32	TL	485196	12	9,350	20	37	530		\$4,223.00	\$2,814.44
30.5L-32	TL	485596	16	11,000	26	37	561		\$5,000.93	\$3,302.98



TITAN TORC-TRAC R-3

1 - Load at 20 MPH

>Minimizes ground disturbance with it's wide flat footprint and deep grooves.

>Performance proven as an original equipment tire.

25 MPH										
12-16.5	TL	485363	8	3,270	1	50	23	74	\$529.58	\$356.48
33x15.50-16.5	TL	4853X3	12	4,490	1	60	23	94	\$696.80	\$467.35
14.9-24	TT	475634	6	3,000	20	27	134		\$1,004.24	\$672.94
14.9-24	TL	485834	8	3,520	26	27	147		\$1,171.56	\$780.59
16.9-24	TL	485645	6	3,420	18	28	160		\$1,166.89	\$783.62
16.9-24	TL	485845	8	4,080	24	28	160		\$1,226.07	\$819.97
16.9-24	TL	485045	10	4,400	28	28	178		\$1,393.60	\$930.18
16.9-24	TL	485345	14	5,520	40	28	180		\$1,599.64	\$1,056.98
18.4-16.1	TL	485690	6	2,540	16	29	139		\$1,111.31	\$740.54
18.4-26	TL	485056	10	5,200	26	29	249		\$1,380.91	\$954.40
18.4-26	TL	485156	12	5,840	32	29	255		\$1,453.60	\$1,001.55
23.1-26	TL	485086	10	6,400	20	35	335		\$2,167.07	\$1,472.55
23.1-26	TL	485186	12	7,150	24	35	367		\$2,267.09	\$1,548.02



TITAN Brand Farm Tires by Titan Tire

TITAN Size	TT/TL	CATALOG #	PLY/PR Load	MAX Load	P.S.I.	Tread (32nds) Depth	WGT.	F.E.T.	1/1/2014 LIST PRICE	State of Kansas INVOICE PRICE
------------	-------	-----------	-------------	----------	--------	---------------------------	------	--------	------------------------	----------------------------------

TITAN TORC-TRAC RADIAL R-3

>Features Radial Construction for reduced rolling resistance, increased footprint are and reduced fuel consumption.

30 MPH

18.4R26	TL	48G556	146A8	6,600	32	29	282		\$2,937.96	\$1,919.06
23.1R26	TL	48G686	161A8/B	10,200	36	31	449		\$3,973.09	\$2,625.82
24.5R32	TL	4R5599	169A8/B	12,800	38	35	566		\$4,832.64	\$3,202.51
28LR26	TL	48G798	174A8/B	14,800	54	30	502		\$4,334.13	\$2,869.74
30.5LR32	TL	48G796	181A8/B	18,200	52	37	732		\$5,854.53	\$3,900.51




TITAN TRU-TRAC FRONT TRACTOR F-2

>Tru-Trac penetrates deep into soil for Max steering control and minimal lateral side slip because of it's high center rib.

>Tru-Trac is used by original equipment manufacturers and offers excellent durability.

25 MPH

4.00-12SL (B)	TT	461229	4	495	52	15	12		\$117.76	\$77.09
4.00-12SL (B)	TL	461329	4	495	52	15	12		\$122.47	\$79.96
4.00-15SL (B)	TT	461230	4	585	52	14	12		\$129.78	\$84.44
4.00-19SL (B)	TT	461233	4	715	52	14	14		\$165.27	\$107.25
5.00-15SL	TT	462235	4	715	44	16	14		\$120.02	\$79.66
5.00-15SL	TL	462335	4	715	44	16	16		\$131.16	\$87.19
5.00-15SL	TL	462334	6	910	64	16	17		\$158.11	\$104.28
5.50-16SL	TL	462338	4	855	40	17	19		\$140.02	\$93.98
5.50-16SL	TT	462239	6	1,050	56	17	19		\$151.13	\$100.73
6.00-16SL	TT	462274	4	910	36	18	20		\$144.47	\$97.25
6.00-16SL	TT	462275	6	1,140	52	18	21		\$148.91	\$100.32
6.00-16SL	TL	462375	6	1,140	52	18	23		\$160.02	\$108.03
6.50-16SL	TT	462281	6	1,230	48	20	24		\$180.02	\$120.61
6.50-16SL	TL	462381	6	1,230	48	20	26		\$182.27	\$122.78
7.5L-15SL	TT	462290	6	1,430	44	24	28		\$182.27	\$123.82
7.5L-15SL	TL	462390	6	1,430	44	24	30		\$186.71	\$127.61
7.50-16SL	TT	462283	6	1,480	44	23	29		\$211.16	\$141.93
7.50-16SL	TT	462284	8	1,710	56	18	32		\$217.82	\$147.24
7.50-18SL	TT	462278	6	1,610	44	23	34		\$261.04	\$174.38
7.50-20SL	TL	462393	6	1,710	44	23	45		\$380.07	\$251.88
9.5L-15SL	TL	462343	6	1,520	36	27	42		\$300.04	\$201.92
9.5L-15SL	TT	462244	8	1,870	48	27	42		\$288.93	\$195.24
10.00-16SL	TT	462294	6	1,930	32	30	49		\$383.91	\$256.20
10.00-16SL	TL	462394	6	1,930	32	30	52		\$399.18	\$266.97
10.00-16SL	TL	462398	8	2,340	44	30	55		\$357.84	\$243.18
11L-15SL	TT	462218	8	2,090	44	31	53		\$322.29	\$220.27
11.00-16SL	TT	462295	8	2,600	40	33	73		\$444.53	\$303.86
11.00-16SL	TL	462395	8	2,600	40	33	79		\$444.53	\$306.93
14L-16.1SL	TT	462287	8	3,000	36	44	97		\$735.76	\$492.65



TITAN TRU-TRAC MULTI-RIB F-2M

> Best for handling heavy loads on hard-packed surfaces.

>Features a nylon carcass, durable tread compound and bead rim shield.

>Offers excellent load distribution and flotation.

25 MPH

7.50-16SL	TL	466383	6	1,480	44	21	36		\$244.49	\$165.20
9.5L-15SL	TL	466343	6	1,520	36	27	47		\$326.73	\$220.46
10.00-16SL	TL	466394	6	1,930	32	28	56		\$412.67	\$277.00
10.00-16SL	TT	466298	8	2,340	44	28	56		\$317.84	\$219.07
10.00-16SL	TL	466398	8	2,340	44	28	59		\$333.40	\$230.07
11L-15SL	TL	466318	8	2,090	44	27	57		\$388.96	\$262.93
11.00-16SL	TT	466295	8	2,600	40	28	77		\$422.31	\$292.11
11.00-16SL	TL	466395	8	2,600	40	28	83		\$444.53	\$308.73
11.00-16SL	TL	466396	12	3,420	60	28	92		\$744.58	\$495.58
11.00-20SL	TL	466347	12	3,860	60	28	101		\$842.78	\$559.57
11.00-24SL	TL	466348	8	3,420	40	28	104		\$855.76	\$568.84
14L-16.1SL	TL	466389	10	3,420	44	32	109		\$833.49	\$557.40
16.5L-16.1SL	TL	466352	10	4,080	40	36	160		\$1,098.47	\$742.06



TITAN Brand Farm Tires by Titan Tire

TITAN Size	TT/TL	CATALOG #	PLY/PR Load	MAX Load	P.S.I.	Tread (32nds) Depth	WGT.	F.E.T.	1/1/2014 LIST PRICE	State of Kansas INVOICE PRICE
------------	-------	-----------	-------------	----------	--------	---------------------------	------	--------	------------------------	----------------------------------

TITAN HI-FLOTATION I-1

* T99 Stubble Guard Tread Compound

>Noted for its maximum flotation

>Features wide tread design, large footprint, deep grooves, and low section height design.



>T99 Stubble Guard in some sizes

30 MPH

26x12.00-12SL	TL	410361	4	1,780	20	12	31		\$236.60	\$158.29
8.5L-14SL	TL	410389	6	1,870	36	11	28		\$197.82	\$133.39
9.5L-14SL	TL	410398	6	1,930	32	11	28		\$200.04	\$134.80
9.5L-14SL	TL	410399	8	2,400	44	11	31		\$202.27	\$137.35
9.5L-15SL	TL	410343	6	2,040	32	11	32		\$208.93	\$142.05
9.5L-15SL *	TL	41L343	6	2,040	32	11	32		\$240.27	\$160.96
9.5L-15SL	TL	410344	8	2,470	44	11	35		\$213.38	\$145.94
9.5L-15SL *	TL	41L344	8				35		\$233.04	\$157.90
9.5L-15SL	TL	4103D7	12	3,200	64	11	40		\$288.93	\$194.43
9.5L-15SL *	TL	41L3D7	12	3,200	64	11	40		TBD	
11L-14SL	TL	410364	6	2,040	28	11	32		\$253.60	\$169.16
11L-15SL	TL	410318	8	2,540	36	11	39		\$223.31	\$153.79
11L-15SL *	TL	41L318	8	2,540	36	11	39		\$243.97	\$166.37
11L-15SL	TL	410319	10	2,910	44	11	46		\$303.40	\$205.71
11L-15SL	TL	410317	12	3,200	52	11	51		\$304.51	\$208.51
11L-15SL *	TL	41L317	12	3,200	52	11	51		\$318.08	\$216.98
11L-15SL *	TL	41L315	18	4,180	80	11	60		\$470.60	\$314.09
12.5L-15SL	TL	410340	8	3,000	36	11	52		\$293.38	\$202.25
12.5L-15SL	TL	410341	10	3,420	44	11	51		\$304.51	\$208.85
12.5L-15SL	TL	410305	12	3,860	52	11	58		\$366.73	\$249.68
12.5L-15SL *	TL	41L305	12	3,860	52	11	54		\$406.73	\$272.28
12.5L-15SL *	TL	41L327	20	5,080	80	11	69		\$612.38	\$404.74
12.5L-16SL *	TL	41L353	14	4,180	56	11	57		\$483.36	\$320.49
14L-16.1SL	TL	410368	8	3,860	32	12	74		\$555.67	\$372.43
14L-16.1SL *	TL	41L368	8	3,860	32	12	74		\$644.49	\$426.61
14L-16.1SL *	TL	410362	12	4,680	44	12	83		\$633.44	\$423.82
14L-16.1SL *	TL	41L3L2	14	5,200	52	12	94		\$665.11	\$448.02
16.5L-16.1SL	TL	410350	10	5,200	36	14	107		\$622.33	\$427.56
16.5L-16.1SL *	TL	41L350	10	5,200	36	14	107		\$711.24	\$481.79
16.5L-16.1SL	TL	4103L1	14	6,400	48	14	119		\$900.16	\$602.58
19L-16.1SL	TL	4103H7	10	6,000	32	17	136		\$833.49	\$569.51
19L-16.1SL	TL	4105H7	12	6,600	36	17	147		\$993.51	\$672.40
21.5L-16.1SL	TL	4103A9	6	4,400	16	17	172		\$1,103.07	\$750.05
21.5L-16.1SL	TL	410349	10	6,600	28	17	184		\$1,144.67	\$781.10
21.5L-16.1SL	TL	4103J1	14	7,850	36	17	191		\$1,366.91	\$919.79
21.5L-16.1SL	TL	4103Q4	18	8,800	44	17	196		\$1,600.29	\$1,064.52

TITAN GRIZZ LSW 410 I-1

"Replaces 16.5L-16.1

>Patented wheel and tire assembly designed to reduce vehicle bounce, reduce loping, and provides excellent stability on towed implements.

Requires LSW Wheels

30 MPH



LSW420-648	TL	G1L350	10	5,200	36	14	106		\$1,136.96	\$741.24
LSW420-648	TL	G1L3L1	14	6,400	48	14	120		\$1,267.96	\$827.53

TITAN DURA-LIFE I-1

* T99 Stubble Guard Tread Compound

>This popular OEM tire offers wide ribs for good ground contact and excellent treadwear.

>Straight ahead directional control is maximized with a series of straight circumferential grooves and ribs.

30 MPH



5.90-15SL	TL	418353	4	1,140	36	7	17		\$160.02	\$105.41
5.90-15SL *	TL	41M353	4	1,140	36	7	17		\$194.60	\$126.50
6.50-16SL	TL	418381	6	1,710	44	7	24		\$173.36	\$116.45
6.70-15SL	TL	418367	4	1,280	32	7	21		\$153.36	\$102.90
6.70-15SL	TL	418388	6	1,610	44	7	21		\$153.36	\$103.09
6.70-15SL *	TL	41M388	6	1,610	44	7	21		\$166.69	\$111.22
7.50-16SL	TL	418384	8	2,340	48	8	32		\$257.91	\$171.77
7.60-15SL	TL	418336	6	1,760	40	8	25		\$188.93	\$126.51
7.60-15SL	TL	418337	8	2,090	52	8	27		\$191.16	\$128.86
9.5L-15SL *	TL	SBG3D9	16	3,640	80	11	48		\$452.00	\$297.32
10.00-15SL	TL	4183L1	8	3,200	40	11	50		\$350.58	\$236.36
10.00-15SL *	TL	SBG366	16	4,680	72	11	63		\$503.84	\$335.51
11.00L-15SL *	TL	SBG315	18	4,180	80	11	62		\$509.85	\$338.69

TITAN Brand Farm Tires by Titan Tire

TITAN Size	TT/TL	CATALOG #	PLY/PR Load	MAX Load	P.S.I.	Tread (32nds) Depth	WGT.	F.E.T.	1/1/2014 LIST PRICE	State of Kansas INVOICE PRICE
12.5-15SL *	TL	SBG327	20	5,080	80	11	72		\$677.09	\$445.42
9.00-16SL	TL	418348	10	3,300	52	10	44		\$382.36	\$252.91
9.00-24SL	TL	4183J8	8	3,520	40	10	68		\$595.67	\$393.76
9.00-24SL *	TL	41M3J8	8	3,520	40	10	68		\$595.67	\$393.76
11.25-24SL	TL	4183K7	8	4,080	32	11	93		\$733.47	\$489.05

TITAN PACKER I-1

>Developed for the latest air seeders to firm the soil after the seed has been put into place.

>This tire can operate at inflation pressures of 6 to 45 psi depending on soil conditions.

>Features the latest stubble guard compound.

						30 MPH				
20.5/5.5-12	TL	41M356	4	740	36	8	15		\$153.04	\$99.92
26/6.50-15	TL	41M355	4	1,400	45	11	26		\$242.49	\$159.66
26/7.75-15	TL	41M32T	4	1,610	45	11	29		\$313.53	\$204.46

TITAN PLANTER I-1

>Titan Dura-Life Planter tires are designed to minimize the compaction applied to the seed bed.

>Dura-Life (design A) features two ribs in each shoulder.

						30 MPH				
7.50-20SL	TL	41A3X7	8	2,540	48	18	46		\$440.09	\$289.06

TITAN TRACTION IMPLEMENT I-3

> Designed for low horsepower traction requirements, the Traction Implement offers good roadability and excellent durability.

						25 MPH				
7.50-20SL (A)	TL	422303	4	1,760	28	17	38		\$380.27	\$249.03
7.50-24SL (A)	TT	422204	4	1,870	28	17	41		\$316.49	\$211.48
13.50-16.1SL (B)	TL	499505	6	3,520	24	23	84		\$777.60	\$512.03

TITAN TI422 I-3

> Designed for low horsepower traction requirements, the Traction Implement offers good roadability and excellent durability.

						25 MPH				
12.5/80-18 (A)	TL	4223J9	10	4,710	46	34	88		\$711.31	\$473.36
16.5L-16.1SL (B)	TL	4223M2	6	3,960	24	26	98		\$924.82	\$608.23
16.5L-16.1SL (B)	TL	4223W6	10	5,200	36	26	109		\$1,166.89	\$761.00
21.5L-16.1SL (B)	TL	4223M3	8	6,000	24	35	156		\$1,684.76	\$1,097.83

TITAN HIGHWAY IMPLEMENT FI

t = loads can be increased by 20% for service under 30 mph.

>The Highway Implement FI offers D.O.T. compliance for approved operations at highway speeds.

>This tire is noted for its great handling and towing characteristics.

						Hwy Speed				
9.5L-15FI	TL	41H313	D	2,680 t	60	11	38		\$266.71	\$179.90
9.5L-15FI	TL	41H3A3	F	3,420 t	90	11	47		\$355.62	\$238.07
10.00-15FI	TL	41H3L1	D	3,960t	60	11	49		\$343.82	\$231.61
11L-15FI	TL	41H383	C	2,600 t	45	11	39		\$339.80	\$224.72
11L-15FI	TL	41H386	D	3080	60	11	43		\$364.36	\$241.40
11L-15FI	TL	41H392	F	3,960 t	90	11	51		\$391.18	\$261.59
12.5L-15FI	TL	41H387	F	4,680 t	90	11	62		\$500.09	\$332.81
13.50-15FI	TL	41H382	C	2,680	30	11	58		\$516.20	\$340.78
13.50-15FI	TL	41H3K0	E	3,960	60	11	70		\$433.42	\$295.88
13.50-15FI	TL	41H3F0	F	4,540	75	11	75		\$500.09	\$338.75
14L-16.1FI	TL	41H388	C	3,420	30	12	79		\$665.02	\$441.18
16.5L-16.1FI	TL	41H3E0	E	6,450	60	11	108		\$1,492.71	\$959.35

TITAN FLO-TRAC RIB HF1/FLO-TRAC LUG HF-3

> Flo-Trac Rib is designed for max flotation and durability. Low section height gives it more handling.

>The Flo-Trac's open curved lug design allows for maximum self-cleaning and side hill slip resistance.

						30 MPH				
FLO-TRAC RIB (A)										
25X7.50-15	TL	41F393	4	960	30	8	23		\$205.60	\$135.94
25X7.50-15	TL	41F378	6	1,220	45	8	24		\$209.73	\$138.62
27X9.50-15	TL	41F394	4	1,260	30	9	29		\$230.71	\$153.62
27X9.50-15	TL	41F395	6	1,600	45	9	31		\$255.29	\$169.55
27X9.50-15	TL	41F306	8	1,900	60	9	33		\$285.93	\$189.28
31X13.50-15	TL	41F396	6	2,090	30	10	54		\$523.47	\$343.78
31X13.50-15 *	TL	41N396	6	2,090	30	10	54		\$523.47	\$343.78
31X13.50-15	TL	41F397	8	2,620	45	10	58		\$537.87	\$354.00
31X13.50-15 *	TL	41N397	8	2,620	45	10	58		\$638.80	\$415.57
31X13.50-15 *	TL	41N307	10	3,080	60	10	71		\$748.69	\$488.70
31X13.50-15 *	TL	41N3U9	14	3,960	90	10	76		\$876.71	\$568.90

TITAN Brand Farm Tires by Titan Tire

TITAN Size	TT/TL	CATALOG #	PLY/PR Load	MAX Load	P.S.I.	Tread (32nds) Depth	WGT.	F.E.T.	1/1/2014 LIST PRICE	State of Kansas INVOICE PRICE
TITAN FLO-TRAC LUG (B)			30 MPH							
31X15.50-15	TL	41G3A4	8	2,740	45	22	75		\$693.02	\$456.69
33X12.50-15	TL	41G3H1	8	3,300	45	27	61		\$565.82	\$372.75
35X19.00-16.1	TL	41G3G3	12	4,180	55	40	100		\$920.27	\$606.50
38X18.00-20	TL	41G3F1	10	3,430	45	40	134		\$1,129.31	\$749.08
38X18.00-20	TL	41G3R6	14	4,300	65	40	143		\$1,288.02	\$849.92
38X18.00-20	TL	41G5R6	16				145		\$1,416.56	\$929.35
LSWG1G		Requires LSW Wheels			30 MPH					
LSW455-610	TL	G1G32A	14	4,300	65	40	139		\$1,560.07	\$1,014.20
Replaces 38x18.00-20NHS										
TITAN FLO-TRAC LUG with Tyrellyner										
31X15.50-15	TL	41G3A4TYL	8	2,740	45	22	87		\$954.67	\$621.32
TITAN TRU POWER II										
>Ultimate deep-traction tire with a large contact area to provide the best traction.										
>Features a specially designed rim guard to keep debris from the bead seat area.										
>A great performer on wet or dry surfaces.										
						10 MPH				
5-12 NHS	TL	4233F5	4	495	34	20	11		\$125.53	\$81.64
6-12NHS	TL	4233C3	4	600	28	20	15		\$149.58	\$97.98
23X10.5-12	TL	4233D8	8						\$262.91	\$160.38
7.00-12NHS	TL	423382	4	715	24	23	21		\$187.67	\$123.70
12.4-16	TL	423383	6	1,820	24	32	71		\$570.02	\$379.88
18X8.50-10 NHS	TL	4233U1	4	830	22	16	15		\$172.69	\$112.11
26X12.00-12 NHS	TL	423361	4	1,780	20	20	42		\$283.00	\$191.53
26X12.00-12 NHS	TL	423360	8	2,740	42	20	44		\$333.67	\$223.19
35X12.00-16.5NHS	TL	4233L0	4	2,450	25	29	72		\$486.84	\$329.54
TITAN CONTRACTOR F-3/INDUSTRIAL FRONT TRACTOR F-3										
> Contactor F-3 is a low section height design for loader backhoe applications.										
> Both the Front Tractor and the Contractor F-3 are designed for both excellent durability and good road handling characteristics.										
						"A"		"B"		
Contractor F-3 (Design A)			25 MPH							
11L-15SL	TL	465318	8	2,090	44	15	51		\$289.42	\$199.68
11L-15SL	TL	465310	10	2,340	52	15	55		\$339.96	\$231.97
11L-16SL	TL	465315	10	2,470	52	15	56		\$316.71	\$218.30
11L-16SL	TL	465317	12	2,760	64	15	63		\$362.67	\$249.40
14.5/75-16.1SL	TL	465388	10	3,200	40	18	75		\$931.00	\$601.51
Industrial Front Tractor (Design B)										
11.00-16SL	TL	464396	12	3,420	60	15	78		\$558.40	\$375.61
480/45-17	TL	4653Q3	12	6,160	42	14	86		\$517.58	\$354.23
TITAN IDT LOADER										
> The Industrial Deep Traction Loader is an exclusive Titan design for Heavy-Duty applications requiring a narrow tire option for skid steer use.										
						5 MPH				
7.00-15 SS	TL	4543C5	6	3,180	60	25	43		\$361.02	\$239.47
TITAN CONTRACTOR T I-3										
>The Titan Contractor T I-3 is an implement tire specifically designed for high traction applications.										
>Frequently used on the front of backhoes, this tire is available in 10 ply construction.										
						25 MPH				
10.5/80-18	TL	46W3X8	6	2,830	33	29	70		\$456.98	\$310.27
10.5/80-18	TL	46W3J8	10	3,840	54	29	72		\$477.98	\$323.82
12.5/80-18	TL	46W3J9	10	4,710	46	31	100		\$586.98	\$402.92



TITAN Brand Farm Tires by Titan Tire

TITAN Size	TT/TL	CATALOG #	PLY/PR Load	MAX Load	P.S.I.	Tread (32nds) Depth	WGT.	F.E.T.	1/1/2014 LIST PRICE	State of Kansas INVOICE PRICE
------------	-------	-----------	-------------	----------	--------	---------------------------	------	--------	------------------------	----------------------------------

TITAN ULTIMATE

> Offers extra tread depth over conventional HD tires with 44/32nds of rubber on the 12-16.5.

> Improved Rim-Guard protection, larger lugs for longer wear, and heavier sidewall.

> Improved chip resistant tread compound

10-16.5	TL	49U3D1	8	4,140	60	42	71		\$406.73	\$280.15
12-16.5	TL	49U3J7	10	5,600	65	44	94		\$595.44	\$405.35



TITAN H/E SKID STEER

>The H/E is Titans premium deep tread skid steer tire, designed for use in severe applications

such as concrete planing, asphalt recycling, demolition areas, quarries, glass plants and scrap yards.

5 MPH										
10-16.5	TL	43H3R8	10	4,710	75*	44	79		\$662.49	\$439.82
12-16.5	TL	43H34R	14	6,780	90*	44	106		\$713.24	\$482.76
33x15.50-16.5	TL	43H3X3	12	6,835	60	48	120		\$1,183.49	\$775.78
14-17.5	TL	43H384	14	8,540	80	47	141		\$1,004.27	\$675.88

Recommended for skid steer service 10-16.5 NHS @ 40psi - max load 3,260 lbs;

12-16.5 NHS @ 50 psi - max load 4,810 lbs; 14-17.5 NHS @ 50psi - max load 6,500 lbs.



TITAN CONTRACTOR FWD

>Excellent traction and wear are the benefits of the broad, curved lugs of the Contractor FWD.

>High strength construction gives it exceptional durability.

5 MPH										
27x8.50-15NHS	TL	46C3J3	4	1,840	35	19	34		\$256.60	\$171.71
12-16.5 NHS	TL	46C3E8	8	4,810	50	23	72		\$371.09	\$258.71
12-16.5 NHS	TL	46C3J7	10	5,600	65	23	74		\$386.87	\$269.26
14-17.5 NHS	TL	46C3G9	10	6,850	55	24	84		\$622.91	\$417.69
15-19.5 NHS	TL	46C3H9	8	7,250	40	26	114		\$733.47	\$498.89



TITAN CONTRACTOR II

>The Contractor II is a new, more robust design for use on the front of large backhoes.

25 MPH										
12.5/80-18	TL	42E3J9	10	4,710	46	32	90		\$556.09	\$379.58
12.5/80-18	TL	42E3T7	12	5,360	56	32	92		\$586.98	\$399.26



Titan Grizz LSW G2E

Low Sidewall >

> This LSW G2E is designed for the front position of large backhoes.

> This LSW size can replace the popular 12.5/80-18 front backhoe tire, yet give you the LSW stability.

Requires LSW Rims

25 MPH										
LSW320-597 (Replaces 12.5/80-18)	TL	G2E3T7	12	5,360	56	32	114		\$983.09	\$651.13



TITAN HD 2000

>Engineered with HD sidewalls to protect against abrasions, tears, and punctures.

>With its dual tapered step, lug wear is improved & life extended.

5 MPH										
10-16.5 NHS	TL	4393D1	8	4,140	60	21	58		\$333.38	\$229.44
12-16.5 NHS	TL	4393C9	6	4,220	40	23	75		\$357.16	\$251.66
12-16.5 NHS	TL	4393J7	10	5,600	65	23	77		\$392.71	\$274.40
12-16.5 NHS	TL	4393J8	12	6,320	80	23	78		\$439.84	\$303.24
14-17.5NHS	TL	439396	10	6,850	55	24	94		\$651.93	\$440.05
14-17.5NHS	TL	439349	12	7,550	65	24	102		\$677.91	\$459.28
14-17.5NHS	TL	439384	14	8,540	80	24	106		\$711.24	\$481.59
15-19.5NHS	TL	439336	12	9,190	60	26	136		\$1,002.27	\$672.65
15-19.5NHS	TL	439636	16	11,270	85	26	150		\$1,122.56	\$752.22
23X8.50-12 NHS	TL	4393G8	6	1,810	50	14	27		\$243.11	\$160.64
27X8.50-15 NHS	TL	439377	8	2,890	60	15	39		\$324.33	\$215.59
27X10.50-15 NHS	TL	439378	8	3,100	60	15	47		\$360.47	\$240.98
30.5x12.5-16NHS	TL	439381	8	3,840	45	21	74		\$626.62	\$415.44



TITAN HD2000 with Tyrelyner

> Titan HD 2000 with Tyrelyner prevents small punctures from causing you valuable down time.

10-16.5 NHS	TL	4393D1TYL	8	4,140	60	21	74		\$458.69	\$313.09
12-16.5 NHS	TL	4393J7TYL	10	5,600	65	26	99		\$552.69	\$381.59

TITAN Brand Farm Tires by Titan Tire

TITAN Size	TT/TL	CATALOG #	PLY/PR Load	MAX Load	P.S.I.	Tread (32nds) Depth	WGT.	F.E.T.	1/1/2014 LIST PRICE	State of Kansas INVOICE PRICE
------------	-------	-----------	-------------	----------	--------	---------------------------	------	--------	------------------------	----------------------------------

TITAN HD 2000 II

> The HD 2000 II is Titans Premium conventional skid steer tire with deeper tread depth, premium compound, larger tread lugs, heavier sidewall, and larger rim guard.

5 MPH



20X8.00-10NHS	TL	49E3W8	4	1,210	40	15	24		\$204.02	\$135.23
10-16.5 NHS	TL	49E3D1	8	4,140	60	24	58		\$334.93	\$230.39
12-16.5 NHS	TL	49E3J7	10	5,600	65	26	77		\$400.04	\$278.87
12-16.5 NHS	TL	49E3J8	12	6,320	80	26	78		\$448.07	\$308.27
12-16.5	TL	49E34R	14	6,780	90	26	83		\$548.91	\$372.08
14-17.5	TL	49E384	14	8,540	80	26	121		\$733.47	\$501.73
31X15.5-16.5 NHS	TL	49E3L8	8	4,480	35	24	85		\$670.93	\$447.66
33X15.5-16.5 NHS	TL	49E3X3	12	6,835	60	24	110		\$787.29	\$529.53
33X15.5-16.5 NHS	TL	49E3R9	14	7,480	70	24	110		\$818.80	\$548.75
13.00-24	TL	49E333	12	6,000	44	32	170		\$1,000.18	\$686.43
13.00-24	TL	49E38A	16	7,150	54	32	188		\$1,111.31	\$762.42
14.00-24	TL	49E344	12	6,800	36	38	207		\$1,111.31	\$771.00

TITAN HD 2000 II with Tyrelyner

> The HD 2000 II with Tyrelyner gives you all the great benefits of the conventional HD2000II, but also gives you the great benefits and security of Tyrelyner's puncture seal.

10-16.5 NHS	TL	49E3D1TYL	8	4,140	60	24	83		\$458.69	\$317.02
12-16.5 NHS	TL	49E3J7TYL	10	5,600	65	26	110		\$552.69	\$386.49

Titan Grizz LSW G9A

Requires LSW Wheels

> This is Titans Premium LSW Skid Steer tire with all the same features as the HD2000II.

> LSW assemblies reduce bounce and lope, and improve lateral stability.

5 MPH



LSW265-521 (Replaces 10-16.5NHS)	TL	G9A3D1	10	4,720	60	24	56		\$544.89	\$357.71
LSW305-546 (Replaces 12-16.5NHS)	TL	G9A3M1	10	5,600	65	24	72		\$703.69	\$461.55
LSW350-597 (Replaces 14-17.5NHS)	TL	G9A3G9	10	6,850	55	26	112		\$963.58	\$638.35
LSW385-648 (Replaces 15-19.5NHS)	TL	G9A3H2	12	9,190	60	24	146		\$1,239.49	\$821.83

* Indicates Non-Marking Tread

TITAN TRAC-LOADER

> The tire preferred by major manufacturers of unloaders and skid steer equipment.

> Constructed with a superior blend of natural and synthetic rubber.

> Center Lug design adds extra traction.

5 MPH



26X12.00-12	TL	412361	4	1,780	20	16	40		\$234.49	\$161.16
10-16.5 NHS	TL	4123C8	6	3,500	45	19	46		\$301.60	\$204.48
12-16.5 NHS	TL	4123C9	6	4,220	40	23	68		\$352.71	\$245.83
12-16.5 NHS	TL	4123D2	8	4,810	50	23	72		\$358.64	\$251.11
12-16.5 NHS	TL	4123J7	10	5,600	65	23	74		\$374.93	\$262.21
14-17.5 NHS	TL	412334	6	4,820	30	24	91		\$511.20	\$352.60
14-17.5 NHS	TL	412396	10	6,850	55	24	94		\$629.16	\$426.16
14-17.5 NHS	TL	412384	14	8,540	80	24	106		\$658.49	\$449.41
15-19.5 NHS	TL	412373	6	6,130	30	25	114		\$733.47	\$498.71
15-19.5 NHS	TL	41J373	6	6,130	30	25	114		\$733.47	\$498.71
15-19.5 NHS	TL	412336	12	9,190	60	25	136		\$889.04	\$603.58
18X8.50-10NHS	TL	4123U1	4	830	22	16	18		\$161.58	\$106.64
18X8.50-10NHS	TL	41A3U1	4	830	22	16	18		\$161.58	\$106.64
23X8.50-12 NHS	TL	4123C3	4	1,470	35	14	27		\$208.53	\$139.16
23X8.50-12 NHS	TL	4123G8	6	1,810	50	14	27		\$220.82	\$146.66
23X8.50-14 NHS	TL	412388	4	1,490	35	14	25		\$206.67	\$137.30
25X8.50-14 NHS	TL	412379	6	2,000	50	17	30		\$243.76	\$162.30
27X8.50-15 NHS	TL	4123C6	4	1,940	30	17	39		\$256.60	\$174.03
27X8.50-15 NHS	TL	412339	6	2,480	45	17	39		\$285.96	\$191.98
27X10.50-15 NHS	TL	4123H7	6	2,610	45	17	38		\$312.51	\$207.77
27X12.50-15 NHS	TL	4122N7	4	2,340	25	17	45		\$367.02	\$244.11
28X8.50-15 NHS	TL	4123R3	6	2,880	45	17	29		\$239.51	\$159.08
33X14.5-16.5 NHS	TL	4123J9	8	4,690	40	23	72		\$539.16	\$361.27
43X16.00-20 NHS	TL	4123A5	4	4,540	20	26	133		\$941.49	\$634.29

TITAN Brand Farm Tires by Titan Tire

TITAN Size	TT/TL	CATALOG #	PLY/PR Load	MAX Load	P.S.I.	Tread (32nds) Depth	WGT.	F.E.T.	1/1/2014 LIST PRICE	State of Kansas INVOICE PRICE
TITAN TRAC-LOADER CHEVRON										
>Featuring a Chevron tread pattern with nylon fabric construction, this tire is intended for skid steer use.										
5 MPH										
5.70-12NHS	TL	4123C2	4	1,450	60	18	19		\$179.98	\$118.25
7.00-15 SS	TL	4123C5	6	3,180	60	18	37		\$295.71	\$197.12
TITAN ROAD ROLLER II										
>Constructed of superior heat resistant nylon fabric plies to promote heat dissipation.										
>Designed for maximum life, this tire is frequently the tire of choice for industrial compactor applications.										
5 MPH										
7.50-15 NHS	TT	3GR256F	6	3,900	55	0	46		\$352.78	\$235.99
7.50-15 NHS	TT	3GR252F	12	5,860	110	0	56		\$464.69	\$308.78
7.50-15 NHS	TT	3GR2E1F	14	6,300	125	0	56		\$493.47	\$326.33
8.5/90-15	TL	3GR3A2	6	3,900	50	0	49		\$362.13	\$242.74
TITAN ROAD ROLLER										
>Constructed of superior heat resistant nylon fabric plies to promote heat dissipation.										
>Designed for maximum life, this tire is frequently the tire of choice for industrial compactor applications.										
9.00-20 NHS	TT	38R222F	12	8,950	90	0	114		\$856.40	\$573.82
11.00-20 NHS	TT	38R283F	18	13,000	120	0	187		\$1,388.62	\$931.20
TITAN RADIAL MXL E-3/L-3										
>Multiple nylon body ply construction for improved penetration resistance.										
> Large contact area for improved treadwear.										
>Lug design offers increased biting edges.										
17.5R25	TL	43P117	1*	15,700	73	41	312		\$2,389.33	\$1,597.86
20.5R25	TL	43P121	1*	20,900	73	48	483		\$3,111.69	\$2,115.54
23.5R25	TL	43P123	1*	26,800	73	51	634		\$4,167.44	\$2,827.45
26.5R25	TL	43P127	1*	33,100	73	55	959		\$7,789.62	\$5,183.14
TITAN MXL E-3/L-3										
>Multiple nylon body ply construction for improved penetration resistance.										
> Large contact area for improved treadwear.										
>Lug design offers increased biting edges.										
17.5-25	TL	43B117	12	13,600	51	41	277		\$1,910.24	\$1,289.93
20.5-25	TL	43B921	20	20,900	65	48	443		\$2,972.49	\$2,012.60
23.5-25	TL	43B123	12	17,600	33	51	491		\$3,013.47	\$2,059.22
26.5-25	TL	43B523	16	20,900	44	51	517		\$3,292.00	\$2,240.98
TITAN LOADER DOZER II L-2										
>Has exceptional performance rating and heavy duty ply ratings.										
>Laterally designed lugs provide maximum, even traction along the length of the lug.										
>Lugs resist buckling, cracking and tearing.										
5 MPH										
15.5-25	TL	431120	12	12,300	58	29	193		\$1,294.93	\$876.83
17.5-25	TL	431117	12	13,600	51	32	227		\$1,626.33	\$1,094.42
17.5-25	TL	431517	16	16,100	69	32	249		\$1,768.33	\$1,190.52
20.5-25	TL	431121	12	14,800	36	36	330		\$2,025.56	\$1,384.28
20.5-25	TL	431521	16	18,200	51	36	358		\$2,184.16	\$1,493.32
20.5-25	TL	431921	20	20,900	65	36	380		\$2,476.24	\$1,681.54
23.5-25	TL	431123	12	17,600	33	38	441		\$2,693.87	\$1,841.76
23.5-25	TL	431523	16	20,900	44	38	467		\$2,942.87	\$2,005.51
23.5-25	TL	431923	20	25,400	54	38	482		\$3,950.71	\$2,626.83
TITAN INDUSTRIAL TRACTOR LUG R-4										
>Extra wide lugs with extensive overlap at the center, designed to resist buckling, tearing and cracking.										
>Excellent tread wear and roadability, the laterally designed lugs result in even wear.										
25 MPH										
14.9-24	TL	486634	6	4,300	24	34	147		\$845.27	\$581.77
14.9-24	TL	486834	8	5,080	30	34	147		\$871.40	\$597.71

TITAN Brand Farm Tires by Titan Tire

TITAN Size	TT/TL	CATALOG #	PLY/PR Load	MAX Load	P.S.I.	Tread (32nds) Depth	WGT.	F.E.T.	1/1/2014 LIST PRICE	State of Kansas INVOICE PRICE
14.9-24	TL	486034	10	5,680	36	34	163		\$1,082.31	\$733.51
14.9-24	TL	486134	12	6,400	42	34	167		\$1,136.42	\$768.39
420/70-24	TL	4866T2	6	3,960	20	35	155		\$1,118.69	\$752.37
16.9-24	TL	486845	8	5,840	28	35	167		\$939.80	\$648.55
16.9-24	TL	486045	10	6,400	32	35	173		\$1,017.02	\$698.18
16.9-24	TL	486145	12	7,150	38	35	177		\$1,163.56	\$789.57
16.9-24	TL	486345	14	7,850	44	35	180		\$1,349.71	\$904.39
16.9-28	TL	486848	8	6,150	28	34	180		\$1,092.20	\$747.21
16.9-28	TL	486048	10	6,800	32	34	195		\$1,260.69	\$856.77
16.9-28	TL	486148	12	7,600	38	34	201		\$1,347.64	\$912.44
17.5L-24	TL	486603	6	4,400	20	32	153		\$938.09	\$641.19
17.5L-24	TL	486803	8	5,360	26	32	153		\$938.09	\$641.19
17.5L-24	TL	486003	10	6,150	32	32	167		\$1,059.38	\$721.32
17.5L-24	TL	486103	12	6,600	36	32	173		\$1,183.36	\$799.84
18.4-24	TL	486864	8	6,400	24	35	196		\$1,222.44	\$833.71
18.4-24	TL	486164	12	8,250	36	35	218		\$1,331.36	\$910.33
18.4-26	TL	486056	10	7,600	30	35	239		\$1,693.98	\$1,140.90
18.4-26	TL	486156	12	8,800	36	35	239		\$1,778.69	\$1,192.58
18.4-28	TL	486058	10	7,850	30	35	225		\$1,777.51	\$1,185.46
19.5L-24	TL	486861	8	6,000	24	34	190		\$1,159.87	\$793.07
19.5L-24	TL	486061	10	6,600	28	34	204		\$1,119.38	\$774.74
19.5L-24	TL	486161	12	7,600	34	34	209		\$1,231.31	\$844.99
21L-24	TL	486075	10	7,400	26	35	251		\$1,644.76	\$1,116.45
21L-24	TL	486175	12	8,550	32	35	251		\$1,656.04	\$1,123.33
21L-28	TL	486076	10	5,080	22	36	305		\$1,925.69	\$1,312.01
21L-28	TL	486176	12	5,840	28	36	313		\$2,027.04	\$1,377.33
21L-28	TL	486376	14	9,900	36	36	337		\$2,133.73	\$1,453.00

TITAN INDUSTRIAL TRACTOR LUG II R4

>Newly designed Industrial Tractor Lug II features increased contact area for better traction and superior compound for improved abrasion resistance.

25 MPH

19.5L-24	TL	49F161	12	7,600	34	34	209		\$1,231.31	\$844.99
19.5L-24	TL	49F561	16	9,100	44	34	210		\$1,767.47	\$1,172.69



TITAN INDUSTRIAL CONTRACTOR R-4

>Extra wide lugs with extensive overlap at the center, designed to resist buckling, tearing and cracking.
>Excellent tread wear and roadability, the laterally designed lugs result in even wear.

25 MPH

17.5L-24	TL	4D6603	6	4,400	20	32	153		\$978.13	\$665.61
17.5L-24	TL	4D6003	10	6,150	32	32	167		\$938.09	\$647.34
17.5L-24	TL	4D6103	12	6,600	36	32	173		\$1,059.38	\$724.22



Titan Grizz LSWG9F R-4

Requires LSW Wheels

>This LSW Low Profile tire is designed to reduce bounce and road lope as well as better sway-action recovery, while using 25-30% less urethane than a standard tire.

LSW 495-762	TL	G9F161	12	7,600	34	34	230		\$1,776.91	\$1,187.48
-------------	----	--------	----	-------	----	----	-----	--	------------	------------

(Replaces 19.5L-24)



TITAN MOTOR GRADER HD G-2 (Original Equipment)

>Motor Grader HD has a proven performance tread design with massive lugs, large center overlap to resist buckling, tearing and cracking.

>It is very durable and resistant to punctures and features a heavy-duty tubeless construction.

5 MPH

25 MPH





13.00-24TG (A)	TL	367333	12	6,600	44	29	165		\$943.51	\$650.83
				6,000	44					
13.00-24TG (A)	TL	36738A	16	14,300	87	29	183		\$1,082.51	\$742.83
				7,150	54					
14.00-24TG (A)	TL	367344	12	13,900	62	31	200		\$1,057.29	\$734.82
				6,800	36					
14.00-24TG (A)	TL	3673R7	14	14,800	64	31	192		\$1,160.44	\$794.29
				7,600	44					



TITAN Brand Farm Tires by Titan Tire

TITAN Size	TT/TL	CATALOG #	PLY/PR Load	MAX Load	P.S.I.	Tread (32nds) Depth	WGT.	F.E.T.	1/1/2014 LIST PRICE	State of Kansas INVOICE PRICE
TITAN GRADER II G-2			25 MPH							
13.00-24TG (B)	TL	37C333	12	6,000	44	29	160		\$972.20	\$664.91
13.00-24TG (B)	TL	37C346	14	6,600	47	29	165		\$1,076.60	\$731.00
14.00-24TG (B)	TL	37C344	12	6,800	36	31	200		\$1,088.00	\$753.55
TITAN GRIZZ LSW483 R-1			Requires LSW Wheels							
			>The Grizz LSW483 is a patented wheel and tire assembly designed to reduce vehical bounce, reduce loping and improve lateral stability.							
			25 MPH							
			>Features a low aspect ratio tire and a large diameter wheel.							
			5 MPH							
LSW 375-851	TL	G83434	4	2,200	12	47	120		\$921.00	\$615.73
(Replaces 14.9-24)										
LSW 375-851	TL	G83834	8	3,520	26	47	126		\$1,028.13	\$683.76
(Replaces 14.9-24)										
LSW 375-851	TL	G83534	16	5,200	52	47	173		\$1,622.93	\$1,067.94
(Replaces 14.9-24)										
TITAN LIFT RIGGER			"A" "B"							
			>This lug tread tire is designed to provide the stability needed in aerial lift and rough terrain lift.							
			5 MPH							
13.00-24TG (A)	TL	T99333	12	12,300	65	29	164		\$1,109.73	\$750.70
13.00-24TG (A)	TL	T99346	14	13,200	76	29	165		\$1,122.82	\$759.20
14.00-24TG (B)	TL	T9C344	12	13,900	62	31	200		\$1,251.42	\$853.24
14.00-24TG (B)	TL	T9C3R4	16	16,100	80	31	212		\$1,393.49	\$945.55
TITAN LIFT RIGGER II										
			>Titan's Lift Rigger II combines thicker, self-cleaning lugs in a directional pattern with a low aspect ratio.							
			>Lateral stability and flotation are increase vs. conventional aerial lift tires.							
			>Also available in the stable LSW design.							
			5 MPH							
			25 MPH							
400/70-20	TL	43C34L	150A8	10,500	58	33	170		\$1,280.42	\$857.69
(Replaces 16.0/70-20)										
LSW 400-648	TL	G3C34L	150A8	10,500	58	33	154		\$1,404.07	\$925.78
(Replaces 16/70-20)										
TITAN GRIZZ LSWG8L G-2			# Requires LSW Wheel							
			>LSWG8L G-2 is a patented wheel and tire assembly designed to reduce vehicle bounce, reduce loping and improve lateral stability.							
			5 MPH							
			>Features low aspect ratio tire and large wheel.							
			25 MPH							
LSW 330-851	TL	G8L333	12	12,300	65	29	154		\$1,645.20	\$1,072.87
(Replaces 13.00-24TG)										
LSW 330-851	TL	G8L38A	16	14,300	87	29	153		\$1,815.36	\$1,176.15
(Replaces 13.00-24TG)										
LSW 360-851	TL	G8L344	12	13,900	62	31	156		\$1,859.58	\$1,204.43
(Replaces 14.00-24TG)										
LSW 395-851	TL	G8L120	12	12,300	58	29	216		\$1,788.67	\$1,188.35
(Replaces 15.5-25)										
TITAN SUPER GRADER G-2/L-2			25 MPH							
16.00-24	TL	3SG666	16	9,900	44	35	314		\$2,345.76	\$1,572.19
TITAN SUPER RIGGER E3/L3										
			>These Non-Directional wide tread tires feature a long wearing tread compound for demanding material handling operations.							
			30 MPH							
			5 MPH							
13.00-24TG (A)	TL	49L333	12	6,000	44	31	221		\$1,230.31	\$849.91
13.00-24TG (A)	TL	49L38A	16	7,150	54	31	242		\$1,370.11	\$944.72
14.00-24TG (A)	TL	49L344	12	6,800	36	32	229		\$1,306.33	\$899.86
14.00-24TG (A)	TL	49L3R4	16	8,050	51	32	250		\$1,437.96	\$989.78
14.00-25TG	TL	49LB65TTF	28	14,800	58	36	360		\$3,323.11	\$2,189.25

TITAN Brand Farm Tires by Titan Tire

TITAN Size	TT/TL	CATALOG #	PLY/PR Load	MAX Load	P.S.I.	Tread (32nds) Depth	WGT.	F.E.T.	1/1/2014 LIST PRICE	State of Kansas INVOICE PRICE	
TITAN T40											
>Designed for use with material handling and mining equipment, the Titan T40 has excellent flotation and load distribution properties.											
5 MPH											
32X12-15NHS	TL	44P226F	20	9,150	145	32	143		\$1,546.58		\$1,007.70
35X15-15 NHS	TL	44P377	28	12,300	150	29	221		\$2,135.49		\$1,402.02
TITAN T44											
>Has proven success in the material handling and mining industries.											
>T44 also affords a comfortable ride with an extra thick carcass for better shock absorption.											
>Features an increased tread for better stability.											
5 MPH											
44X18-20 NHS	TL	44T3K1	32	18,700	150	38	415		\$4,351.78	\$2,841.50	
42X21-22 NHS	TL	44T3J5	32	22,800	145	32	330		\$3,681.18	\$2,393.89	
TITAN TT472											
>TT472 is the Ultimate performance forklift tire.											
>Increased skid depth, a wider, flatter profile and reinforced rim guard provide needed performance for the increased demands of the forklift industry.											
5 MPH											
10.00-20	TT	472224250F	18	16,000	130	38	172		\$1,702.53		\$1,115.79
TITAN PREMIUM WIDE TRAC											
>With a proven record in the material handling and mining industries, the Premium Wide Trac features a non-directional lug design suited for the vehicles drive or steer positions.											
> Also features a heavy duty sidewall.											
10 MPH											
28X9-15 NHS	TL	44P2B5F	12	*6,880	120	18	56		\$601.44		\$391.94
28X12-15 NHS	TL	44P262F	20	*10,800	150	24	99		\$1,257.64		\$811.84
32X15-15 NHS	TL	44P3G7	24	*15,900	150	32	174		\$1,356.96		\$906.26
36X11-15 NHS	TT	44P2F9F	16	*12,290	115	29	153		\$1,187.20		\$792.84
36X11-15 NHS	TT	44P6F9	24	*12,290	145	29	150		\$1,294.04		\$856.95
9.00-20 NHS	TT	44P218F	12	*11,780	95	25	130		\$1,041.89		\$693.96
9.00-20 NHS	TT	44P2E8F	14	*12,800	110	25	146		\$1,141.02		\$761.68
10.00-20 NHS	TT	44P2E9F	16	*14,910	115	25	157		\$1,111.31		\$748.34
11.00-20 NHS	TT	44P2E2F	16	*15845	110	26	167		\$1,340.96		\$893.10
12.00-20 NHS	TT	44P2E3F	18	*18,600	115	32	222		\$1,555.84		\$1,048.87

TITAN Brand Farm Tires by Titan Tire

TITAN Size	TT/TL	CATALOG #	PLY/PR Load	MAX Load	P.S.I.	Tread (32nds) Depth	WGT.	F.E.T.	1/1/2014 LIST PRICE	State of Kansas INVOICE PRICE
12.00-20 NHS	TT	44P2A7F	20	*19,900	130	32	242		\$1,555.84	\$1,057.93
12.00-20 NHS	TT	44P6A7F	32	*21,250	145	32	252		\$1,997.38	\$1,331.68

*Drive Loads

TITAN INDUSTRIAL DEEP TRACTION

>Designed to withstand long, extended runs, this tire is easily one of the best tires for performance and durability.

>It's unique broken bar / solid bar lug design provides increased footprint for better braking handling, and load distribution.

10 MPH

6.90/6.00-9 NHS	TT	454204F	10	3,715	125	19	23		\$173.36	\$116.23
6.50-10 NHS	TT	454263F	10	4,225	115	20	29		\$226.71	\$151.24
7.00-12 NHS	TT	454212F	12	5,995	125	21	38		\$255.60	\$173.21
7.00-12 NHS	TT	4542D7F	14	6,535	145	21	39		\$282.27	\$189.66
7.50-15 NHS	TT	454269F	12	7,690	115	22	56		\$388.96	\$262.58
8.25-15 NHS	TT	454231F	12	8,680	105	23	67		\$415.62	\$283.50
8.25-15 NHS	TT	4542D5F	14	9,385	120	23	67		\$460.09	\$310.76
29X8-15 NHS	TT	454216F	12	6,870	125	25	55		\$388.96	\$261.95
30X8-15 NHS	TT	454251F	12	6,940	125	25	51		\$415.62	\$276.31



TITAN T HAWK 373

>Originally designed for use on 2 1/2 and 5 ton military trucks, this non-directional cross-country tread has proven it's durability under tough conditions and has become a standard for various military applications.

				Hwy. Speeds				Subject to F.E.T. Taxes		
7.00-16	TT	373276F	C	1,800	45	17	32		\$273.00	\$180.98
9.00-16	TT	373249F	D	3,035	50	17	54		\$473.60	\$313.31
9.00-20	TT	373248F	8	4,000	65	19	74	\$2.36	\$648.07	\$428.70
11.00-20	TT	373269F	12	5,920	85	21	99	\$11.43	\$971.76	\$637.20



TITAN ST RADIAL

>One of the best trailer tires in the Industry. The Titan ST Radial boasts superb wet road traction, good highway stability, and improved fuel economy.

>Rated superb for wear performance.

ST155/80R13		6ST310	C	1,100	50	11	15		\$142.84	\$93.99
-------------	--	--------	---	-------	----	----	----	--	----------	---------



DICO RADIAL ST II

Hwy. Speeds

>Titans trailer with a modern tread design for a smooth ride and more even wear.

>Wider grooves and aggressive siping reduce hydroplaning.

>Nylon cap improves durability.

ST175/80R13	TL	6RT368	C	1,360	50	10	19		\$144.33	\$96.41
ST185/80R13	TL	6RT320	C	1,480	50	10	20		\$156.89	\$104.66
ST205/75R14	TL	6RT357	C	1,760	50	10	22		\$167.20	\$112.07
ST215/75R14	TL	6RT352	C	1,870	50	10	25		\$187.38	\$125.64
ST205/75R15	TL	6RT318	C	1,820	50	10	23		\$175.31	\$117.38
ST205/75R15	TL	6RT319	D	2,150	65	10	28		\$210.98	\$141.36
ST225/75R15	TL	6RT346	C	2,150	50	10	28		\$197.71	\$133.07
ST225/75R15	TL	6RT347	D	2,540	65	10	31		\$224.36	\$150.99
ST225/75R15	TL	6RT348	E	2,830	80	10	32		\$250.40	\$167.32



TITAN ST

Hwy. Speeds

>Full four-ply construction in the tread and sidewall give the Titan ST improved tread wear and life.

>Intended for highway use in trailer applications this tire uses special compounds for mileage.

ST175/80D13	TL	5ST367	B	1,100	35	10	16		\$163.00	\$106.41
ST175/80D13	TL	5ST368	C	1,360	50	10	19		\$192.62	\$125.84
ST185/80D13	TL	5ST320	C	1,480	50	10	20		\$197.67	\$129.69
ST205/75D14	TL	5ST357	C	1,760	50	10	22		\$207.93	\$136.90
ST215/75D14	TL	5ST352	C	1,870	50	10	23		\$215.22	\$141.68
ST205/75D15	TL	5ST318	C	1,820	50	11	26		\$236.49	\$156.09
ST205/75D15	TL	5ST319	D	2,150	65	11	31		\$274.53	\$181.55
ST225/75D15	TL	5ST346	C	2,150	50	11	29		\$261.47	\$172.34
ST225/75D15	TL	5ST347	D	2,540	65	11	33		\$290.89	\$192.19



TITAN ST SPORT TRAX

>The ST Sport Trax is designed for utility trailers on or off the highway with nylon construction for cooler running and rugged wear.

>The ST Sport Trax features raised black letters.

4.80-8	TL	1106901-808D	B	585	60	6	6		\$38.42	\$38.42
5.70-8	TL	1115000-808D	C	910	75	7	8		\$97.53	\$63.02



TITAN Brand Farm Tires by Titan Tire

TITAN Size	TT/TL	CATALOG #	PLY/PR Load	MAX Load	P.S.I.	Tread (32nds) Depth	WGT.	F.E.T.	1/1/2014 LIST PRICE	State of Kansas INVOICE PRICE
20.5X8.0-10	TL	1139100	C	1,100	50	9	14		\$151.29	\$98.59
20.5X8.0-10	TL	1139410	D	1,320	70	9	15		\$168.58	\$109.63
20.5X8.0-10	TL	1139690	E	1,520	90	9	16		\$192.51	\$124.76
4.80-12	TL	11099001	B	785	60	6	8		\$82.33	\$53.87
5.30-12	TL	11127031	C	1,050	80	6	11		\$116.18	\$76.03

TITAN CLASSIC ST II

>Features good tread depth and terrain versatility

> Sold as an OEM tire to many Golf Cart manufacturers.

18X8.50-8 NHS	TL	482331	4	815	22	4	13		\$131.24	\$85.80
---------------	----	--------	---	-----	----	---	----	--	----------	---------



TITAN CLASSIC RB

> Specifically designed to reduce turf damage.

> Titan's Classic RB is noted as a good front end tire sporting a long lasting, high performance rating.

18X8.50-8 NHS	TL	483331	4	815	22	7	12		\$121.24	\$79.18
---------------	----	--------	---	-----	----	---	----	--	----------	---------



TITAN CLASSIC TX

>Landscaping projects, mowing, and general grounds work are easily accomplished with this rugged tire designed to take abuse.

>Wide footprint endures heavy loads and provides stability and traction.

18X8.50-8 NHS	TL	481331	4	815	22	11	13		\$135.49	\$88.64
---------------	----	--------	---	-----	----	----	----	--	----------	---------



GRIZZ LSW 430

Requires LSW Wheel

> The radial LSW430 is a patented wheel and tire assembly designed to reduce vehicle bounce, loping, and sidewall heat build up.

>Features a low aspect ratio tire and a large diameter wheel.

LSW 305R343	TL	G30573	121A8	3,200	52	8	47		\$369.61	\$246.61
-------------	----	--------	-------	-------	----	---	----	--	----------	----------

Replaces 25x12.00-9

LSW 610R470	TL	G303P0	125A8	3,640	30	12	144		\$1,249.96	\$827.32
-------------	----	--------	-------	-------	----	----	-----	--	------------	----------



TITAN SOFT TURF

> The Soft Turf tire has been designed for the low ground pressure use that is ideal for fine lawn maintenance and it can also be used for industrial applications.

>Also available in the LSW design.

25x10.50LL-15	TL	4303N8	6	935	30	12	32		\$298.38	\$196.60
---------------	----	--------	---	-----	----	----	----	--	----------	----------

27X12LL-15NHS	TL	4303M7	6	1,320	30	10	35		\$341.53	\$224.02
---------------	----	--------	---	-------	----	----	----	--	----------	----------



TITAN GRIZZ LSW SOFT TURF

Requires LSW Rims

> The LSW Soft Turf is a patented wheel and tire assembly designed to reduce vehicle bounce, loping, and sidewall heat build up.

>Features a low aspect ratio tire and a large diameter wheel.

LSW305-521	TL	G3032K	6	2,340	30	10	55		\$463.53	\$307.54
------------	----	--------	---	-------	----	----	----	--	----------	----------

(Replaces 12LL-16)

LSW 570-648	TL	G303H4	6	6,000	30	12	165		\$2,038.49	\$1,317.69
-------------	----	--------	---	-------	----	----	-----	--	------------	------------

(Replaces 22.5LL-16.1)



TITAN COMMERCIAL MULTI TRAC C/S

>The Revolutionary Multi Trac C/S boasts greater tread depth and more rubber on the contact surface to provide increased puncture resistance and longer tire life.

>Shoulder design minimizes turf damage.

16X6.50-8 NHS	TL	474304	4	620	28	9	9		\$106.76	\$69.34
---------------	----	--------	---	-----	----	---	---	--	----------	---------

16X6.50-8 NHS	TL	4743Q1	8	950	58	9	9		\$117.42	\$75.85
---------------	----	--------	---	-----	----	---	---	--	----------	---------

18X8.50-10 NHS	TL	4743U1	4	830	22	10	14		\$149.11	\$97.37
----------------	----	--------	---	-----	----	----	----	--	----------	---------

20X8.00-10 NHS	TL	474318	4	895	24	10	19		\$158.78	\$105.36
----------------	----	--------	---	-----	----	----	----	--	----------	----------

20X8.00-10 NHS	TL	4743X2	8	1,380	50	10	20		\$165.36	\$109.73
----------------	----	--------	---	-------	----	----	----	--	----------	----------

22X9.00-12 NHS	TL	4743F1	4	1,110	20	12	19		\$155.80	\$103.47
----------------	----	--------	---	-------	----	----	----	--	----------	----------

23X8.50-12 NHS	TL	474301	4	1,115	22	12	22		\$159.56	\$107.35
----------------	----	--------	---	-------	----	----	----	--	----------	----------

23X8.50-12 NHS	TL	474372	6	1,440	34	12	22		\$162.40	\$109.09
----------------	----	--------	---	-------	----	----	----	--	----------	----------

23X10.50-12 NHS	TL	474367	4	1,340	20	12	25		\$174.78	\$117.72
-----------------	----	--------	---	-------	----	----	----	--	----------	----------

23X10.50-12 NHS	TL	474353	6	1,760	32	12	26		\$190.96	\$128.02
-----------------	----	--------	---	-------	----	----	----	--	----------	----------

26X12.00-12 NHS	TL	474361	4	1,780	20	12	38		\$236.76	\$161.50
-----------------	----	--------	---	-------	----	----	----	--	----------	----------

26X12.00-12 NHS	TL	474377	6	2,250	30	12	37		\$257.71	\$173.97
-----------------	----	--------	---	-------	----	----	----	--	----------	----------

24X8.50-14 NHS	TL	474324	4	1,230	22	11	20		\$186.42	\$122.79
----------------	----	--------	---	-------	----	----	----	--	----------	----------

25X8.50-14 NHS	TL	474339	4	1,320	22	11	26		\$198.49	\$132.95
----------------	----	--------	---	-------	----	----	----	--	----------	----------



TITAN Brand Farm Tires by Titan Tire

TITAN Size	TT/TL	CATALOG #	PLY/PR Load	MAX Load	P.S.I.	Tread (32nds) Depth	WGT.	F.E.T.	1/1/2014 LIST PRICE	State of Kansas INVOICE PRICE
25X8.50-14 NHS	TL	474371	6	1,640	32	11	26		\$222.98	\$147.88
27X8.50-15 NHS	TL	474348	4	1,230	30	11	30		\$284.16	\$187.02
27X8.50-15 NHS	TL	474356	6	1,570	45	11	30		\$312.58	\$204.38
27X10.50-15 NHS	TL	4743H6	4	1,320	30	12	37		\$353.93	\$232.77
27X10.50-15 NHS	TL	4743E0	10	2,200	75	12	42		\$396.84	\$261.07
28X8.50-15 NHS	TL	474358	4	1,430	30	11	23		\$330.51	\$211.88
29X12.50-15 NHS	TL	4743L5	4	1,320	20	12	46		\$385.07	\$255.45
29X12.50-15 NHS	TL	4743D4	6	1,710	30	12	45		\$404.33	\$266.89
29X12.50-15 NHS	TL	4748L5	8	2,150	45	12	48		\$452.84	\$297.71
31X13.50-15 NHS	TL	47434A	4	1,650	20	12	55		\$468.93	\$310.91
31X13.50-15 NHS	TL	4743U2	8	2,600	45	12	56		\$497.58	\$328.77
31X13.50-15 NHS	TL	4743U3	10	3,080	60	12	66		\$590.02	\$389.54
33X12.50-16.5 NHS	TL	4743J0	4	2,305	30	12	56		\$498.76	\$329.41
36X13.50-15 NHS	TL	474350	4	2,600	20	12	65		\$584.29	\$385.73
13.6-16 NHS	TL	474381	4	1,570	14	24	101		\$670.04	\$454.01
13.6-16 NHS	TL	4743W0	8	2,340	28	24	94		\$716.91	\$479.46
13.6-16 NHS	TL	4743L4	14	3,300	50	24	115		\$994.73	\$658.42
21.5L-16.1" (I-2)	TL	4743D9	4	3,520	12	24	144		\$1,125.51	\$751.22
41X14.00-20 NHS	TL	474323	4	3,080	25	22	101		\$771.80	\$516.34
44X18.00-20 NHS	TL	474342	4	3,420	20	25	134		\$1,076.64	\$717.09
44X18.00-20 NHS	TL	4743W1	6	4,300	30	25	146		\$1,155.27	\$770.22

TITAN 489 X/T FRONTS

> Ride, traction and durability standards are conquered to provide the smoothest ride possible.

> Offers sure-footed traction under and conditions.

> Rugged 6 ply rated construction for the ultimate in stability, durability, and puncture resistance.

50 MPH

AT23X7-10	TL	411307	6	275	7	19	19		\$146.42	\$97.79
AT23X8-10	TL	411326	6	300	7	19	17		\$135.07	\$89.84
AT23X8-11	TL	411304	6	200	7	19	18		\$138.33	\$92.43
AT24X8-11	TL	411332	6	320	7	19	21		\$161.62	\$107.84
AT23X8-12	TL	411329	6	280	7	19	18		\$141.09	\$94.32
AT24X8-12	TL	411337	6	310	7	18	20		\$143.27	\$96.28
AT24X9-12	TL	411342	6	355	7	19	20		\$150.16	\$100.74
AT25X8-12	TL	411306	6	340	7	19	20		\$150.09	\$100.44

TITAN 489 X/T REARS

> The perfect complement to the 489XT front, this tire provides excellent all-around traction in 2WD and 4WD applications.

> Includes dimpled tread elements and six ply rated construction.

50 MPH

AT22X11-10	TL	4113A5	6	385	7	19	22		\$164.53	\$110.04
AT23X10-10	TL	411327	6	375	7	19	20		\$154.09	\$103.16
AT24X11.5-10	TL	411338	6	480	7	19	24		\$205.91	\$136.42
AT25X11-10	TL	411308	6	455	7	19	28		\$180.07	\$122.34
AT24X9-11	TL	4113A9	6	365	7	19	22		\$159.93	\$107.41
AT24X10-11	TL	411328	6	395	7	19	24		\$170.47	\$114.99
AT23X10-12	TL	411330	6	365	7	19	21		\$156.47	\$104.99
AT24X11-12	TL	411344	6	430	7	19	25		\$168.62	\$114.16
AT25X10-12	TL	411321	6	420	7	19	26		\$181.42	\$122.42
AT25X11-12	TL	411346	6	455	7	19	31		\$181.67	\$124.82
AT26X10-12	TL	411355	6	440	7	19	25		\$218.31	\$144.34

TITAN AT589

> Fans of the AT 489 will enjoy this high performance mud tire, the Titan AT 589.

> Features open tread pattern with added tread depth, this is the tire for ultimate traction as demonstrated by being the "Overall Winner" in ATV Magazine.

(Sept '99) Mud Tire Test.

AT25X8-12	TL	41R306	3 STAR	340	7	28	24		\$164.73	\$111.50
-----------	----	--------	--------	-----	---	----	----	--	----------	----------

TITAN Brand Farm Tires by Titan Tire

TITAN Size	TT/TL	CATALOG #	PLY/PR Load	MAX Load	P.S.I.	Tread (32nds) Depth	WGT.	F.E.T.	1/1/2014 LIST PRICE	State of Kansas INVOICE PRICE
------------	-------	-----------	-------------	----------	--------	---------------------------	------	--------	------------------------	----------------------------------

TITAN AT589 M/T

>Building on the heritage of the popular AT 589, this second generation tire is designed for the serious ATV enthusiast.

>Stepped lugs provide lug strength and stability.

>Comes with the deepest lug depth available.

50 MPH

AT25X12-10	TL	45X393	6	495	7	36	38		\$230.58	\$157.96
AT24X8-11	TL	45X332	6	320	7	33	23		\$183.16	\$122.28
AT25X8-11	TL	45X3R1	6	420	7	33	24		\$183.73	\$122.66
AT25X10-11	TL	45X3V7	6	355	7	36	32		\$201.73	\$137.46
AT25X8-12	TL	45X306	6	420	7	33	24		\$170.82	\$115.14
AT25X10-12	TL	45X321	6	420	7	36	29		\$195.62	\$132.36
AT26X9-12	TL	45X3P6	6	520	7	36	38		\$223.42	\$153.24
AT26X12-12	TL	45X361	6	410	7	36	40		\$243.44	\$166.64
AT27X9-12	TL	45X3T0	6	440	7	36	36		\$218.36	\$149.59
AT27X11-12	TL	45X3U0	6	495	7	36	37		\$227.60	\$155.32
AT28X9-12	TL	45X34N	6	465	7	36	37		\$221.20	\$151.59
AT28X11-12	TL	45X35A	6	535	7	36	36		\$229.60	\$156.45



TITAN GRIZZ LSW 589 M/T

>The newest concept in tire design has come to ATV Market

>Titans exclusive LSW design is now available to enhance your ATV experience, redefining the traction and stability of your ATV.

LSW230-394AT (Replaces AT27x9-12)	TL	G5X3T0	6	440	7	36	31		\$287.51	\$189.15
LSW255-394AT (Replaces AT27x10-12)	TL	G5X3U0	6	465	7	36	32		\$287.13	\$189.76



TITAN MUD MONSTER

>In Mud or extremely difficult terrain, the Titan Mud Monster offers maximum bite with a full 26" outside diameter.

>A rounded profile maintains steer characteristics usually only associated with less aggressive designs.

AT26X10.5-12	TL	404336	3*	455	7	24	27		\$229.11	\$151.81
--------------	----	--------	----	-----	---	----	----	--	----------	----------



TITAN SABRE TOOTH

>If your idea of fun means pushing the envelope, then the Sabre Tooth is the tire for you.

>The Sabre Tooth carries on the tradition of offering a general purpose tread design that gives outstanding performance.

AT25X8-12	TL	407306	3*	340	7	19	19		\$142.89	\$95.64
AT25X10-12	TL	407321	3*	420	7	21	24		\$170.49	\$114.67



TITAN RAPTOR

>Just like it's name implies, this tire is meant for the lost world.

>Thick, talon-like lugs sink into gnarly terrain and prey on anything in their path.

AT26X10.5-12	TL	416336	3*	455	7	24	25		\$228.84	\$150.80
--------------	----	--------	----	-----	---	----	----	--	----------	----------



TITAN FAST TREKKER (FRONTS)

>Designed with a wide footprint in an "S" knob tread, this tire defines stability.

>Large open lug pattern allows maximum clean-out.

>Side lug gives greater cornering ability.

AT20X7-8	TL	46U370	3*	240	7	16	15		\$125.11	\$83.18
AT21X8-9	TL	46U3B2	3*	240	7	16	14		\$122.38	\$81.10
AT21X7-10	TL	46U3A1	3*	235	7	16	13		\$126.13	\$82.78
AT22X8-10	TL	46U3A8	3*	275	7	16	17		\$135.40	\$90.30



TITAN Brand Farm Tires by Titan Tire

TITAN Size	TT/TL	CATALOG #	PLY/PR Load	MAX Load	P.S.I.	Tread (32nds) Depth	WGT.	F.E.T.	1/1/2014 LIST PRICE	State of Kansas INVOICE PRICE
------------	-------	-----------	-------------	----------	--------	---------------------------	------	--------	------------------------	----------------------------------

TITAN FAST TREKKER (REARS)

>Developed specifically to address the demands of maneuverability.

>The center "V" lug provides straight ahead traction, while the "S" knob cleats offer side bite on loose pack surface.



AT18X9.5-8	TL	46U346	3*	245	7	16	15		\$125.38	\$83.42
AT18X11-8	TL	46U386	3*	290	7	16	18		\$142.09	\$94.64
AT22X11-8	TL	46U387	3*	395	7	16	23		\$150.33	\$101.87
AT20X10-9	TL	46U324	3*	300	7	20	18		\$137.69	\$92.11
AT18X11-10	TL	46U3C3	3*	280	7	16	15		\$132.36	\$87.42
AT20X10-10	TL	46U325	3*	300	7	20	20		\$153.49	\$102.58
AT22X11-10	TL	46U3A5	3*	385	7	16	23		\$155.71	\$105.14